

18V Mobile Brushless Laminate Trimmer



Thakita

5







COMPACT DESIGN. HIGH PERFORMANCE.

שטאונטר

Trakita

Our Compact range delivers outstanding performance without the bulkiness and weight of the typical cordless tool. LXT® Compact continues to refine the formula of faster-charging batteries with leading power-to-weight ratio's.




Product Objectives

- Designed to suit the needs of carpenters, joiners and shopfitters
- Develop a game changing 18V mobile brushless laminate trimmer, with extreme amounts of power and runtime compatible with a number of various accessories for the ultimate versatility





Product Overview



Product Specification Sheet



| Collet | 6.35mm (1/4") |
|-----------------------------|--------------------|
| No load speed | 10,000 – 30,000rpm |
| Overall height | 226mm |
| Skin weight | 1.4kg |
| Weight (with 6.0Ah battery) | 2.1kg |

- On / Off Button with lock prevents accidental start up of the tool during use or transport, protecting the user and the workpiece
- Shaft lock easy installation and removal of trimmer bit with single wrench by pressing the shaft lock
- Soft start minimises start up shock and makes the tool start smoothly for optimum control
- BL Brushless Motor provides more power to the motor whilst increasing runtime and durability
- Variable speed control dial the rotation speed of the tool can be changed from 10,000-30,000rpm by turning the speed adjusting dial
- Constant speed control the speed control function provides constant rotation speed regardless of load conditions
- Variety of optional accessories available RT0700C accessories are compatible which include; trimmer base, plunge routing base, tilt base and offset base assembly

Advantages

Performance



Brushless motor provides higher power output then corded alternative

Runtime



High performance motor ensures all day runtime

Versatility



Compatible with a wide range of trimmer accessories


Durability



Heavy duty aluminium motor housing



Advantages



Frequently Asked Questions

How to turn the laminate trimmer on?

To turn on the tool. Press the lock/unlock button. The tools turns into stand by mode. To start the tool, press the start/stop button in standby mode. To stop the tool press the start/stop button again. If left for 10 seconds without any operation the tool will return to the locked positon.

How to adjust the cutting depth?

To adjust the cutting depth open the lock lever, then move the tool base up or down by turning the adjusting screw. After the adjustment , close the lock lever firmly.

How to install or remove trimmer bits?

Insert the trimmer bit all the way into the collet cone. Press the shaft lock and tighten the collet nut with the wrench or tighten the collect nut securely with the two wrenches supplied as standard.

Standard Accessories – DRT50Z

Standard Accessories – DRT50Z

| 4 | 763637-1 | 1/4" Collet | |
|---|----------------------|--|--|
| 0 | 763619-3 | 3/8" Collet | |
| | 343577-5 | Template guide (for use in Trimmer base) | |
| | 781011-1 781039-9 | Wrench 22mm Wrench 13mm | |
| | 122965-7 | Straight guide (suits Trimmer base only) | |
| • | 195559-1 | Dust nozzle (suits Trimmer base only) | |
| | 195560-6 | Laminate Trimmer Base | |
| | 413150-6 | Square base plate | |



Standard Accessories – DRT50ZJX2

| Standard Accessories – DRT50ZJX2 | | Standard Accessories – DRT50ZJX2 | | | |
|----------------------------------|---------------------------------|--------------------------------------|----------------------|---|---|
| DRT50Z | 18V Laminate trimmer | | 122703-7 | Trimmer guide assembly (suits Laminate Trimmer base only) | |
| | | | 122965-7 | Straight guide | |
| | 195563-0 | Plunge routing base | | 781011-1 781039-9 | Wrench 22mm Wrench 13mm |
| | | Tilt base assembly (45° to -30°) | | 763637-1 763619-3 | 1/4″ Collet 3/8″ Collet |
| | 195561-4 | | • | 195559-1 | Dust nozzle (suits Trimmer base only) |
| 821552-6 MA | MAKPAC Connector case type 4 | | 194733-8 | Dust nozzle (suits Plunge base only) | |
| | | | 343577-5 344364-5 | Template guide 10 Template guide 16 (for use in Trimmer & Tilt bases) | |

Optional Accessories

| Optional Accessor | ies | | Optional Accessorie | S | |
|--------------------------|----------|---|---------------------|--|---|
| 0 | 196924-7 | Grip attachment set | 2 | 195561-4 | Tilt base assembly |
| -1 | 195560-6 | Laminate trimmer base | > | 413150-6 | Tilt base plate (can be fitted to Laminate Trimmer base) |
| | 454842-8 | Trimmer base plate | | D-53534 D-53540 D-53556 A-91051 | 1/4" Shaft bit set 4 Piece economy set 6 Piece economy set 12 Piece economy set 12 Piece standard set |
| | 195562-2 | Offset base assembly | | Page 284-596 | 1⁄4" Shaft range of |
| | 413148-3 | Offset base plate (can be fitted to Laminate Trimmer base) | 1 | 2015/16 Accessories Catalogue | performance cutters available |
| | 195563-0 | Plunge routing base assembly | | 763636-3 763618-5 | 6mm Collet 8mm Collet |
| 0 | 450819-1 | Plunge base plate | | 194579-2 | Guide Rail Adaptor Set |
| esta- | 194733-8 | Dust extraction nozzle (suits plunge base assembly) | | 194368-5 194925-9 | 1.4m guide rail track 1.9m guide rail track |
| | 195136-9 | Straight Guide with Micro Adjustment (suits plunge base assembly) | 1 Alexandre | 164834-6 | Straight Guide Assembly (suits Plunge Base assembly) |