

1. Identification of the material and supplier

<u>Names</u>	
Product name	: Sika MultiKit
<u>Supplier</u>	
Supplier/Manufacturer	: Sika Australia Pty. Ltd. 55 Elizabeth Street (Locked Bag 482 BDC) Wetherill Park, NSW 2164 Australia
Telephone no.	: +61 2 9725 11 45
Fax no.	: +61 2 9725 33 30
Emergency telephone number	: +61 1800 033 111
Use of the substance/preparation	Chemical product for construction and industry

2. Hazards identification

Classification	: Xi; R36/38 R43 R52/53
Risk phrases	 R36/38- Irritating to eyes and skin. R43- May cause sensitization by skin contact. R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Safety phrases	 S24/25- Avoid contact with skin and eyes. S37/39- Wear suitable gloves and eye/face protection. Do not empty into drains; dispose of this material and its container in a safe way.
Statement of hazardous/dangerous nature	: HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

3. Composition/information on ingredients

Mixture : Yes.			
reaction product: bisphenol A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700)	25068-38-6	10 - <30	
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2	10 - <30	

Other ingredients, determined not to be hazardous according to NOHSC criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

First aid measures Inhalation

: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

0:1	NA	
Sika	MultiKit	

4. First aid mea	sures
Ingestion	: Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5. Fire-fighting measures

Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is harmful to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	In a fire or if heated, a pressure increase will occur and the container may burst.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material.

Sika	MultiKit
------	----------

Accidental release measures C

Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate

7 Handling and storage

Handling

: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

waste disposal container. Dispose of via a licensed waste disposal contractor.

Storage

Store in accordance with local regulations. Store in original container protected from 5 direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Exposure controls/personal protection 8

Occupational exposure limits	: No exposure standard allocated.
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Exposure controls	
Engineering measures	: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eyes	 Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Hands	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Respiratory	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Skin	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Version :	2 Page: 3/6

Sika MultiKit

8. Exposure controls/personal protection

-	
Environmental exposure	: Emissions from ventilation or work process equipment should be checked to ensure
controls	they comply with the requirements of environmental protection legislation. In some
	cases, fume scrubbers, filters or engineering modifications to the process equipment
	will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Physical state	: Liquid. [Paste.]
Color	: White.
Odor	: Faint odor.
Density	: 1.9 g/cm ³ [20°C (68°F)]
Flash point	: Closed cup: >200°C (>392°F)
рН	: 9.5 [Conc. (% w/w): 50%]
Solubility	: Insoluble in the following materials: cold water.

10 . Stability and reactivity

Stability	: The product is stable.
Conditions to avoid	No specific data.
Materials to avoid	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Potential acute health effect	ts					
Inhalation	:	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.				
Ingestion	1	Irritating to	Irritating to mouth, throat and stomach.			
Skin contact	:	Irritating to skin. May cause sensitization by skin contact.				
Eye contact	1	Irritating to	Irritating to eyes.			
Acute toxicity						
Product/ingredient name 2,4,6-tris(dimethylaminome	ethyl)	phenol	Result LD50 Dermal LD50 Oral	Species Rat Rat	Dose 1280 mg/kg 1200 mg/kg	Exposure - -
Conclusion/Summary	:	Not availa	ble.			
Potential chronic health effe	ects					
Chronic toxicity						
Conclusion/Summary	:	Not availa	Not available.			
Carcinogenicity						
Conclusion/Summary	- 1	Not availa	Not available.			
<u>Mutagenicity</u>						
Conclusion/Summary	1	Not availa	Not available.			
Teratogenicity						
Conclusion/Summary	- 1	Not availa	Not available.			
Reproductive toxicity			b.1.			
Conclusion/Summary			Not available. Once sensitized, a severe allergic reaction may occur when subsequently exposed to			
Chronic effects		very low le		allergic reaction r	may occur when subs	sequently exposed to
Carcinogenicity	1	No known significant effects or critical hazards.				
Mutagenicity	1	No known significant effects or critical hazards.				
Teratogenicity	1	No known	significant effects	s or critical hazaı	rds.	
Developmental effects	1	No known significant effects or critical hazards.				
Fertility effects	:	No known significant effects or critical hazards.				
Over-exposure signs/sympt	oms	5				
Inhalation	1	No specifi	c data.			
Ingestion	1	No specific data.				

Sika MultiKit		
11. Toxicologic	al information	
Skin	: Adverse symptoms may include the following: irritation redness	
Eyes	: Adverse symptoms may include the following: irritation watering redness	
12. Ecological i	nformation	
Environmental effects	: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
Aquatic acotoxicity		

Aquatic ecotoxicity Conclusion/Summary : Not available. Other ecological information Biodegradability Conclusion/Summary : Not available. Other adverse effects : Not known significant effects or critical hazards.

13. Disposal considerations

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

<u>ADG</u>

Not regulated.

ADG Class	:	-
Label No.	:	

<u>adr</u>

Not regulated.

<u>IMDG</u>

Not regulated. Marine pollutant : No.

<u>IATA</u>

Not regulated.

15. Regulatory information

Standard for the Uniform Sc	heduling of Drugs and Poisons	
Not regulated.		
Control of Scheduled Carcin	ogenic Substances	
Ingredient name No listed substance		<u>Schedule</u>
Australia inventory (AICS)	: All components are listed or exempted.	
EU Classification	: Xi; R36/38 R43 R52/53	

Version :	2	Page: 5/6

16. Other information

Person who prepared the : Validated by Englert on 15.01.2009. MSDS

Date of previous issue : 15.01.2009.

✓ Indicates information that has changed from previously issued version.

<u>Disclaimer</u>

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy. MSDS may be obtained from the following website: www.sika.com.au

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.