MATERIAL SAFETY DATA SHEET - MAXISIL A CERAMIC SILICONE SEALANT

SAFETY DATA SHEET ACCORDING TO 1907/2006/EC, ARTICLE 31 (REVISION: 12.07.2011)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product details: Trade name: MAXISIL A CERAMIC

Manufacturer/Supplier: Roberts Designs

204 Boneo Road Rosebud VIC 3939 Tel: (03) 5986 6366 Fax: (03) 5986 6680

Further information can be obtained from: <u>http://www.robertsdesigns.com.au</u> **In case of emergency:** Tel (03) 5986 6366

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Classification according to Directive 67/548/EEC or Directive 1999/45/EC not applicable Information concerning particular hazards for human and environment: Preparation is not hazardous in terms of directive 1999/45/EU. Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

Label elements:

Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

Special labelling of certain preparations:

Ensure good ventilation during application and curing. Safety data sheet available for professional user on request.

Other hazards:

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

MATERIAL SAFETY DATA SHEET - MAXISIL A CERAMIC SILICONE SEALANT

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures

Description: Polydimethylsiloxane, filler, auxiliaries and acetoxy crosslinker

Dangerous components:

CAS: 64742-46-7	Distillates (petroleum), hydtrotreated middle	< 25%
EINECS: 265-148-2	Xn R65	
CAS: 17689-77-9	Triacetoxyethylsilan	< 2.5%
EINECS: 241-677-4	C R34; Xn R22	
	R14	

Additional information: For the wording of the listed risk phrases refer to section 16.

4. FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Do not induce vomiting; call for medical help immediately. Show container or label. Rinse out mouth and then drink plenty of water in small amounts (if person is conscious).

5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

ADVICE FOR FIRE FIGHTERS

Protective equipment:

Mount respiratory protective device. Do not inhale explosion gases or combustion gases.

MATERIAL SAFETY DATA SHEET - MAXISIL A CERAMIC SILICONE SEALANT

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Environmental precautions:

Do not allow to enter sewers / surface or ground water.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13. Pick up mechanically.

Reference to other sections:

See Section 8 for information on personal protection equipment.

7. HANDLING AND STORAGE

HANDLING

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. See item 8: Personal protective equipment

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

MATERIAL SAFETY DATA SHEET - MAXISIL A CERAMIC SILICONE SEALANT

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Additional information about design of technical facilities:

No further data; see item 7.

CONTROL PARAMETERS

Ingredients with limit values that require monitoring at the workplace:

64-19-7 acetic acid IOELV Long-term value: 25 mg/m³, 10 ppm European Union

Additional information:

The lists valid during the making were used as basis.

EXPOSURE CONTROLS

Personal protective equipment General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:

Protective gloves.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Fluorocarbon rubber (Viton) Nitrile rubber, NBR Natural rubber, NR

Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Safety glasses

MATERIAL SAFETY DATA SHEET - MAXISIL A CERAMIC SILICONE SEALANT

Body protection:

Protective work clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

General Information

Appearance Form: pasty

Colour: According to product specification

Odour: Pungent

Self-igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Density at 20°C: 1.02 g/cm³

Solubility in / Miscibility with Water: Not miscible or difficult to mix

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications. Avoid strong heating.

Hazardous decomposition products:

Tests on representative products have shown that above temperatures of 150° C small quantities of formaldehyde are split off.

See item 5.3

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: Other information (about experimental toxicology):

In curing the material splits off a small amount of acetic acid. This may cause irritating effects to skin and eyes. After curing the material is odourless and completely harmless.

Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

MATERIAL SAFETY DATA SHEET - MAXISIL A CERAMIC SILICONE SEALANT

12. ECOLOGICAL INFORMATION

TOXICITY

Acquatic toxicity: No further relevant information available.

PERSISTENCE AND DEGRADABILITY

Other information: Product is not biodegradable.

ADDITIONAL ECOLOGICAL INFORMATION

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow product to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods recommendation:

Observe local by-laws. Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

Uncleaned packaging recommendation:

Empty contaminated packaging thoroughly. They may be recycled after thorough and proper cleaning. Packaging that may not be cleansed are to be disposed of in the same manner as the product.

14. TRANSPORT INFORMATION

LAND TRANSPORT ADR/RID (CROSS-BORDER)

ADR/RID class: -

MARITIME TRANSPORT IMDG

IMDG Class: -

Marine pollutant: No

AIR TRANSPORT ICAO-TI AND IATA-DGR

ICAO/IATA Class: -Special precautions for user: Not applicable. Transport/Additional information: Not dangerous according to the above specifications.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.

MATERIAL SAFETY DATA SHEET - MAXISIL A CERAMIC SILICONE SEALANT

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

R14 Reacts violently with water.R22 Harmful if swallowed.R34 Causes burns.R65 Harmful: may cause lung damage if swallowed.

Department issuing MSDS: Tel.: 0049- (0)8684- 908- 641

Contact: Tel: 0049- (0)8684- 908- 641 (-460)

* Data compared to the previous version altered.