#### Safety Data Sheet: Simple Green<sup>®</sup> Pro Grade Bathroom & Wet Areas

Issued: 20 March 2019 Supersedes: 1 May 2014 Prior version no: 50121AU-14A Model Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals 23/12/2011

# Section 1: IDENTIFICATION: PRODUCT IDENTIFIER & IDENTITY FOR THE CHEMICAL

**Product identifier:** Simple Green<sup>®</sup> Pro Grade Bathroom & Wet Areas **Other means of identification:** *Please see section 16* 

# Recommended use of chemical: A concentrated liquid cleaning agent for removal of soap scum, mineral, scale, hard-water spots, calcium and lime deposits on hard, non-porous surfaces.

**Restrictions on use of chemical:** Do not use in conjunction with other chemicals OR on surfaces not resistant to acids.

#### Details of manufacturer or importer:

Version No. 50121-19A

| CIPL Ltd C/- Zenexus P/L       | Telephone: | 1800 517 392           |
|--------------------------------|------------|------------------------|
| 20 Southern Court              | Fax:       | 1300 826 473           |
| Keysborough VIC 3173 Australia | Website:   | www.simplegreennz.com  |
|                                | Email:     | info@simplegreennz.com |
|                                |            |                        |

Emergency Phone: 13 11 26 Australia Poisons Information Centre, Available 24 hours a day, 7 days a week

#### Section 2: HAZARDS IDENTIFICATION

**Classification of the hazardous chemical according to Model Work Health & Safety Regulations:** Skin Corrosive – 1C

| <u>Label Elements:</u><br>Signal Word: DANGER | Pictogram:   |
|---|--|
| Hazard Statement: H314                        | – Causes severe skin burns and eye damage.   |
| Precautionary Statement:                      | <ul> <li>P260 – Do not breathe dusts or mists.</li> <li>P264 – Wash hands thoroughly after handling.</li> <li>P280 – Wear protective gloves/eye protection.</li> <li>P301 + P330 + P331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303 + P361 + P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P363 – Wash contaminated clothing before reuse.</li> <li>P304 + P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P310 – Immediately call a POISON CENTER.</li> <li>P321 – Specific treatment (see first aid on this label).</li> <li>P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P405 – Store locked up.</li> <li>P501 – Dispose of contents/container in accordance with local/regional/national regulations.</li> </ul> |

Other hazards with do not result in classification: None known.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient          | <u>CAS Number</u> | Percent Range |
|---------------------|-------------------|---------------|
| Water               | 7732-18-5         | > 81%*        |
| Urea Hydrochloride  | 506-89-8          | ≤ 6%*         |
| Sodium Citrate      | 6132-04-3         | < 5%*         |
| Ethoxylated Alcohol | 68439-46-3        | < 5%*         |

#### Safety Data Sheet: Simple Green® Pro Grade Bathroom & Wet Areas

Version No. 50121-19A Issued: 20 March 2019

Supersedes: 1 May 2014 Prior version no: 50121AU-14A

Model Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals 23/12/2011

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS - continued

Ingredient

Water Potassium lodide Fragrance Colorant CAS Number 7732-18-5 7681-11-0 Proprietary Mixture Proprietary Mixture Percent Range > 81%\* < 1%\* < 1%\* < 1%\*

\*exact percentage of ingredients are commercially confidential

# Section 4: FIRST AID MEASURES

#### Description of necessary first aid measures

- Inhalation:Immediate and delayed symptoms IF INHALED: Remove person to fresh air and keep comfortable for breathing.<br/>Immediately call a POISON CENTER.
- Skin contact:
   Immediate and delayed symptoms IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER.
- **Eye Contact:** Immediate symptoms IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER. *Delayed symptoms* Proceed as with immediate symptoms.
- Ingestion: Immediate and delayed symptoms IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER.

# Section 4: FIRST AID MEASURES - continued

First Aid Facilities:Eye wash station or treatment recommended.Symptoms caused by exposure:No expected acute, delayed or aggravated conditions or symptoms from exposure to mixture.Medical attention and special treatment:Treat symptomatically. No testing or monitoring for delayed effect required.

# Section 5: FIRE FIGHTING MEASURES

| Suitable Extinguishing equipment:   | <i>Suitable</i> - Use dry chemical, CO2, water spray or "alcohol" foam.<br><i>Unsuitable</i> -High volume jet water.  |  |
|---|---|--|
| <b>Specific hazards arising from the chemical:</b> Formulation is non-flammable and will boil until evaporated. |   |  |
| Special protective equipment and<br>precautions for fire fighters:  | Keep containers cool with water spray. Firefighters should wear self-contained breathing apparatus and full fire-fighting turn-out gear and eye protection. |  |

See Section 16 for NFPA information

# Section 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Eyeglasses/ goggles and gloves recommended to prevent eye and skin contact. Ensure sufficient ventilation. Area should be roped off to prevent slips and falls.

Environmental Precautions: Prevent runoff from entering drains, sewers, surface and ground water.

**Methods and materials for containment and cleaning up:** Cap or plug leaking containers. Cover all drains. Dike or soak up with inert adsorbent material. Dispose of in appropriate waste containers. See Section 13 for disposal considerations.

#### Safety Data Sheet: Simple Green® Pro Grade Bathroom & Wet Areas

Version No. 50121-19A Issued: 20 March 2019

Supersedes: 1 May 2014 Prior version no: 50121AU-14A Model Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals 23/12/2011

#### HANDLING AND STORAGE Section 7:

Precautions for safe handling: Before use carefully read the product label. Use of safe work practices are recommended to avoid eye contact and spills. Observe good personal hygiene, including washing hands after use and before eating. Remove contaminated clothing and protective equipment before entering eating area. Prohibit eating, drinking and smoking in contaminated area (eg. If container is damaged). Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container.

Conditions for safe storage, including any incompatibilities: Store in cool, dry, well-ventilated area, removed from oxidizing agents, acids and foodstuffs. Ensure containers are adequately labeled and protected from physical damage when not in use. Do not store at temperatures above 109°F (42.7°C).

#### **EXPOSURE CONTROLS / PERSONAL PROTECTION** Section 8:

#### **Control parameters**

| Exposure standards:           | No components listed with TWA or STEL values. |
|-------------------------------|---|
| <b>Biological monitoring:</b> | Not provided.                                 |

Appropriate engineering controls: Use in well ventilated areas and have eyewash stations, eyewash treatments, or showers available.

#### Personal protective equipment (PPE)

| Eye and Face Protection:       | Safety glasses, goggles or shields recommended.                                    |
|--------------------------------|--|
| Skin Protection:               | Not necessary. PVC or nitrile gloves recommended when used for prolonged exposure. |
| <b>Respiratory Protection:</b> | Not necessary.   |
| Thermal Hazards:               | Not applicable.  |

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| Appearance:<br>Odour:      | Turquoise Liquid<br>Added wintergreen oc | lour          | Partition Coefficient: n-octa<br>Autoignition Temperature: | -              | Not determined<br>Non-flammable |
|----------------------------|--|---------------|--|----------------|---------------------------------|
| Odour Threshold:           | Not determined                           |               | Decomposition Temperatur                                   | re:            | 42°C (109°F)                    |
| pH:                        | 1.0 - 1.5                                |               | Viscosity:   |                | Like water                      |
| Freezing Point:            | 0°C (32°F)                               |               | Specific Gravity:  |                | 1.00 - 1.03                     |
| Boiling Point & Range:     | 101°C (213.8°F)                          |               | VOCs:  | **Water & frag | rance exemption in calculation  |
| Flash Point:               | >100°C (212°F)                           |               | SCAQMD 304-91 / EPA 24:                                    | Not deter      | mined                           |
| Evaporation Rate:          | Not determined                           |               | CARB Method 310**:   | 0.1 g/L        | 0.01%                           |
| Flammability (solid, gas): | Non-flammable                            |               | SCAQMD Method 313:   | Not deter      | mined                           |
| Upper/Lower Flammability   | or Explosive Limits:                     | Non-flammable | VOC Composite Partial Pres                                 | sure:          | Not determined                  |
| Vapor Pressure:            | Not determined                           |               | Relative Density:  |                | 0.999 – 1.029 kg/L              |
| Vapor Density:             | Not determined                           |               | Solubility:  |                | 100% in water                   |

# Section 10: STABILITY AND REACTIVITY

| Reactivity:  | Non-reactive.  |   |  |
|--|--|---|--|
| Chemical stability:                                      | Stable under normal conditions 21°C (70°F) and 14.7 psig (760 mmHg). |   |  |
| Conditions to avoid:                                     | Excessive heat or cold.  |   |  |
| Incompatible materials and possible hazardous reactions: |  | Do not mix with oxidizers, acids, bathroom cleaners or disinfectants. |  |
|  |  | Hazardous gases may occur from contact with ammoniated or             |  |

chlorinated products.

Hazardous decomposition products: None known.

#### Safety Data Sheet: Simple Green<sup>®</sup> Pro Grade Bathroom & Wet Areas

Version No. 50121-19A Issued: 20 March 2019

Supersedes: 1 May 2014 Prior version no: 50121AU-14A

Model Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals 23/12/2011

#### Section 11: TOXICOLOGICAL INFORMATION

Information on Routes of Exposure:

| Inhalation -                 | Overexposure may cause headache.   |
|------------------------------|--|
| Skin Contact -               | Up to four hours of contact with no rinsing may lead to corrosion.                             |
| Eye Contact -<br>Ingestion - | Up to four hours of contact with no rinsing may lead to corrosion.<br>May cause upset stomach. |

Early onset symptoms related to exposure: No symptoms expected under typical use conditions.

<u>Delayed health effects from exposure</u>: No symptoms expected under typical use conditions. Overexposure may lead to headache and dry skin.

# Section 11: TOXICOLOGICAL INFORMATION - continued

Numerical Measures of Toxicity

| Acute Toxicity:              | Oral LD <sub>50</sub> (rat)      | > 5 g/kg body weight   |  |
|------------------------------|----------------------------------|--|--|
|                              | Dermal LD <sub>50</sub> (rabbit) | > 5 g/kg body weight   |  |
|                              |                                  | Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals |  |
| Skin Corrosion/Irritat       | tion: Mild Corrosive p           | er Corrositex-In Vitro Dermal Corrosivity testing. No animal testing performed.                        |  |
| Eye Damage/Irritatio         | n: Mild Corrosive p              | er Corrositex-In Vitro Dermal Corrosivity testing. No animal testing performed.                        |  |
| Respiratory or skin se       | ensitization: No ingredie        | ents trigger or classify under this category.  |  |
| Germ Cell Mutagenic          | ity: No ingredients t            | rigger or classify under this category.  |  |
| Carcinogenicity:             | No ingredients t                 | No ingredients trigger or classify under this category under NTP, IARC.                                |  |
| <b>Reproductive Toxicity</b> | y: No ingredients t              | rigger or classify under this category.  |  |
| STOT-Single Exposure         | e: No ingredients t              | rigger or classify under this category.  |  |
| STOT-Repeated Expo           | sure: No ingredients t           | rigger or classify under this category.  |  |

Aspiration Hazard: No ingredients trigger or classify under this category.

Exposure levels: No ingredients have recognized exposure levels Interactive effects: Not known.

Data limitations: There are no data limitations when assessing this mixture.

# Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals. Not tested on finished formulation. Aquatic: Not tested on finished formulation. **Terrestrial:** Persistence and Degradability: Readily Biodegradable based on biodegradation profile of ingredients Urea Monohydrochloride: Inorganic. (degrades abiotically) Ethoxylated Alcohol:Readily biodegradable, 73.8% in 28 days (per OECD 301D). **Bioaccumulative Potential:** No data available. No data available. Mobility in Soil: **Other Adverse Effects:** No data available.

# Section 13: DISPOSAL CONSIDERATIONS

#### Safe handling and disposal methods

**Unused or used liquid:** may be considered hazardous in your area depending on usage and tonnage of disposal – check with local council and/or state environmental authority for advice on disposal of chemicals.

#### Safety Data Sheet: Simple Green<sup>®</sup> Pro Grade Bathroom & Wet Areas

Version No. 50121-19A Issued: 20 March 2019

Supersedes: 1 May 2014 Prior version no: 50121AU-14A

Model Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals 23/12/2011

# Section 13: DISPOSAL CONSIDERATIONS - continued

#### Disposal of packaging

**Contaminated packaging:** may be considered hazardous in your area depending on usage and tonnage of disposal – check with local council and/or state environmental authority for advice on disposal of chemicals. **Empty non-contaminated packaging:** may be offered for recycling.

#### **Environmental regulations**

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

#### Section 14: TRANSPORT INFORMATION

| U.N. Proper Shipping Name:<br>U.N. Number:<br>Transport Hazard Class(es):<br>Packing Group: | Corrosive liquid, acidic, n.o.s. (urea monohydrochloride)<br>UN 3265<br>8<br>III |
|---|--|
| Environmental Hazards:  | Marine Pollutant - NO  |
| Transport in Bulk (according to A   | Annex II of MARPOL 73/78 and IBC Code): Unknown.                                 |
| Special precautions which user r  | needs to be aware of/comply with, in connection None known.                      |
| · · ·   | ther within or outside their premises:   |
|   | nown.  |
| Hazchem or Emergency Action C   | <b>Code:</b> No Hazchem or action code applies to this mixture.                  |
| AU ADG:   | UN 3265 Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride), III, 8   |
| ICAO/ IATA:   | UN 3265 Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride), III, 8   |
| IMO / IDMG:   | UN 3265 Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride), III, 8   |
| ADR/RID:  | UN 3265 Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride), III, 8   |

Non-corrosive to steel (SAE 1020)

EPA Test Method 1110A

## Section 15: REGULATORY INFORMATION

#### Is the hazardous chemical subject to

| Montreal Protocol (Ozone depleting substances):                               | No |  |
|---|----|--|
| The Stockholm Convention (Persistent Organic Pollutants):                     | No |  |
| The Rotterdam Convention (Prior Informed Consent):                            | No |  |
| Basel Convention (Hazardous Waste):   | No |  |
| International Convention for the Prevention of Pollution form Ships (MARPOL): |    |  |

AICS:All chemicals listed on the Australian Inventory of Chemical Substances (AICS)Poison Schedule:A poison schedule number has not been allocated to this product using the criteria in the standard for the<br/>Uniform Scheduling of Drugs and Poisons (SUSDP)

No

# Section 16: OTHER INFORMATION


#### **Manufacturer's Part Numbers**

4 Litre

SG50121 -

NFPA:

Health – corrosive Flammability – Non-flammable Stability – Stable Special - None



Change of Company Contact Information

**DISCLAIMER:** The information provided with this SDS is furnished in good faith and without warranty of any kind. Personnel handling this material must make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of this material and the safety and health of employees and customers. Sunshine Makers, Inc. assumes no additional liability or responsibility resulting from the use of, or reliance on this information.