



DiamondCoat[®]

Clean N Prep

General purpose water rinsable cleaner and degreaser.

DESCRIPTION

Crommelin[®] DiamondCoat[®] Clean N Prep is a water rinsable, general purpose cleaner and degreaser for use when preparing paved and concrete surfaces prior to sealing.

Crommelin[®] DiamondCoat[®] Clean N Prep is designed to remove grease, grime and dirt to assist with improved performance of Crommelin[®] DiamondCoat[®] Sealers.

FEATURES AND BENEFITS

- Removes oil, grease and other stains prior to sealing.
- Fast acting and deep penetrating cleaner.
- Safe and easy to use.
- Rinsable with water.

AREAS OF USE

DiamondCoat[®] Clean N Prep is suitable for use on most paving surfaces and ideally suited to:

- Cleaning paved areas prior to sealing.
- Removal of grease and oil from concrete.
- Wet areas.
- Paint brush restoration.
- Degreasing metal prior to priming.

SUITABLE SUBSTRATES

DiamondCoat[®] Clean N Prep is suitable for use on the following surfaces:

- Concrete.
- Steel.
- Exposed Aggregate Panels.
- Masonry.



APPLICATION TOOLS

- Crommelin® Contractor Membrane Brush or cloth.

SURFACE PREPARATION

- Always test a small area of each surface to confirm suitability and desired results before starting overall application.
- Mechanically remove any large deposits of grease and dirt.

APPLICATION PROCESS

Full application instructions can be found at www.crommelin.com.au/full-instructions/

- For spot cleaning: apply by brush or cloth a liberal quantity of **DiamondCoat® Clean N Prep** to the area. Scrub and rinse clean with fresh water.
- For general cleaning: Mix 1 part **DiamondCoat® Clean N Prep** with 2 parts water and apply to area. Scrub to loosen the contaminants. After 10 minutes use fresh water under pressure to remove. Inspect the cleaned, treated area and repeat the procedure in any areas where contamination remains.
- Work in manageable areas of 10-20m² at a time, particularly when working outdoors.
- Allow substrate to dry thoroughly prior to sealing.
- All application equipment can be rinsed clean with fresh water.

SIZES

- **Crommelin® DiamondCoat® Clean N Prep** is available in a 1L can.
- 1L will clean approximately 10-12m².

RELATED PRODUCTS

- **Crommelin® DiamondCoat® Sealers.**

PRECAUTIONS

- **DiamondCoat® Clean N Prep** will soften painted surfaces and some plastics. It is recommended to test **DiamondCoat® Clean N Prep** on the substrate before full application.
- Do not apply during periods of extreme weather conditions – temperature or humidity. Apply between 5⁰c and 35⁰c and under 85% humidity. To check these conditions, refer to <http://www.bom.gov.au>

TRANSPORT AND STORAGE

- Size: 1L
- Weight: 1kg
- Cool and Dry Storage
- UN Number: 1992
- DG Class: 3
- Flash Point: 13°C
- Hazchem Code: 2YE
- Poisons Schedule: 5





SAFETY AND FIRST AID

Crommelin® DiamondCoat® Clean N Prep Safety Data Sheet is available from Crommelin® upon request.

Safety

- Ensure good ventilation and avoid breathing vapours.
- Avoid skin and eye contact. Wear gloves and eye protection. Remove splashes on skin immediately and remove contaminated clothing.
- Keep out of reach of children.
- Keep container sealed when not in use.
- Do not swallow.

First Aid

- If poisoning occurs, contact a doctor or poisons information centre: Ph 13 11 26.
- If swallowed, do not induce vomiting. Give a glass of water to drink.
- If in eyes, hold eyes open and flood with water for at least 15 minutes.
- If not breathing, apply artificial respiration.

Crommelin® and other marks followed by ® are registered trademarks.

Any advice, recommendation, information, assistance or service provided by Crommelin® in relation to its products or their use is given in good faith, however is provided without responsibility or liability.

Customers need to undertake their own assessment to determine the suitability of a product for the intended use. As the performance of any product is subject to a wide variety of different surface types as well as environmental and surface-specific conditions, it is essential that a sample of the product be applied to the intended area of use to ensure it is acceptable in appearance and finish and that it performs as required on the specific surface.

Crommelin® also reserves the right to update information without prior notice, to reflect ongoing research and product development.

