

Take This Brochure to the Special Orders Desk to place an order

HEATSTRIP Electric Heaters

HEATSTRIP® Elegance

With superior technology and style, world-leading element design and unique "off-white" colour, the HEATSTRIP Elegance will

FEATURES

- Electric radiant heater perfect for your protected alfresco area, pergola, verandah, cafe or difficult to heat indoor area
- World leading element design produces a more compact and higher output heater
- 3600W model must be hardwired.
- 2 year residential and 1 year commercial warranty

TABLE LAYOUT









MODEL	Bunnings Item No.	RUNNING COSTS	POWER (watts)	CURRENT (amps)	DIMENSIONS (LxWxD)mm	WEIGHT (kgs)	LEAD LENGTH (mm)	PLUG	HEATING AREA (m²)	Status
THE1800	3171310	45c/hr	1800	7.5	974x170x48.5	4	1000	Yes	3-4	Stocked
THE2400	3171312	60c/hr			1204x170x48.5		1000			Stocked
THE3600	3171313	90c/hr	3600	15	1804x170x48.5	9	1000	No	5-6	Stocked

HEATSTRIP® Classic

- Electric radiant heater ideal for your protected alfresco area, pergola, verandah, cafe or difficult to heat indoor area
- Stylish, sleek, unobtrusive design with black front profile
- Efficient, cost effective heating providing gentle warmth
- Easy DIY installation for 3 models and multiple mounting options
- 2 year residential warranty and 1 year commercial warranty
- Australian designed, engineered and assembled














High temperature ceramic coated extruded alloy. IP55 Rated.







HEATSTRIP Electric Heaters

HEATSTRIP® Max

High performance, low glow electric radiant heaters for tough residential and commercial heating projects.

FEATURES

- High temperature electric radiant heater ideal for higher ceilings or more exposed locations
- Unique "low glow" Incoloy element no more blinding light
- Commercial grade quality and construction
- Corrosion resistance provided by the anodized alloy casino
- DIY (THX 2400) or hard wired (THX 3600)
- 2 year warranty
- Australian designed, engineered and assembled

TABLE LAYOUT











00 THX2400 THX2400 TH

Materials of Construction

Anodised alloy casing and end caps, chromed grill. IPX5 Rated



^{*}Running costs based on \$0.25/kwH. Heating area for an enclosed outdoor area.

Optional Controllers

DIY (TT-MTR-PLUG)

TT-MTR-PLUG timer switch provides an easy DIY installation and remote control of plug-in heaters.

- Plug-in DIY timer switch
- On/Off function with LED indicators
- Automatic timer 1 / 2 / 4 hour options
- Remote control included
- Max. 10 amps

Product No.		
TT-MTR-PLUG	3171309	Stocked

HARDWIRED (TT-MTM)


TT-MTM wall mounted controller and remote control provides ON/OFF control, 3 heat options and a timer setting.

- On/Off function with LED indicators
- 3 Heat settings High / Medium / Lov
- Automatic timer control 1/2/4 hour options
- Remote control included
- Suitable for operation of single or multiple heaters
- Must be hard-wired. Maximum 16 amps direct wired capacity (for additional heaters, use a relay/contactor)

Product No.	Bunnings Item No.	Status
TT-MTM	3170737	







			CLASSIC/ELEGANCE MAX		
APPLICATION	ELEGANCE (THE)	CLASSIC (THH-A)	MAX (THX)	CLASSIC/ELEGANCE MAA	3.5m +
Outdoor Heating – undercover, well protected area with ceiling height less than 2.7m (al-fresco, verandah, café)	√	√	√	X	/ 3.0m
Outdoor Heating – undercover, well protected area with ceiling height from 2.7m to 3.0m (al-fresco, verandah, café)			√	Maximum	2.7m 2.5m
Outdoor Heating – exposed area (al-fresco,café, verandah, balcony)			\checkmark	A Range	2.3m
Indoor Insulated areas – commercial (classrooms, offices, nursing homes,hospitals) residential (shed, garage etc)	√	\checkmark		* HEATSTRIP Max can be mounted up to 3.5m in indoor applications * Above figures are based on protected outdoor site	2.1m Minimum Mounting Heig
Indoor Open- nu-insulated areas requiring spot heating - factory, halls, warehouse, workshop, shed, garage, sports facility	√	√	√		•




The new HEATSTRIP electric heater is the classy and refined solution, for when a portable, easy DIY electric heating option is required. Incorporating a sleek and robust stand with a 1800W HEATSTRIP Classic heater, it is ideal for spot heating

FEATURES


- Stylish, high quality portable, free-standing outdoor heater stand
- Ideal for alfresco areas, balconies, apartments & hospitality (internal & external use)
- Concealed power cable ensures a sleek appearance. Black, no glow heater

- Corrosion protected for even the toughest environment.

Materials of Construction											
	Heater: High temperature ceramic coated extruded alloy. IP55 rated Stand: E-coated mild steel with powder coat finish										
MODEL Bunnings RUNNING POWER CURRENT DIMENSIONS WEIGHT HEATING LEAD Status Item No. COSTS (watts) [amps] (WxDxH)mm [kgs] AREA [m²] LENGTH [mm]											
TI II 11000 A D				7.5					Charlerd		








The new HEATSTRIP portable LPG heater incorporates world leading design, quality, heat performance and efficiency to provide a stylish, robust and elegant solution for your outdoor area, alfresco, balcony, patio etc.

FEATURES

- Manual integrated Piezo ignition, with tilt safety switch and flame failure device. Fully concealed gas pipes and bottle
- In-built wheels for easy portability and storage
- Components are sub-assembled for easy DIY installation
- High/Low heating output. Directional heat performance allows you to heat exactly where you want it
- operation. Reflector design ensures that only a minimum of 500mm

Materials of Construction										
E-coated mild steel with powder coat finish. Grill & reflector with extra high temperature protection.										
MODEL	Bunnings Item No.	TILES	MJ	IGNITION	DIMENSIONS (WxDxH)mm	RUNNING COST*	WEIGHT (kg)	HEATING AREA (sqm²)	Status	
TGH34PL	3171572			Manual, Piezo		\$1.60 on high \$1.12 on low			Stocked	



Note: Suitable for outdoor use only.

Based on \$20 per gas bottle refill and run time of 12.5 hrs on hight / 18 hrs on low

HEATSTRIP 🥃 Wall Mounted Natural Gas Heater (TGH34WN)




The new HEATSTRIP Wall Mounted Natural Gas (NG) heater is a stylish addition to any outdoor area, where mains Natural Gas is preferred. World class design aesthetics, heat output and performance, for both residential and commercial applications.

FEATURES

- 34MJ, 4 tile commercial quality ceramic burner, for connection to mains Natural Gas (NG)
- Electronic battery ignition with micro-switch On/Off operation and stainless steel pull cords. Electrical connection not required
- Protective grille and reflector included as standard, to guarantee safe operation. Reflector design ensures that only a minimum of 500mm overhead clearance is required (add TGHSHIELD for 300mm clearance)
- Wall mounting bracket allows for multiple mounting angles, and is extremely robust to provide strength and support
- Conversion to use with LPG is optional (Model TGH34WLPG)
- 2 year residential and 1 year commercial warranty

	Materials of Construction											
E-coated mild steel with powder coat finish. Grille & reflector with extra high temperature protection.												
MODEL	Bunnings - Item No.	TILES	MJ	IGNITION	DIMENSIONS (WxDxH)mm	RUNNING COST	WEIGHT (kg)	HEATING AREA (sqm²)	Status			
TGH34WN	I 3171571	4	34	Electronic Battery	650x190x380	\$0.68/hr (based on a 2¢/MJ)	11.5	16	Special Order			



neatstrip.com.au OUTD00R HEATING RANGE |

HEATSTRIP® =



















HEATSTRIP® by Thermofilm Australia Pty Ltd

HEATSTRIP is a range of world class electric and gas heaters designed for both indoor and outdoor applications. Awarded the coveted Australian Business Award for Product Value and Victorian Manufacturer of the Year. HEATSTRIP electric range is proudly designed, engineered and assembled in Australia, and exported to the world.



Thermofilm Australia Pty Ltd

17 Johnston Court, Dandenong South, Victoria 3175, Australia.
p: [03] 9562 3455 | f: [03] 9548 3979 | e: sales@thermofilm.com.au

www.facebook.com/ThermofilmAustralia

