

## Turf Master



Dy-Mark's Turf Master is a quick drying marking paint designed for temporary application to grass – without killing the roots. Turf Master is ideal for a range of applications including landscaping, sporting grounds and golf courses. A separate nozzle is available, making Turf Master also suitable for use by hand.

### DIRECTIONS FOR USE

#### Preparation

Shake can for at least 20 seconds after the mixing ball begins to rattle.

#### Application

Insert can into the Line Master Spot Marking Handle. To achieve the narrowest line width, the spot marking handle must be inserted into the lowest position. Line width can be increased by raising handle in slot. Line width ranges between approx. 60mm and 100mm. Test line width by marking cardboard until desired width is achieved. Masking wheels are designed to sharpen line edges by catching any overspray at the edges only.

#### Removal

Turf Master can be removed with the use of water, a stiff brush and detergent.

### TECHNICAL DATA

Size:	500g Aerosol
Finish:	Matt
Colour:	White
Consistency:	Liquid
Coverage:	80 – 100 metres of line per aerosol can (depending on line width)
Suitable Surfaces:	Grass
Drying Time:	10 minutes at 25°C
Ideal Application Temperature:	Between 5°C and 40°C

### STORAGE

Store below 50°C. Do not store in direct sunlight or in vehicles under hot conditions. Protect aerosol cans against physical damage.

### DISPOSAL

Aerosol should be completely emptied prior to disposal. Contents of can are under pressure. Do not puncture or incinerate even when empty. When empty, dispose of this container through an approved recycling scheme or seek advice from your local council regarding accepted disposal methods.

### SAFETY INFORMATION

#### HIGHLY FLAMMABLE

Keep away from flame, heat and sources of ignition. Do not smoke and ensure adequate ventilation during use. Can be harmful by inhalation, in contact with skin and if swallowed. Intentional misuse by deliberately inhaling contents can be harmful or fatal.

Please note that the slip resistance and performance of this product depends on many factors outside the control of Dy-Mark; including surface preparation, correct application and environmental conditions.

Dy-Mark recommends a risk assessment prior to use to determine if the product is suitable to the:

- Slip resistance required
- Surface type
- Volume of traffic
- Potential exposure to any surface contaminants e.g. water, solvents or chemicals

For more information regarding the product's slip resistance, contact Dy-Mark Sales & Customer Support Centre on 1300 396 275.

### FIRST AID

#### KEEP OUT OF REACH OF CHILDREN

**If swallowed:** Do not induce vomiting.

**Eye contact:** In case of contact with eyes, rinse immediately with plenty of water. Seek medical advice from your doctor or Poisons Information Centre (**Australia: 13 11 26; New Zealand: 0800 764 766**).

**Note:** the information provided within this Technical Data Sheet is intended as a guide only. The performance of this product will depend on many factors outside the control of Dy-Mark; including surface type and environmental conditions.

Refer to Material Safety Data Sheet for more information.