Page: 1 of 4

Product Name TIMBER EFFECTS

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name TIMBER EFFECTS

Company Name BONDALL PTY LTD (ABN 27 008 734 996)

Address 113 Belmont Avenue

Belmont

WA 6104 Australia

Emergency Tel. 0400 705 773 or Poisons Information Centre: 13 11 26

 Telephone/Fax
 Tel: (08) 6272 3800

 Number
 Fax: (08) 9277 4068

Recommended Use As a brushable interior/exterior waterbased topcoat simulating natural timber

for use on Hardiboard, fibre-cement board or similar substrate.

### 2. HAZARDS IDENTIFICATION

HazardHAZARDOUS SUBSTANCE.ClassificationNON-DANGEROUS GOODS.

Hazard classification according to the criteria of NOHSC.

Dangerous goods classification according to the Australia Dangerous Goods

Code.

**Risk Phrase(s)** R43 May cause sensitization by skin contact.

Safety Phrase(s) S23(3) Do not breathe spray.

S23(4) Do not breathe vapour.

S24/25 Avoid contact with skin and eyes.

S28 After contact with skin, wash immediately with plenty of soap and water.

S36/37 Wear suitable protective clothing and gloves.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Blend of acrylic resin emulsions	Proprietary	10-<30 %
	Propylene glycol	57-55-6	<10 %
	2- (2-Butoxyethoxy)e thanol	112-34-5	<10 %
	Terbutryn	886-50-0	<0.1 %
	2-n-Octyl-4-isoth iazolin-3-one	26530-20-1	<0.1 %
	1,2-Benzisothiazo lin-3-one	2634-33-5	<0.05 %
	2-Methyl-2H-isoth iazolin-3-one	2682-20-4	<0.01 %
	Other ingredients determined not to be hazardous, including water.		Balance

# 4. FIRST AID MEASURES

Inhalation Remove the source of contamination or move the affected person to fresh air.

Keep at rest and warm. If symptoms persist seek medical attention.

Ingestion Do NOT induce vomiting. Wash out mouth and lips thoroughly with water. Seek

medical attention.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If irritation develops seek medical attention.

If in eyes, hold eyelids apart and flush the eyes immediately with running water. Continue flushing for several minutes until all contaminants are washed

off completely. Seek medical attention. Eye wash and normal washroom facilities.

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre (Phone 13 11

26 in Australia) or a doctor.

# 5. FIRE FIGHTING MEASURES

Suitable Water spray, water fog, foam, carbon dioxide and dry chemical powder.

**Extinguishing Media** 

First Aid Facilities

Eye

Print Date: 8/02/2010 CS: 1.4.92

4 Page: 2 of

Infosafe No™ HXR79 Issue Date : February 2010 ISSUED by BONDALL

Product Name TIMBER EFFECTS

Hazards from Combustion **Products Specific Hazards**  Under fire conditions the product may emit toxic fumes including carbon monoxide and carbon dioxide as well as trace amounts of acrylic monomers, oxides of sulphur and oxides of nitrogen.

This product is not combustible. However, under fire conditions, following the evaporation of the aqueous component, the organic components may decompose

and/or burn.

**Precautions in** connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes and products of combustion. Water spray may be used to cool down heat-exposed containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### **Emergency Procedures**

Slippery when spilled. Avoid accidents, clean up immediatley. Wear appropriate personal protective equipment and clothing to minimise exposure. If possible contain the spill, prevent run-off into drains and waterways. Place inert absorbent material onto spillage. Collect and place in labelled containers. If contamination of sewers or waterways occurs inform the local water authorities and EPA in accordance with local regulations. Disposal should be in accordance with the relevant local, state and federal government regulations.

# 7. HANDLING AND STORAGE

#### **Precautions for Safe** Handling

Wear appropriate protective clothing and equipment to prevent inhalation, skin and eye contact. Use in designated areas with adequate ventilation. Practice good personal hygiene, that is, always wash hands after handling, and before eating, drinking, smoking or using the toilet facilities. When using do not eat, drink or smoke. Prevent the creation of vapour or mist in the work atmosphere. Keep containers closed when not in use.

### **Conditions for Safe** Storage

Store in a cool, dry well-ventilated area away from incompatible materials, such as strong acids and oxidizing agents. Protect from freezing. Keep the containers tightly sealed when not in use, and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

No biological limit allocated.

#### **National Exposure Standards**

No exposure standards have been established for the mixture by the National Occupational Health & Safety Commission (NOHSC), Australia. However, over-exposure to some chemicals may result in adverse effects on health or aggravation of pre-existing medical conditions and/or allergic reactions and should be kept to the lowest possible levels.

The available exposure limits for ingredients are listed below:

National Occupational Health And Safety Commission (NOHSC), Australia Exposure Standards:

Substance	TWA		SI	STEL	
	ppm	mg/m3	ppm	mg/m3	
Propylene glycol					
vapour and particulates	150	474	-	_	_
particulates only	-	10	_	_	_

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

**Biological Limit** Values

**Engineering Controls** 

Use with good ventilation to keep the airborne concentrations as low as possible. Where vapours or mists are generated in a cofined space, a local exhaust ventilation system, drawing the vapours/mists away from workers' breathing zone, should be used.

#### Respiratory **Protection**

Normally not required, however if engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable organic vapour/mist filter should be used. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances. Safety glasses with side shields or goggles as appropriate should be worn.

## **Eye Protection**

Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

# Material Safety Data Sheet

4 Page: 3 of

Infosafe No™ HXR79 Issue Date : February 2010 ISSUED by BONDALL

Product Name TIMBER EFFECTS

Use chemical resistant gloves, eg. laminated film or nitrile. Avoid gloves **Hand Protection** 

made of natural latex. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk

assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist. **Body Protection** 

Industrial clothing should conform to the specifications detailed in AS/NZS

2919: Industrial clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Coloured slightly viscous liquid. **Appearance** 

Sweetish odour. Odour 0°C (Water) **Melting Point** 100°C (Water) **Boiling Point** 

Miscible in all proportions. Solubility in Water

**Specific Gravity** 8.5 pH Value

17 mmHg at 20°C Vapour Pressure Not available Vapour Density

(Air=1)

Not available **Evaporation Rate** 

Cedar, Jarrah and Natural. Colour

**Flash Point** Not applicable

Non-combustible liquid. **Flammability** 

Flammable Limits -

Not applicable

Lower

Not applicable Flammable Limits -

Upper

# 10. STABILITY AND REACTIVITY

Stable under normal conditions of storage and handling. **Chemical Stability** 

Incompatible

Oxidising agents and strong acids.

Materials

Thermal decomposition may result in the release of toxic and/or irritating **Hazardous** fumes including carbon monoxide and carbon dioxide as well as trace amounts of **Decomposition** acrylic monomers, oxides of sulphur and oxides of nitrogen. **Products** 

Hazardous

Will not occur.

**Polymerization** 

## 11. TOXICOLOGICAL INFORMATION

Not available **Toxicology** 

Information

Inhalation Inhalation of product vapours in confined spaces may cause irritation of upper

respiratory tract.

Ingestion of this product may irritate the gastric tract causing nausea and Ingestion

vomiting.

May cause sensitisation by skin contact. Extended contact may cause redness, Skin

itching and mild irritation.

May cause eye irritation, tearing, stinging, blurred vision, and redness. Eve

**Chronic Effects** Not available

#### 12. ECOLOGICAL INFORMATION

Not available **Ecotoxicity** Not available Persistence /

**Degradability** 

Not available Mobility Bioaccumulative Not available

**Potential** 

Avoid contaminating waterways. Do not discharge the product into drains or **Environ. Protection** 

Print Date: 8/02/2010 CS: 1.4.92

# Material Safety Data Sheet

4 of Page:

Infosafe No™ HXR79 Issue Date : February 2010 ISSUED by BONDALL

Product Name TIMBER EFFECTS

sewers.

## 13. DISPOSAL CONSIDERATIONS

**Disposal** Considerations The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

#### 14. TRANSPORT INFORMATION

**Transport** Information Road and Rail Transport:

Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail (ADG Code).

Marine Transport:

Not classified as Dangerous Goods by the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport:

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

# 15. REGULATORY INFORMATION

Classified as Hazardous according to criteria of National Occupational Health Regulatory

& Safety Commission (NOHSC), Australia. Information

Classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Drugs and Poisons (SUSDP).

**Poisons Schedule** 

**Hazard Category** Irritant

All components of this product are listed on the Australian Inventory of AICS (Australia)

Chemical Substances (AICS) or otherwise are in compliance with NICNAS

requirements.

## 16. OTHER INFORMATION

**Date of preparation** 

or last revision of

MSDS Reviewed: February 2010 Supersedes: August 2006

MSDS

Chemist: Tel No: (08) 9478 6005 Contact Emergency: Tel No: 0400 705 773 Person/Point

...End Of MSDS...

© Copyright ACOHS Pty Ltd

© COPYRIGHT ALUHS PTY Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 8/02/2010 CS: 1.4.92