

TM



**SPECIAL  
ORDERS**



**WE WILL  
DELIVER**

# PIONEER

## HEAVY DUTY CONCRETE SLEEPER AND GALVANISED STEEL POST RETAINING WALL SYSTEM

- + 100% termite proof materials
- + Perfect for walls up to 3.0m high
- + Great range of finishes

**35**

**YEAR  
WARRANTY**

Available at  
**BUNNINGS**  
warehouse

[AUSSIECONCRETEPRODUCTS.COM.AU](http://AUSSIECONCRETEPRODUCTS.COM.AU)

**Take This Brochure** to the Special Orders Desk to place an order



# WHY RISK TIMBER? BE A PIONEER!



## YEAR WARRANTY

Designed and made in Australia, PIONEER Reinforced Concrete Sleepers are guaranteed for up to 35 years making them the perfect solution for termite proof retaining walls up to 3m high.

All PIONEER Reinforced Concrete Sleepers are 200mm high and 75mm thick, and include internal reinforcing so they're solid, strong, and dependable. Available in a variety of lengths, and a range of finishes, they're adaptable to almost any project.

PIONEER's matching galvanised post system makes design and install easy - just draw out your wall, count your posts and select your sleepers!

### DESIGNED TO LAST AND LOOK GOOD

PIONEER Reinforced Concrete Sleepers are engineer designed and tested, meaning they are strong and reliable.

Choose from natural finishes like Gumtree and Sandstone, or Smooth which is ideal for a simple, streamlined look.


Make the right choice and you'll be enjoying your PIONEER retaining wall for decades to come!

#### What is efflorescence?

Efflorescence is the formation of mineral deposits, usually white, on the surface of concrete which can cause slight discolouration. Efflorescence on concrete is not a product fault, and is easily removed through normal maintainance. For more information, visit [aussieconcreteproducts.com.au](http://aussieconcreteproducts.com.au).




IRONBARK



SMOOTH



GUMTREE



SANDSTONE

# DESIGN YOUR PIONEER

## 1 CHOOSE YOUR FINISH

SLEEPERS		
OVERALL DIMENSIONS	ITEM NO.	QTY
		
<b>IRONBARK</b>		
1.58M x 200mm x 75mm	1080366	
		
<b>GUMTREE</b>		
1.58M x 200mm x 75mm	1080426	
		
<b>SMOOTH</b>		
1.2M x 200mm x 75mm	1080354	
1.53M x 200mm x 75mm	1080355	
2.0M x 200mm x 75mm	1080357	
		
<b>SANDSTONE EFFECT</b>		
1.58M x 200mm x 75mm	1080363	

Delivery prices and lead times are determined on an order-to-order basis.



**Special Orders Team:** To establish delivery costs and lead times, please email all order details to [info@aussieconcreteproducts.com.au](mailto:info@aussieconcreteproducts.com.au)

For more information or help with retaining walls, call Aussie Concrete Products on **07 3348 1200** or visit [aussieconcreteproducts.com.au](http://aussieconcreteproducts.com.au)

### Will I need council approval?

Most local councils require specific building approvals - always check with your local council during the planning stage of your project to ensure it complies with these.

## 2 SELECT YOUR POSTS & FENCE BRACKETS

POST TYPE	WALL HEIGHT	POST HEIGHT	ITEM NO.	QTY
<b>100UC JOINER</b> 	0.4M	0.75M	1080371	
	0.6M	1.15M	1080373	
	0.8M	1.55M	1080374	
	1.0M	1.95M	1080375	
	1.2M	2.35M	1080376	
	1.4M	2.75M	1080377	
	1.6M	3.15M	1080378	
	1.8M	3.55M	1080379	
	2.0M	3.95M	1080381	
<b>100PFC ENDER</b> 	0.4M	0.8M	1080382	
	0.6M	1.2M	1080383	
	0.8M	1.6M	1080384	
	1.0M	2.0M	1080385	
	1.2M	2.4M	1080386	
	1.4M	2.8M	1080387	
<b>150PFC ENDER</b>	1.6m	3.0m	1080388	
	2.0m	4.0m	1080390	

BRACKET	FENCE TYPE	BRACKET SIZE	ITEM NO.	QTY
<b>STRAIGHT</b>	Colourbond	580mm x 100mm x 3mm	1080367	
	Timber	580mm x 100mm x 6mm	1080369	
<b>OFFSET</b>	Colourbond	580mm x 187mm x 3mm	1080368	
	Timber	580mm x 187mm x 6mm	1080370	

## KNOW YOU'RE BUILDING WITH THE BEST

PIONEER exceeds the requirements of the Australian Standards for Earth-Retaining Structures (AS4678) as well as the standard set in the AS/NZS4680 standards of Hot Dip Galvanizing.

In line with the **Non-Conforming Building Products Code of Practice Guidelines**, Aussie Concrete Products are proud to report that the PIONEER range satisfy the relevant regulatory provisions, specified in the National Construction Code (NCC).

In particular these provisions were met via the use of 'A certificate from a registered, professional engineer which certifies that a building product's design, composition and method of installation complies with the requirements of the NCC', which can be provided on request from [info@aussieconcreteproducts.com.au](mailto:info@aussieconcreteproducts.com.au).

# How It Works

It's as simple as 1,2,3! Follow the steps shown to purchase or order your product. If you need further advice, speak to a team member at the Special Orders Desk in-store.

## 1. Select The Product You Want

View the extensive range available in this brochure or online. Use the number/s shown below to order your product in-store.



### IRONBARK

1.58M x 200mm x 75mm 1080366

POST TYPE	WALL HEIGHT	POST HEIGHT	ITEM NO.
100UC JOINER	0.4M	0.75M	1080371

BRACKET	FENCE TYPE	BRACKET SIZE	ITEM NO.
STRAIGHT	Colourbond	580mm x 100mm x 3mm	1080367

## 2. Order at the Special Orders Desk

After you have selected the product you want, take this brochure to the Special Orders Desk.

## 3. Get It Home

### We Will Deliver

Delivery to your home or site can be arranged in-store when purchasing your products

### Pick-Up In-Store

If you decide to pick-up in-store and need help to get it home, you can:

- borrow a courtesy trailer
- hire a vehicle

Check with your local Bunnings store for availability.

### Please note minimum order values apply

Please check with Special Orders team member to confirm direct delivery lead times and cost.



DESIGNED &  
ENGINEERED  
IN AUSTRALIA BY

**AUSSIE  
CONCRETE  
PRODUCTS®**

For more information or help with retaining walls above 900mm call Aussie Concrete Products on 07 3348 1200 or visit [aussieconcreteproducts.com.au](http://aussieconcreteproducts.com.au)

QBCC License # 1075330

