



The advertisement features a vibrant background of a bright sun in a blue sky with white clouds, positioned over a green field. Two white, square skylight fixtures are shown in the foreground, one slightly behind and to the right of the other. The top of the image has a blue and orange geometric design. The brand name 'illumine' is written in a bold, white, lowercase sans-serif font, with a trademark symbol. Below it, 'BY KIMBERLEY' is written in a smaller, white, uppercase sans-serif font. At the bottom right, the product name 'SHAFTLESS SOLAR SKYLIGHT SYSTEM' is displayed in a bold, white, uppercase sans-serif font, with 'SHAFTLESS' in orange and 'SOLAR SKYLIGHT SYSTEM' in white.

illumine[™]
BY KIMBERLEY

**SHAFTLESS[™] SOLAR
SKYLIGHT SYSTEM**

illum™ Shaftless™ Solar Skylight Systems add the ambience of natural looking light, similar to traditional skylights, but without the challenge and expense of modifying the roof cavity and the need to install a light shaft or flexible tube. illum™ offers a range of possibilities for home renovators who can now create beautiful ambient light in areas where traditional skylights can't be fitted.



Unlike traditional skylights, there is no light tunnel. You don't need direct roof access to install an illum™ Shaftless™ Solar Skylight System.



Reasons To Choose illum™

- Requires no mains power or batteries
- No running costs
- Easy to install
- No light shaft
- Suits multi-level dwellings
- No insects collecting in the light diffuser
- Fully sealed - no leaks or heat transfer





Before



After

You can easily install the illum™ system in almost any room on any floor including: kitchens, living rooms, enclosed hallways, entrances, walk-in robes, bathrooms, ensuites and internal (windowless) powder rooms and toilets.

The system is perfect for use in kitchen pantries, garden sheds and garages. And, unlike a conventional skylight you can use the illum™ system to introduce light to basements and attics.

How Does It Work?

illum™ automatically comes to life and adjusts itself as the sun makes its way across the sky. As with traditional skylights, the light emitted from an illum™ system is also affected by the presence of sunlight, cloud cover or overcast conditions creating the feeling of harmony between external and internal lighting conditions.



Solar Collector



**Transfer Cable
& Control Module**




Diffuser Panel

So Many Options

There is a comprehensive range of illume™ models and sizes to suit every location in your home. Choosing the illume™ Shaftless Solar Skylight System to fit your space is simply a matter of choosing the size and the light output that suits.

MODELS



- illume standard retail systems
- **PREMIUM** range trade packs
- Surface-mount model available

SPECIFICATIONS

CODE	SIZE	LUMENS*	STYLE	COLOUR	IDEAL AREA	SURFACE MOUNT OPTION
KIS1010	180mm	540lm	Round	White	2m ²	
KIS1012	270mm	1050lm	Round	White	6m ²	
KIS2010	300mm	720lm	Square	Silver	5m ²	
KIS2012	400mm	1050lm	Square	Silver	7m ²	

PREMIUM RANGE

KIS1013TA	280mm	1560lm	Round	White	7m ²	Y
KIS1014TA	350mm	2100lm	Round	White	11m ²	Y
KIS2010TA	300mm	1050lm	Square	White	6m ²	Y
KIS2012TA	400mm	1420lm	Square	White	9m ²	Y
KIS2014TA	500mm	1950lm	Square	White	11m ²	Y
KIS2016TA	600mm	2250lm	Square	White	13m ²	Y
KIS3012TA	300x600mm	1500lm	Rectangle	White	10m ²	Y
KIS3018TA	600x900mm	3300lm	Rectangle	White	20m ²	
KIS3014TA	300x1200mm	3300lm	Rectangle	White	20m ²	Y
KIS3016TA	600x1200mm	4870lm	Rectangle	White	32m ²	

Note: Most Premium Range models are also available in a silver frame.

* Maximum brightness and lumen value based on direct sunlight.

illume™ Kimberley Products Pty Ltd
 Ph: 1800 225 377
 BY KIMBERLEY Em: illume@kimprod.com.au

In an ongoing commitment to product quality, specifications are subject to change without notice. E&OE.



www.illumeskylights.com.au