







- · Austral has an extensive range of Clothesline models and sizes
- · All structural components are made of Australian BlueScope® Galvabond® Steel to ensure product reliability
- · Plastics and Cord are manufactured in Australia
- · 10 Year Structural Warranty
- Austral has Warehouse facilities in every mainland State of Australia for immediate despatch
- · Offices located in each State for service and installation enquiries
- · Prompt reliable service
- · Spare parts are readily available
- · Specialized Colour Powdercoating service available
- · Australian Made and Owned since 1987







Head Office:

Victoria / Tasmania (03) 9799 8122 New South Wales (02) 9958 1533 Queensland (07) 5592 4546 Western Australia (08) 9455 1985 South Australia / Northern Territory (08) 8337 4445



AUSTRAL STATE DISTRIBUTORS

VICTORIA & Head Office & Manufacturing TASMANIA Austral Clothes Hoists Pty. Ltd.

32-34 Hydrive Close, Dandenong South Vic. 3175

Contact: Sales Office Tel: (03) 97998122 Fax: (03) 97998266

Email: admin@australclotheshoists.com.au

QUEENSLAND: Austral Clothes Hoists (QLD)

112 Bundall Road, Bundall Qld. 4217

Contact: Richard Drapes Tel: (07) 5592.4546 Fax: (07) 5592.6140

Email: qld@australclotheshoists.com.au

NEW SOUTH WALES: Austral Clothes Hoists (NSW)

& ACT. P.O. Box 380 Cammeray NSW 2062

Contact: John Anderson Tel: (02) 9958.1533 Fax: (02) 9958.1588

Email: nsw@australclotheshoists.com.au

SOUTH AUSTRALIA & NORTHERN TERRITORY:

Austral Clothes Hoists (SA/NT) 20 Sunbeam Road Glynde SA 5070

Contact: Lorena Franzin Tel: (08) 8337.4445 Fax: (08) 8337.4447

Email: sa@australclotheshoists.com.au

WESTERN AUSTRALIA: Austral Clothes Hoists (WA)

Unit 3, 12-14 Panama St. Canning Vale WA 6155

Contact: Cheree Manns Tel: (08) 9455.1985 Fax: (08) 9455.4426

Email: wa@australclotheshoists.com.au



FOLD DOWN LINES



FOLD DOWN WALL MOUNTS

3 depths x 3 lengths – A variety of options to suit all requirements.

The Fold Down front bars may be reduced in length during installation, if a shorter distance is required.

The cut ends of the front bar are inserted into the corner tube.

Fold Down Wall Mounts include masonry and timber fittings. Please seek advice if fixing to alternative surfaces i.e. hebel, blue board etc.

FOLD DOWN GROUND MOUNT KITS

Are available in 1.3m; 2.4m and 3.3m lengths in standard and plated post options (for hard surface fixing).

Standard Ground Mount Kits include 2 upright posts, back bar and post fittings

Plated Ground Mount Kits include 2 upright posts with welded base plates, back bar and post fittings but do not include masonry fittings for base.

The Ground mount posts are multi – punched for ease of fixing or height adjustment.

See pages 10-11 for further information.



All Fold Downs have Pre-Assembled Side Arms for easy fixing onto the wall or to attach to an Austral Ground Mount Kit.

It has never been easier to install an Austral Fold Down Clothes Line.



Stronger, steel construction — No plastic corners or brackets!

All Austral Fold Down Clothes Lines have Pre-Assembled side arms.

Remove left and right Side Arms from the box and using the fittings provided, bolt onto the wall or the upright posts if using a Ground Mount Kit option.

- Save time on assembly.
- Save money on installation.
- Easy customer DIY.



ADD-A-LINE FOLD DOWN

(Optional Plated and Ground Mount Kits available)



The Add-A-Line has dual folding frames. Both frames may be used independently and both frames fold down.

Add-A-Line has 15 lines = 35.7m line space


Front frame: 90cm deep with 8 lines; Back frame: 60cm deep with 7 lines. Line spacing: 13.5cm for wider spacing; 6.5cm for narrower spacing.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS	
2.4m W x 1.5m D	35.7 m (for both frames)	2.5m x 1.8m	1-5 people	
PRODUCT	DESCRIPTION	APN	VPN	FINELINE
Add-A-Line Add-A-Line Add-A-Line	Wall Mount Classic Cream Wall Mount Woodland Grey Wall Mount Spec. Col. (POA)	9315384000012 9315384 000005 9315384200320	ADDCC ADDWG ADDSPC	4510523 4510522
Ground Mt. Kit2.4m Ground Mt. Kit 2.4m Ground Mt. Kit2.4m	Classic Cream Woodland Grey Special Colour (POA)	9315384000135 9315384000128 9315384210268	GMKCC GMKWG GMKSPC	4510538 4510537
Gr/Mt Kit Plated2.4m Gr/Mt Kit Plated2.4m Gr/Mt Kit Plated2.4m	Classic Cream Woodland Grey Special Colour (POA)	9315384000159 9315384000142 9315384210350	GMKPLCC GMKPLWG GMKPLSPC	4510540 4510539
Hills equivalent: Large Double Folding	2.2 x 1.2m = 23m line	9311313236088	100521	



STANDARD FOLD DOWN

(Optional Plated or Ground Mount Kits available)



Single folding frame suitable for a large family. This is the same sized frame as an Add-a-line.

Standard has 12 lines = 28.5m of line space Line spacing: 13.5cm for wider spacing; 6.5cm for narrower spacing.

FRAME SIZE 2.4m W x 1.5m D	LINE SPACE 28.5 m	AREA REQUIRED 2.5m x 1.8m	SUITS 1-4 people	
PRODUCT	DESCRIPTION	APN	VPN	FINELINE
Standard Standard Standard	Wall Mount Classic Cream Wall Mount Woodland Grey Wall Mount Spec. Col. (POA)	9315384000036 9315384000029 9315384200405	STDCC STDWG STDSPC	4510525 4510524
Ground Mt. Kit2.4m Ground Mt. Kit 2.4m Ground Mt. Kit2.4m	Classic Cream Woodland Grey Special Colour (POA)	9315384000135 9315384000128 9315384210268	GMKCC GMKWG GMKSPC	4510538 4510537
Gr/Mt Kit Plated2.4m Gr/Mt Kit Plated2.4m Gr/Mt Kit Plated2.4m	Classic Cream Woodland Grey Special Colour (POA)	9315384000159 9315384000142 9315384210350	GMKPLCC GMKPLWG GMKPLSPC	4510540 4510539
Hills equivalent: Large Single Folding	2.2 x 1.2m = 21m line	9311313236101	100523	



COMPACT FOLD DOWN

(Optional Plated or Ground Mount Kits available)



A compact version of the Standard Fold Down. The Compact has the same amount of line space as the Standard on a smaller frame - ideal for courtyards and apartments.

When folded, the bottom of the Compact frame reaches about hip height which makes it a perfect line for aged or physically impaired residents.

Compact has 12 lines = 28.5m of line space. This line offers the maximum amount of line space due to closer line placement.

Line spacing: 6.5cm apart.

Your customer has the option of using each line during the summer months and perhaps spanning clothes over two lines through winter. More line space allows your customer greater drying flexibility.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS	
2.4m W x 0.94mD	28.5 m	2.5m x 1.3m	1-4 people	
3.3m W x 0.94mD	39m	3.4m x 1.3m	1-6 people	
PRODUCT	DESCRIPTION	APN	VPN	FINELINE
Compact	Wall Mount Classic Cream	9315384000050	COMPCC	4510527
Compact	Wall Mount Woodland Grey	9315384000043	COMPWG	4510526
Compact39 (3.3m)	Wall Mount Classic Cream	9315384000715	COMP39CC	4510948
Compact39 (3.3m)	Wall Mount Woodland Grey	9315384000722	COMP39WG	4510949
Ground Mt. Kit 2.4m	Classic Cream	9315384000135	GMKCC	4510538
Ground Mt. Kit 2.4m	Woodland Grey	9315384000128	GMKWG	4510537
Ground Mt. Kit 3.3m	Classic Cream	9315384000210	GMKSL20CC	4510547
Ground Mt. Kit 3.3m	Woodland Grey	9315384000203	GMKSL20WG	4510546
				4=40=40
Gr/Mt. Kit Plated 2.4m	Classic Cream	9315384000159	GMKPLCC	4510540
Gr/Mt. Kit Plated 2.4m	Woodland Grey	9315384000142	GMKPLWG	4510539
Gr/Mt. Kit Plated 3.3m	Classic Cream	9315384000234	GMKSL20PLCC	4510547
Gr/Mt. Kit Plated 3.3m	Woodland Grey	9315384000227	GMKSL20PLWG	4510546

Hills equivalent:

No equivalent available



SLENDERLINE 16 FOLD DOWN

(Optional Plated or Ground Mount Kits available)



Suitable for long narrow areas.

The Slenderline16 has 6 lines = 14.4m line space Line spacing: 6.5cmapart.

FRAME SIZE 2.4mW x 0.60mD	LINE SPACE 14.4 m	AREA REQUIRED 2.5m x 0.8m	SUITS 1-2 people	
PRODUCT	DESCRIPTION	APN	VPN	FINELINE
Slenderline 16	Wall Mount Classic Cream	9315384000074	SL16CC	4510530
Slenderline 16	Wall Mount Woodland Grey	9315384000067	SL16WG	4510529
Slenderline 16	Wall Mount Spec. Col. (P.O.A.)	9315384200641	SL16SPC	
Ground Mt. Kit2.4m	Classic Cream	9315384000135	GMKCC	4510538
Ground Mt. Kit 2.4m	Woodland Grey	9315384000128	GMKWG	4510537
Ground Mt. Kit2.4m	Special Colour (POA)	9315384210268	GMKSPC	
Gr/Mt Kit Plated2.4m	Classic Cream	9315384000159	GMKPLCC	4510540
Gr/Mt Kit Plated2.4m	Woodland Grey	9315384000142	GMKPLWG	4510539
Gr/Mt Kit Plated2.4m	Special Colour (POA)	9315384210350	GMKPLSPC	

Hills equivalent:

Compact folding $2.2m \times 0.6m = 12m line$

9311313236132

100526



SLENDERLINE 20 FOLD DOWN

(Optional Plated or Ground Mount Kits available)



Suitable for long narrow areas.

Slenderline 20 has 6 lines = 19.8m line space. Line spacing: 6.5cm apart.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS	
3.3mW x 0.60mD	19.8 m	3.5m x 0.8m	1-2 people	
PRODUCT	DESCRIPTION	APN	VPN	FINELINE
Slenderline 20	Wall Mount Classic Cream	9315384000098	SL20CC	4510532
Slenderline 20	Wall Mount Woodland Grey	9315384000081	SL20WG	4510531
Slenderline 20	Special Colour (P.O.A.)	9315384200733	SL20SPC	
Ground Mt. Kit 3.3m	Classic Cream	9315384000210	GMKSL20CC	4510547
Ground Mt. Kit 3.3m	Woodland Grey	9315384000203	GMKSL20WG	4510546
Ground Mt. Kit 3.3m	Special Colour (P.O.A.)	9315384210176	GMKSL20SPC	
Gr/Mt Kit Plated 3.3m	Classic Cream	9315384000234	GMKSL20PLCC	4510549
Gr/Mt Kit Plated 3.3m	Woodland Grey	9315384000227	GMKSL20PLWG	4510548
Gr/Mt Kit Plated 3.3m	Special Colour (POA)	9315384210053	GMKSL20PLSPC	

Hills equivalent

Narrow space folding 3.3 m x 0.6 m = 19 m line 9311313236125 100525 (No Gr/Mt avail.)



UNIT LINE FOLD DOWN

(Optional Plated or Ground Mount Kits available)



The Unit line is perfect for an Apartment, Balcony, garage, verandah or carport.

The Unit Line has 12 lines = 15.6m line space. Line spacing: 6.5cm apart.

ERAME SIZE 1.3mW x 0.94mD	LINE SPACE 15.6m	AREA REQUIRED 1.4m x 1.3m	SUITS 1-2 people	-
PRODUCT Unit Line Unit Line Unit Line	DESCRIPTIONAPN Wall Mount Classic Cream931538 Wall Mount Woodland Grey93153 Wall Mount Spec. Col. (P.O.A.) 93	84000104	VPN UNCC UNWG UNSPC	FINELINE 4510534 4510533
Ground Mt. Kit 1.3m Ground Mt. Kit 1.3m Ground Mt. Kit 1.3m	Classic Cream Woodland Grey Special Colour (P.O.A.)	9315384000173 9315384000166 9315384210121	GMKUNCC GMKUNWG GMKUNSPC	4510542 4510541
Gr/Mt Kit Plated1.3m Gr/Mt Kit Plated1.3m Gr/Mt Kit Plated1.3m	Classic Cream Woodland Grey Special Colour (P.O.A.)	9315384000197 9315384000180 9315384210206	GMKUNPLCC GMKUNPLWG GMKUNPLSPC	4510545 4510543

Hills equivalent No equivalent available.



INDOOR/OUTDOOR FOLD DOWN

(Ground Mount options not available)



The Indoor/Outdoor line is a mini clothesline that allows line drying even in the smallest spaces – a great environmental choice.

The Indoor/Outdoor line has 7 lines = 8.3m line space. Line spacing: 6.5cm apart.

FRAME SIZE	LINE SPACE	AREA REQUIRED	SUITS	
1.2mW x 0.6mD	8.3m	1.3m x 0.8m	1-2 people	
			• •	
PRODUCTDESCRIPTION	1	APN	VPN	FINELINE
INDOOR/OUTDPOOR Wa	ali Mount White	9315384202003	INDWH	4510535
Special Colour (P.O.A.)				

Hills equivalent Indoor folding

 $1.2m \times 0.7m = 7m line$

9311313236194

105657



FOLD DOWN GROUND MOUNT KIT OPTIONS



The Ground Mount Kit includes

2 upright posts and back
support bar.

□Fasteners to secure Austral

Fold Down.

Optional Plated Mount Kits for fixing to hard surfaces.Austral's new Multi-Punched

Ground Mount Kit allows for flexible height adjustment

□Ideal for DIY installations.

□Retirement and tenanted facilities – where residents differ in height.

□Builder installations – where resident's height is not known.

Please note:

The back bar may be reduced in length to fit into shorter spaces during installation if required. Installer will need to cut excess off one end of back bar and drill 1 hole. The Fold Down front bar(s) will also need to be reduced in length.

GROUND MOUNT KIT Suitable for in ground installations

Available in 1.3m, 2.4m & 3.3m lengths



Ground Mount Kit dimensions: 2430mmW x 2370mmH.
Fixing points are 2400mm C-C.
Depth will vary according to Fold Down model selected.

GROUND MOUNT KIT PLATED

Suitable for hard surface fixing i.e. cement slab or decking (if structurally suitable). Available in 1.3m, 2.4m & 3.3m lengths



Plated Ground Mount Kit dimensions: 2500mmW x 150mmD x 1860mmH.

Post Plate dimensions: 100mmW x 150mmL x 6mm.

Fixings required: 2 x M6 x 40mm (min length) Anchor bolts for each plated Post.

Refer to Manufacturer's TDS for further information.



FOLD DOWN GROUND MOUNT KIT OPTIONS (cont.)

2.4m GROUND MOUNT KITS are suitable for the following Fold Downs:

ADDALINE STANDARD COMPACT SLENDERLINE 16

PRODUCT	DESCRIPTION	APN	VPN	F/LINE
Ground Mount Kit	2.4m wide		0111/00	4540500
	Classic Cream	9315384000135	GMKCC	4510538
	Woodland Grey	9315384000128	GMKWG	4510537
	Special Colour (P.O.A.)	9315384210268	GMKSPC	
Hills equivalent:	Post Kit	9311313236156	100528	
	it 2.4m wide (Suitable for hard surface fi	king i.e. cement slab or de	ecking (if	
structurally suitable).	Classic Cream	9315384000159	GMKPLCC	4510540
	Woodland Grey	9315384000139	GMKPLWG	4510539
	Special Colour (P.O.A.)	9315384210350	GMKPLSPC	4310339
Hills equivalent:	Not Available			

3.3m GROUND MOUNT KIT is only suitable for use with the following Fold Down:

SLENDERLINE 20

Hills equivalent:

PRODUCT	DESCRIPTION	APN	VPN	
				F/LINE
Ground Mount Ki	t SL20 3.3m wide			
	Classic Cream	9315384000210	GMKSL20CC	4510547
	Woodland Grey	9315384000203	GMKSL20WG	4510546
	Special Colour (P.O.A.)	9315384210176	GMKSL20SPC	
Hills equivalent:	Not Available			
Ground Mount Ki	t SL20 Plated 3.3m wide			
	Classic Cream	9315384000234	GMKSL20PLCC	4510549
	Woodland Grey	9315384000227	GMKSL20PLWG	
	Special Colour (P.O.A.)	9315384210053	GMKSL20PLSP0	

Not Available



FOLD DOWN GROUND MOUNT KIT OPTIONS (cont.)

1.3m GROUND MOUNT KIT is only suitable for the following Fold Down:

UNIT LINE

PRODUCT	DESCRIPTION	APN	VPN	F/LINE
Ground Mount Kit	1.3m wide Classic Cream Woodland Grey Special Colour (P.O.A.)	9315384000173 9315384000166 9315384210121	GMKUNCC GMKUNWG GMKUNSPC	4510542 4510541
Hills equivalent:	Not Available			
Ground Mount Kit Plate	d 1.3m wide Classic Cream Woodland Grey Special Colour (P.O.A.)	9315384000197 9315384000180 9315384210206	GMKUNPLCC GMKUNPLWG GMKUNPLSPC	4510545 4510543
Hills equivalent:	Not Available			

Multi punched Fold Down Ground Mount Kits installed at Aged Care Facility.





RETRACTAWAY CABINET



PLEASE NOTE:

Please seek advice prior to Post installations to ensure appropriate footings are used. Consideration should be given to larger concrete footing to increase Post stability for some soil types (i.e. sandy, loose or un-compacted soils etc.).

Simply pull the lines out when required and retract the lines back into the cabinet when finished.

Lines will lock into position from a minimum of 2m to a maximum of 8m (RA40) or 10m (RA50).

RetractAway 40 40m line – standard option Min. 2m – Max. 8m. RetractAway 50 50m line – extended length Min. 2m – Max. 10m.

CABINET SIZE	LINE SPACE	AREA REQUIRED	SUITS
RetractAway 405 lines x 2m - 8m 800mm*W x 125mmH x 170mmD		1.5m wide x = up to 40m line space	1-6 people required length
RetractAway 505 lines x 2m - 10m 800mmW x 125mmH x 170mmD = up	o to 50m line space	1.5m wide x required length	1-6 people

Suggested area required: Min. of 500mm either side of Cabinet is recommended but not essential.

For further information and RetractAway Accessories please see following pages.



AUSTRAL RETRACTAWAY 40 and 50

PRODUCT DIMENSIONS

RetractAway Cabinet40/50 800mm*W x 125mmH x 170mmD *Dimension includes Tension Knob. Cabinet fixing points:785mm apart

Mounting Bar:

820mm x 25mm x 25mm

M/Bar fixing points:

785mm apart

Catch:

55mmW x 38mmH x 30mmD

Catch fixing points:

32mm apart

RetractAway Post: Post fixing point:

2300mm x 50mm x 50mm 2201mm (top bolt hole)

Plated RetractAway Post: 1790mm x 50mm x 50mm Plated Post fixing point:1760mm (top bolt hole)
Plate dimensions:100mmW x 150mmL x 6mm

Plate fixing requirements: Fixings required 2 x M6 x 40mm (min length) Anchor bolt for each plated Post.

Refer to Manufacturer's TDS for further information.

PRODUCTDESCRIPTION		APN	VPN	FINELINE
RetractAway Cabinet is supp				
RetractAway 40 Cabinet Class		9315384000258	RA40CC	4510551
RetractAway 40 Cabinet Woo		9315384000241	RA40WG	4510550
RetractAway 40 Cabinet Spe Hills equivalent:XL Retracting		9315384300242	RA40SPC	
Hills equivalent. AL Retracting	g Cabinet	9311313222340	100536 or 300056	
RetractAway Cabinet is supp		004500400050	D. 5000	4540554
RetractAway 50 Cabinet Clas RetractAway 50 Cabinet Woo		9315384000272	RA50CC	4510554
RetractAway 50 Cabinet Woo		9315384000265	RA50WG	4510553
Hills equivalent:Not Available		9315384300198	RA50SPC	
Timo equivalent. Not / Wallable	•			
RetractAway Post Pack	Classic Cream	9315384000296	RAPOSTCC	4510556
RetractAway Post Pack	Woodland Grey	9315384000289	RAPOSTWG	4510555
RetractAway Post Pack	Galvanized	9315384300068	RAPOSTGAL	4010000
RetractAway Post Pack	Special Colour (P.O.A.)	9315384300297	RAPOSTSPC	
Hills equivalent:	Post Kit	9311313222364	100538 or 300075	
·				
RetractAway Post Plated	Classic Cream	9315384000319	RAPOSTPLCC	4510558
RetractAway Post Plated	Woodland Grey	9315384000302	RAPOSTPLWG	4510557
RetractAway Post Plated	Special Colour (P.O.A.)	9315384300105	RAPOSTPLSPC	
Hills equivalent:	Not Available			
Mounting Bar	Classic Cream	9315384000333	RAMBARCC	4510561
Mounting Bar	Woodland Grey	9315384000326	RAMBARWG	4510559
Mounting Bar	Special Colour (P.O.A.)	9315384300273	RAMBARGAL	
Hills equivalent:	Mount Bar 6	9311313222388	100540 or 300067	
One word On aleast	Disab Disabis	0045004400000	OOKT	4544040
Ground Socket	Black Plastic	9315384400089	GSKT	4514213
Hills equivalent:		F9311313204766	100535	



AUSTRAL RETRACTAWAY 40 or 50 INSTALLATION OPTIONS

Wall to Wall Cabinet only



Wall to Post
Cabinet
Post* x 1
Ground Socket* (optional) x 1

Ground socket to be used only if post is to be removable.



Post to Wall
Cabinet
Post* x 1
Mounting Bar x 1
Ground Socket* (optional) x 1

Ground socket to be used only if post is to be removable.



Post to Post
Cabinet
Post* x 2
Mounting Bar x 1
Ground Socket*(s) (optional)

* Please seek advice prior to Post installations to ensure appropriate footings are used. Consideration should be given to larger concrete footing to increase Post stability for some soil types (i.e. sandy, loose or un-compacted soils).



DISCLAIMER:

Austral cannot guarantee the stability of RetractAway Post installations due to soil variances.

Please seek advice prior to Post installation(s).



FOLDAWAY ROTARIES

Simply lift and twist to remove





All FoldAway Rotaries have Pre-corded Heads using Austral's own cord.

PRODUCT	DESCRIPTION / COLOUR	APN	VPN/ SUITS	
FOLDAWAY 45	3.3 m head diam. /Suggested minimum area required 4mx4m 7 lines = 46.5 m line space2-5 people Outside line length:222cm Will fit standard Queen sized sheets on outside lines			FINELINE
Hills equivalent:	Classic Cream Woodland Grey Heritage Green Special Colour (P.O.A.) Rotary 7 Hoist	93 15384000357 93 15384000340 93 15384100026 93 15384100071 9311313222852	FA45CC FA45WG FA45GR FA45SPC 100561	4510575 4510562 4514409
FOLDAWAY 51	3.8 m head diam./ Suggested minimum area required 4.5mx4.5m 7 lines = 51m line space2-6 people Outside line length: 254cm Will fit standard King sized sheets on outside lines			
Hills equivalent:	Classic Cream Woodland Grey Heritage Green Special Colour (P.O.A.) Rotary 8 Hoist	9315384000371 9315384000364 9315384100019 9315384099955 9311313222838	FA51CC FA51WG FA51GRN FA51SPC 100559	4510564 4510563 4514001

A Ground Socket is supplied with each FoldAway Rotary. The Ground Socket is also available as an Accessory. For FoldAway Accessories see next page. Ezy Rest Basket Holder see back page.



FOLDAWAY ROTARY ACCESSORIES

PRODUCT	DESCRIPTION APN	VPN	FINELINE
PVC Cord: Cord 40m	Cream9315384000388 Grey9315384000418 Suitable for all Fold Down Lines	CORD40CREAM CORD40GREY	4510568 4510569
Cord 60m	Cream9315384000395 Grey9315384000425 Suitable for all FoldAway Rotary Lines	CORD60CREAM CORD60GREY	4510570 4510571
Cord 450m roll	Cream9315384000401 Grey9315384000432 Ideal for Contractors or in-store Metre sales	CORD450CREAM CORD450GREY	4510572 4510573







Cord 40m

Cord 60m

Cord 450m

FINELINE

4514213

PRODUCT	DESCRIPTION	APN	VPN
Ground Socket	Black	9315384400089	GSKT

Suitable for use with:

FoldAway 45 & 51 Rotaries and RetractAway Posts
The metal Pin may be punched through various pre-set positions to set the height of the FoldAway Rotary or the RetractAway Post.

Please see instructions for further information.





FOLDAWAY ROTARY ACCESSORIES (pg.2)

FOLDAWAY Retainer Clips Suitable for FoldAway 45 & 51

PRODUCT	DESCRIPTION	APN	VPN	FINELINE
Retainer Clips 14Pk.	12 inner; 2 outer	9315384400249	FACLIP14	4510577
Retainer Clips 8 Pk.	6 inner; 2 outer	9315384400140	FACLIP8	4513924



External Clips (for use on outside line only)



Internal Clips (for use on all internal lines)



Old Style Clip (no longer available). Please seek advice to retro-fit new Clips to older FoldAways.

FOLDAWAY Top Cap and Cross Suitable for FoldAway 45 & 51

PRODUCT	DESCRIPTION	APN	VPN
Top Cap and Cross	Black Plastic	9315384100354	FATOP/CROSS



FOLDAWAY Handle Assembly (complete)

Suitable for FoldAway 45 & 51; Deluxe 4 & 5; Elite 4; Special 4 Rotary and EzyFold models.

PRODUCT	DESCRIPTION	APN	VPN	FINELINE
Helical Handle Assembly	Black Plastic	9315384100408	FA HAND/ASS.	4510579








Rear view



SUPER ROTARY HOISTS

Non-removable Galvanized Rotaries



SUPER ROTARIES

The Super Original Rotaries are built to last using a metal gear case, strong galvanized steel tubing and galvanised clothes line wire. The handle grip and end caps are plastic.

PRODUCT	HEAD DIAMETER	APN	VPN/ SUITS	FINELINE
Super 4 Hills equivalent:	4m head diameter/ Suggested area required 5x5m 93 6 lines = 40.4m Outside line length = 282cms Heritage Hoist 49311313201345	15384500185	SUPER4 4-5 people 100551	4510565
Super 5 Hills equivalent:	5m head diameter/ Suggested area required 6x6m 93 6 lines = 50m Outside line length = 349cms Heritage Hoist 59311313201352	15384 00192	SUPER5 5-6 people 100552	4512211
Super 6 Hills equivalent:	6m head diameter/9315384500208 Suggested area required 7x7m 7 lines = 64.5m Outside line length = 412cms Not Available	3	SUPER6 6 people +	4512229

Accessories

Ezy Rest Basket Holder see back page.



DELUXE ROTARY HOISTS

Non-Removable Galvanized Rotaries



DELUXE ROTARIES

The Deluxe Rotaries feature the same head section as Super Original with one piece helical column and plastic gear case.

PRODUCT	HEAD DIAMETER	APN	VPN/ SUITS	FINELINE	
Deluxe 4	4m head diameter/ Suggested area required 5.6 lines = 40.4m Outside line length = 282cr		DEL4 4-5 people	4510566	
Hills equivalent:	Supa A4 Hoist9311313202	564	100645		
Deluxe 5	5m head diameter/ Suggested area required 6. 6 lines = 50m Outside line length = 349cr		DEL5 5-6 people	4514174	
Hills equivalent:	Supa A5 Hoist9311313202	571	100646		
The Special 4 has a lighter head section. The Special 4 features 6mm Galvanized Wire Stays. This creates a lighter head section.					

Special 4 4m head diameter/ 9315384500246 SPEC4 4510567

Suggested area required 5x5m

6 lines = 40.4m 4-5 people

Outside line length = 282cms

Hills equivalent: Not Available

Accessories

Ezy Rest Basket Holder see back page.



ELITE ROTARY HOISTS

Non-Removable Galvanized Rotary



Elite 4

The Elite 4 is a powdercoated Deluxe 4. The Rotary features a one piece helical column and plastic gear case. It is powdercoated in Heritage Green.

PRODUCT	HEAD DIAMETER	APN	VPN/ SUITS	FINELINE
Elite 4 Hills equivalent:	4m head diameter Suggested area required 5x5m 6 lines = 40.4m Outside line length = 282cms Not Available	93 15384 70019 6	ELITE 4-5 people	4514425

Accessories

Ezy Rest Basket Holder see back page.



ROTARY HOISTS ACCESSORY

Ezy Rest Basket Holder





No more bending over to retrieve washing from a Clothes Basket on the ground!

Suitable for use with most popular Brands of FoldAway and Galvanized Rotaries (new and old models).

With the Austral Ezy Rest Basket Holder your washing will always be at a comfortable height.

- The Ezy Rest Basket Holder will easily hook onto the upright column without adjustment.
- Your laundry basket will always be at just the right height
- Made of Powdercoated Steel for durability
- 12 month Warranty

PRODUCT	DESCRIPTION	APN	<u>VPN</u>	FINELINE
5 D (D) (U)	01 . 0	F7\/00	0045004000450	4540704
Ezy Rest Basket Holder Ezy Rest Basket Holder	Classic Cream Woodland Grey	EZYCC EZYWG	9315384000456 9315384000449	4510701 4510702
Ezy Rest Basket Holder	Heritage Green	EZYGR	9315384400119	4510703