

TIMBER CARE

Cabinet Makers Wax Gilly Stephenson's

STEP 3 - SEAL

Prepared Surface

DESCRIPTION

Gilly Stephenson's Cabinet Makers Wax is a traditional polish made with bees wax and carnauba wax. It adds sheen to wooden surfaces and is excellent for filling small holes, defects and hairline cracks.

TYPICAL USES

- Excellent on jarrah, oak and other woods that have no specific finish
- Not recommended for modern finishes

FEATURES

- Hard finish

APPLICATION

Apply sparingly and buff immediately. On large surface areas only work on a small area at any given time.

To restore wax finish on stripped furniture and/ or establish a wax finish on raw wood:

1. Apply 1 to 3 coats of **Restoring & New Timber Polish** to prepared surface and buff with a soft cloth.
2. Apply at least 2 coats of **Cabinet Makers Wax**, preferably using [0000] steel wool. Buff with a soft cloth. The number of applications will depend on the finish required.

Typical Characteristics

Appearance semi-solid wax
Melting Point..... -50 to -60°C
Solubility in Water..... negligible
Specific Gravity..... 0.8



SDS available



Code	Pack Size	Unit Barcode	Carton Barcode	Ctn/Plt
70404-100GS	4 x 100g	9324554000042	19312852003923	N/A

QUEENSLAND
Tel +61 7 3308 5200
Fax +61 7 3308 5201

NEW SOUTH WALES
Tel +61 2 8709 9600
Fax +61 2 9791 5066

VICTORIA
Tel +61 3 9408 4144
Fax +61 3 9408 4155

SOUTH AUSTRALIA
Tel +61 8 8222 1333
Fax +61 8 8260 7883

WESTERN AUSTRALIA
Tel +61 8 9352 3000
Fax +61 8 9352 3033

© Copyright Recochem Inc. All rights reserved. All content remains the property of Recochem Inc. All other trademarks mentioned are trademarks or registered trademarks of their respective owners. All text, images, graphics and PDF files are subject to the copyrights and intellectual property rights of Recochem Inc. Separate to the purpose of review and private use, this information cannot be used without written permission from Recochem. Information contained herein is for general information only and should not be used as an infallible to a product's specification and or performance.