



Masport®

100 YEARS
in the making
EST. 1910



LAWN & GARDEN RANGE
2014/2015

INDUSTRY BEST WARRANTIES



VIEW
OUR FULL RANGE WITH
YOUR SMARTPHONE



INDUSTRY BEST CONSUMER WARRANTIES

Masport is committed to quality and performance. We back our products. On offer is a full comprehensive warranty, so you know exactly what is covered.

Depending on whether your mower is a Steel or Alloy deck, and the type of engine your mower has, there's a warranty cover tailored specifically for your new purchase.

We offer to you an impressive 6 years warranty on all Alloy Decks. If you prefer a Steel Housing you'll enjoy 4 years peace of mind. For both Alloy and Steel options, these come with either a 2 year warranty on ALL parts and engine, or a 4 year warranty with an I/C engine. Plus a LIFETIME plastic catcher warranty.

With Masport it will last, we guarantee it. MASPORT HAS YOU COVERED.

INDUSTRY BEST WARRANTIES



OUR 4+ YEAR LAWNMOWER WARRANTY

The Masport Lawnmower range fitted with IC Engines combines the benefits of top quality Masport lawnmowers with Briggs & Stratton Industrial Commercial grade engines. Masport lawnmowers with this engine carry a minimum 4 year warranty (conditions apply, see www.masport.com.au for more information).



Masport unique features powered by a commercial grade engine ...
YOU CAN'T GO WRONG!

THE ALUMINIUM ADVANTAGE

Masport has been producing lawnmowers with aluminium housing for over 50 years. You can probably still find one of these earlier mowers today tucked away in the back of a garage, collecting dust with a worn out engine but a housing that is still intact.



Masport is so confident about the longevity and rust free advantages of its aluminium housing we offer a comprehensive 6 year warranty.

BRIGGS & STRATTON STARTING PROMISE

Briggs & Stratton 500, 550, 650, 675, 700, 725, 750, 850 & 875 series engines include a Starting Promise as listed. If they don't start in line with the starting promise, return it to an authorised Briggs & Stratton engine service agent, and they will fix it for free**.



▶ **RAPID START**

20% EASIER STARTING

▶ **READYSTART**

NO PRIME - NO CHOKE

These engines will always start with a maximum of 5 primes and 4 pulls or it is fixed for free**.

With ReadyStart™, there's no need to manually prime or choke the engine on your mower, even from a cold start. Now even the least experienced lawn mower user can confidently start their mower. This engine should start on one or two pulls or it is fixed for free**.

IT'S NOT JUST A LAWNMOWER, IT'S A MASPORT!

Every lawn is different which is why Masport has developed a comprehensive range of lawn and garden equipment. Masport mowers have been designed to meet the needs of the heaviest lawn conditions and the longest mowing times, therefore they are built to last. The models in the Masport range are feature rich, innovative and truly high performance mowers. Regardless of whether you see taking care of your lawn as a pleasure or a chore, Masport has the equipment to help you realise your vision, while suiting your lifestyle and budget.

Proudly designed and engineered in Australasia and sold all around the world.

WASH PORT

WASH PORT
Hose fitting point on the housing to clean the housing while the mower engine is running, increasing the life of the deck and improving cutting efficiency.



SNORKEL AIR FILTER

SNORKEL AIR FILTER
Reduces the risk of dust getting in the engine resulting in less air filter services.



ZONE START

ZONE START
The conveniently positioned starter cord eliminates the need to bend all the way down to pull-start, reducing the risk of back strain.



SELF PROPELLED

SELF PROPELLED
Let the mower do the work. These models are fitted with a self drive system, all you need to do is squeeze the handle.



CHIPPERCHUTE

CHIPPERCHUTE
Allows your mower to shred branches up to 35mm (1 3/8") in diameter and turn them into mulch. As branches are chipped they are fed back into the catcher so you can put the mulch on your compost or garden.



MSV HANDLE

MSV HANDLE
Wide diameter and soft grip for added comfort.



UPTURNED HANDLE

UPTURNED HANDLE
Sturdy handle with upturned design for added comfort.



MASPORT SMARTCHUTE®

SMARTCHUTE
Mow without the catcher, and avoid the messy grass clumps. The Masport Smartchute® will side discharge clippings in a 'sidethrow' action as you mow.



ADJUSTABLE DUAL BEARING WHEELS

ADJUSTABLE DUAL BEARING WHEELS
Masport's ball bearing wheels include a threaded axle and nut for ease of adjustment.



CATCHER 'FULL' INDICATOR

CATCHER 'FULL' INDICATOR
Shows when the catcher is full - takes the guess work out of emptying the catcher.



ERGO ADJUSTABLE CAMLOCKS

ERGO ADJUSTABLE CAMLOCKS
Multiple handle height adjustment to combat back strain. Easy fold down for storage.



CUT HEIGHTS

CUT HEIGHTS
Masport Push lawnmowers have a range of cut heights from 10mm-70mm (3/8" - 2 3/4") and come with single point one touch height adjusters.

HANDLE LIFT SYSTEM

HANDLE LIFT SYSTEM
With the Handle Lift System, removing and re-installing the catcher is so easy. Just press down on the foot pedal to release the handle!



MULCH & CATCH

MULCH & CATCH
Naturally recycles the grass by recutting it and feeding it back into your lawn.



ELECTRIC KEY START

ELECTRIC KEY START
Mowing is even easier with the electric start - turn the key and start mowing.



BRIGGS & STRATTON IC ENGINES

BRIGGS & STRATTON IC ENGINES
Briggs & Stratton Industrial Commercial engines are designed for a longer life-span.



QUADCUT® BLADES

QUADCUT® BLADE SYSTEM
Quadcut® 4 blade disc cutting system for superior cutting and catching performance.



MASPORT DUAL MOWZONE®

DUAL MOWZONE
With the blade coverage extending beyond the wheel width on both sides, the mower can cut closer to walls, kerbs and fences, giving a cleaner finish to your lawn.



'5 TICK' STANDARDSMARK™



Masport lawnmowers carrying the '5 tick' StandardsMark™, a global certification mark, provides assurance that your lawnmower has undergone a rigorous independent audit and testing programme ensuring the reliability, quality assurance and safety of your machine.

* Please note, not all mowers in our range contain all of these features.

HANDLE LIFT SYSTEM

The Handle Lift System allows you to quickly and easily access the catcher (or Smartchute® system). Simply step on the foot pedal and lift the handle, it's that easy! Once the handle is returned to the operating position it locks firmly, providing responsive handling. It also reduces storage space.



Scan with your smartphone to learn more

REAR CATCHER STEEL RANGE



\$409.00
RRP

200ST

Steel: Catch



- Powered by Briggs & Stratton 125cc OHV Series 450E primer engine
- **460mm (18") steel chassis**
- Front 175mm (7") & Rear 175mm (7") mono adjustable bearing wheels
- Plain rear flap
- Comfortable upturned upper handle
- Two piece lower handle for easy catcher access
- Masport 4 blade disc cutting system
- HDPE Plastic Catcher

564726



\$549.00
RRP

400ST COMBO

Steel: Mulch & Catch



- Powered by Briggs & Stratton 150cc OHV Series 625EX Ready Start™ engine
- **460mm (18") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Comfortable upturned upper handle with PVC grip
- Plain rear flap
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- HDPE Plastic Catcher



564764



\$439.00
RRP

250ST COMBO

Steel: Mulch & Catch



- Powered by Briggs & Stratton 140cc OHV Series 500E Rapid Start™ engine
- **460mm (18") heavy duty steel chassis**
- Front 175mm (7") & Rear 200mm (8") adjustable dual bearing wheels
- Plain rear flap
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Cut, Catch & Mulch
- Masport 4 blade disc cutting system
- HDPE Plastic Catcher



564727



\$579.00
RRP

450ST COMBO

Steel: Mulch & Catch



- Powered by Briggs & Stratton 150cc OHV Series 625EX Ready Start™ engine
- **485mm (19") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Steel rear flap
- Masport Dual Mowzone® for edge to edge cutting
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Handle lift system
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- HDPE Plastic Catcher



564729



\$499.00
RRP

350ST

Steel: Mulch & Catch



- Powered by Briggs & Stratton 140cc OHV Series 550EX Ready Start™ engine
- **460mm (18") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable mono bearing wheels
- Plain rear flap
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Cut, Catch & Mulch
- Masport 4 blade disc cutting system
- HDPE Plastic Catcher



564728

WHY MULCH?


Mulching means less work, because when you mulch there is less weight to push and no stopping to empty the catcher.

The high-arc chassis design and the special blade means it also naturally recycles your grass by re-cutting the clippings and feeding them back into your lawn.

You will save on lawn fertilisers, watering, as well as time.

Look for "Combo" models within the Masport range for this feature.

Scan with your smartphone to learn more



MASPORT BLADE SYSTEMS



Masport Quickcut®
For superior cutting, mulching and catching performance Masport mowers are fitted with unique blade cutting systems. The Quickcut blade is a top quality specially designed blade for cutting and mulching.



Masport 4 Blade Disc System
This blade system runs four swing back blades suitable for catching and mulching applications and is fitted on Masport steel chassis catching and mulching models.



Masport Quadcut® 4 Blade Disc System
Masport mowers such as the MSV® range are fitted with a specially designed 4 blade disc system, great for catching due to increased airflow.



Masport Quadcut® 4 Blade Disc System with Chipper Blade
The additional chipper blade allows your mower to chip branches up to 35mm (1 3/8") into garden mulch, when fed through the mower via the Chipperchute.

Both the Masport Quickcut® and Masport Quadcut® 4 blade disc system blades have a swingback feature, designed to protect the crankshaft from damage should the mower hit a solid object.



REAR CATCHER STEEL RANGE



\$669.00
RRP

550ST COMBO

Steel: Mulch & Catch

- Powered by Briggs & Stratton 190cc OHV W14 Series 875 Ready Start™ engine
- 485mm (19") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Steel rear flap
- Masport Dual Mowzone® for edge to edge cutting
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Zone start for comfortable starting position
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- HDPE Plastic Catcher with 'full' indicator
- 1 year commercial use engine warranty**



\$739.00
RRP

650ST COMBO

Steel: Mulch & Catch

- Powered by Briggs & Stratton 190cc OHV Series 850 Commercial IC Ready Start™ engine
- 485mm (19") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Steel rear flap
- Masport Dual Mowzone® for edge to edge cutting
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Zone start for comfortable starting position
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- HDPE Plastic Catcher with 'full' indicator
- 2 year commercial use engine warranty**



564731

564712



\$699.00
RRP

550ST COMBO

Steel: Mulch & Catch

- Powered by Briggs & Stratton 190cc OHV W14 Series 875 Ready Start™ engine
- 485mm (19") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Steel rear flap
- Masport Dual Mowzone® for edge to edge cutting
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Handle lift system
- Zone start for comfortable starting position
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- HDPE Plastic Catcher with 'full' indicator
- 1 year commercial use engine warranty**



\$699.00
RRP

650ST COMBO/CHIPPER

Steel: Mulch, Catch & Chip

- Powered by Briggs & Stratton 190cc OHV Series 675 Ready Start™ engine
- 485mm (19") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Steel rear flap
- Masport Dual Mowzone® for edge to edge cutting
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Ergo camlocks for adjustable handle position
- Zone start for comfortable starting position
- Handle lift system
- Snorkel Air Filter System
- Cut, Catch, Mulch & Chip
- Chipperchute
- Masport Quadcut® 4 blade disc cutting system
- HDPE Plastic Catcher with 'full' indicator



564730

578918



\$749.00
RRP



Key Start

500ST E/S

Steel: Electric Start Mulch & Catch

- Powered by Briggs & Stratton 190cc Series 675 Ready Start™ engine
- Electric Start ignition - turn the key to start mowing
- Nickel metal hydride long life battery
- Battery charger included - output: 16V 0.5A
- 485mm (19") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Steel rear flap
- Masport Dual Mowzone® for edge to edge cutting
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- HDPE Plastic Catcher
- 1 year commercial use engine warranty**



\$779.00
RRP

800ST COMBO

Steel: Wider Cut, Mulch & Catch

- Powered by Briggs & Stratton 190cc OHV Series 875 Ready Start™ engine
- 540mm (21") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Steel rear flap
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Zone start for comfortable starting position
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- Aero Catcher
- 1 year commercial use engine warranty**



564732

564767



THE ALUMINIUM ADVANTAGE

Masport has been producing lawnmowers with aluminium housing for over 50 years. You can probably still find one of these earlier mowers today tucked away in the back of a garage, collecting dust with a worn out engine but a housing that is still intact.

Produced from a premium grade alloy, aluminium decks are light weight, strong and won't crack, break or rust.

REAR CATCHER ALLOY RANGE



564713

\$599.00
RRP

400AL COMBO

Alloy: Mulch & Catch



- Powered by Briggs & Stratton 150cc OHV Series 625EX Ready Start™ engine
- 460mm (18") heavy duty aluminium chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Plain rear flap
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- HDPE Plastic Catcher



564733

\$729.00
RRP

600AL COMBO IC

Alloy: Mulch & Catch



- Powered by Briggs & Stratton 190cc OHV Series 850 Commercial IC Ready Start™ engine
- 485mm (19") heavy duty aluminium chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Steel rear flap
- Masport Dual Mowzone® for edge to edge cutting
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Zone start for comfortable starting position
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- HDPE Plastic Catcher
- 2 year commercial use engine warranty**

Also available with **Handle Lift System**: 564731 - 600AL 3'N1



578916

\$849.00
RRP

MSV GENIUS 4'N 1

Alloy: Mulch, Catch, Side Discharge & Chip



- Powered by Briggs & Stratton XVS 190cc Series 725 Ready Start™ engine
- 485mm (19") heavy duty aluminium chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Masport Smartchute® for side discharge
- MSV Ergonomic adjustable handle with soft grip
- Reinforced lower handle for added strength
- Ergo camlocks for adjustable handle position
- Cut, Catch, Mulch, Side Discharge & Chip
- Masport Quadcut® 4 blade disc cutting system
- HDPE Plastic Catcher with 'full' indicator
- Chipperchute
- Handle Lift system
- Masport Dual Mowzone®
- Snorkel Air Filter System
- Zone Start
- Washport



569851

\$899.00
RRP

700AL COMBO IC

Alloy: Mulch & Catch



- Powered by Briggs & Stratton 190cc OHV Series 850 IC Ready Start™ engine
- 515mm (20") heavy duty aluminium chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Steel flap
- Comfortable upturned upper handle with soft grip
- Reinforced lower handle for added strength
- Ergo camlocks for adjustable handle position
- Zone start for comfortable starting position
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- Aero Catcher - 60L capacity
- 2 year commercial use engine warranty**



567833

\$899.00
RRP

ROTAROLA 18" SP

Alloy: Rear Steel Roller, Self Propelled



- Powered by Briggs & Stratton 190cc XVS Series 675 Ready Start™ engine
- 460mm (18") heavy duty aluminium chassis**
- Front 150mm (6") adjustable dual bearing wheel & Rear 127mm (5") steel roller
- Steel rear flap
- Comfortable upturned upper handle with soft grip
- Reinforced lower handle for added strength
- Ergo camlocks for adjustable handle position
- Zone start for comfortable starting position
- Quickcut® blade system
- Self Propelled (Ground speed 4.55 km/h)
- Fabric catcher



CHIPPERCHUTE

The Masport Chipperchute is an innovative development in lawn mowing that means your mower can do more than cut grass. The Chipperchute actually chips branches up to 35mm (1 3/8") in diameter using the additional chipper blade and turns them into useful mulch. As branches are chipped the chips are fed back into the catcher so you can put the mulch into your compost or garden.

Scan with your smartphone to learn more



Scan with your smartphone to learn more



SELF PROPELLED: SINGLE DRIVE GEARBOX



Let the mower do the work. These models are fitted with a self drive system, all you need to do is squeeze the drive lever to the handle to propel the mower forward.



Durable steel gears & pinions for long life.

Gearbox with controlled progressive cone clutch - smooth engagement, so you don't tear up the lawn.



Pinions & Pawls to act as a differential, allowing cornering without ripping or tearing up the lawn.

SELF PROPELLED RANGE



564707

\$599.00 RRP

MAXI DRIVE 350ST SP

Steel: Self Propelled, Mulch & Catch



- Powered by Briggs & Stratton 140cc OHV Series 500E Rapid Start™ engine
- 460mm (18") heavy duty steel chassis
- Front 175mm (7") & Rear 200mm (8") adjustable mono bearing wheels
- Plain rear flap
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Handle Lift system
- Cut, Catch & Mulch
- 4 blade disc cutting system
- Maxi Drive - Syncro gearbox (Ground speed 4.37 km/h)
- HDPE Plastic Catcher



578909

\$999.00 RRP

800ST SP COMBO IC

Steel: Self Propelled, Mulch & Catch



- Powered by Briggs & Stratton 190cc OHV Series 850 Commercial IC Ready Start™ engine
- 540mm (21") extra heavy duty 2mm steel chassis
- Front 200mm (8") & Rear 220mm (9") adjustable dual bearing wheels
- Steel rear flap
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Zone start for comfortable starting position
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- Aero Catcher - 65L capacity
- Self Propelled (Ground speed 4.74 km/h)
- 2 year commercial use engine warranty



567809

\$799.00 RRP

650ST SP COMBO

Steel: Self Propelled, Mulch & Catch



- Powered by Briggs & Stratton 190cc Series 675 Ready Start™ engine
- 485mm (19") heavy duty steel chassis
- Front 200mm (8") & Rear 220mm (9") adjustable dual bearing wheels
- Steel rear flap
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Zone start for comfortable starting position
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- Self Propelled (Ground speed 4.00 km/h)
- HDPE Plastic Catcher



567810

\$999.00 RRP

700AL SP COMBO

Alloy: Self Propelled, Mulch & Catch



- Powered by Briggs & Stratton 190cc Series 675 Ready Start™ engine
- 515mm (20") heavy duty aluminium chassis
- Front 200mm (8") & Rear 220mm (9") adjustable dual bearing wheels
- Steel rear flap
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- Self Propelled (Ground speed 4.74 km/h)
- Aero catcher - 60L capacity



567933

\$879.00 RRP

650ST SP COMBO E/S

Steel: Electric Start Mulch & Catch, Self Propelled



- Powered by Briggs & Stratton 190cc Series 675 Ready Start™ engine
- Electric Start ignition - turn the key to start mowing
- Nickel metal hydride long life battery
- Battery charger included - output: 16V 0.5A
- 485mm (19") heavy duty steel chassis
- Front 200mm (8") & Rear 220mm (9") adjustable dual bearing wheels
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- Self Propelled (Ground speed 4.00 km/h)
- HDPE Plastic Catcher



567994

\$1,299.00 RRP

800AL SPV COMBO IC

Alloy: Widecut, Self Propelled, Mulch & Catch



- Powered by Briggs & Stratton 190cc OHV Commercial Series 850 IC Ready Start™ engine
- 540mm (21") heavy duty aluminium chassis
- Front 200mm (8") & Rear 220mm (9") adjustable dual bearing wheels
- Steel rear flap
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Zone start for comfortable starting position
- Cut, Catch & Mulch
- Masport Quadcut® 4 blade disc cutting system
- Aero Catcher - 65L capacity
- Variable Speed Self Propelled (Ground speed 3.47km/h - 6.95km/h)
- 2 year commercial use engine warranty



UTILITY LAWNMOWERS

This range of Utility lawnmowers is able to handle demanding tasks and more regular use, ensuring that you get the job done as quickly as possible and can move onto other things.

SIDE DISCHARGE RANGE



\$399.00
RRP

UTILITY 460

Steel: Side Discharge Only



- Powered by Briggs & Stratton 148cc Series 450 engine
- **460mm (18") heavy duty steel chassis**
- Front 175mm (7") & Rear 175mm (7") adjustable dual bearing wheels
- Flat upper handle
- Reinforced lower handle for added strength
- Quickcut® blade system
- Side Discharge

572829



\$449.00
RRP

UTILITY 460 XKL

Steel: Side Discharge Only



- Powered by Briggs & Stratton 190cc XKL Series 625 primer engine
- **460mm (18") heavy duty steel chassis**
- Front 175mm (7") & Rear 175mm (7") adjustable dual bearing wheels
- Comfortable upturned upper handle
- Reinforced lower handle for added strength
- Masport Quadcut® 4 blade disc cutting system
- Side Discharge



572835



\$699.00
RRP

UTILITY 530

Steel: Side Discharge Only



- Powered by Briggs & Stratton 190cc Series 675 Ready Start™ engine
- **530mm (21") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Masport Quadcut® 4 blade disc cutting system
- Side Discharge



572817



\$749.00
RRP

UTILITY 530 IC

Steel: Side Discharge Only



- Powered by Briggs & Stratton 190cc Quantum LSE Series 650 IC primer engine
- **530mm (21") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Masport Quadcut® 4 blade disc cutting system
- Snorkel Air Filter System
- Side Discharge
- **1 year commercial use engine warranty**



572837



\$789.00
RRP

UTILITY 530 IC OHV

Steel: Side Discharge Only



- Powered by Briggs & Stratton 190cc OHV Commercial Series 850 IC Ready Start™ engine
- **530mm (21") heavy duty steel chassis**
- Front 200mm (8") & Rear 200mm (8") adjustable dual bearing wheels
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Quadcut® 4 blade cutting system
- Side Discharge
- **2 year commercial use engine warranty**



572836

GETTING IT GREEN

The perfect lawn is the source of pride and envy to many. It can set off your house and your garden to its best advantage, and also provides the perfect area for children to play and adults to sit back and enjoy the scenery.

WATERING

Lawns should be watered in the morning rather than the evenings. For best results, thoroughly water your lawn regularly.

FERTILISING

Regularly and lightly fertilise your lawn during the growing season. This will achieve better results than infrequent heavy fertilising. Use a correctly balanced fertiliser.

MOWING

Be careful not to cut your lawn too short and 'scalp it'. Grasses need the leaf blade to make food for itself. Also don't mow your lawn when it's too hot or too wet. Remove lawn clippings or use a mulching mower. Keep the blades sharp and clean the mower after use.

ELECTRIC & HAND MOWERS

The Masport Cleveland Handmower is perfect for those small jobs. If you're looking for a powerful electric mower, this one is 1600 watts.

HANDMOWER & ELECTRIC MOWERS

\$189.00
RRP



CLEVELAND 18"

Handmower

- Solid rubber tyres for superior traction
- Aluminium wheels with steel drive pinions and pawls
- Lightweight and durable fabric catcher
- Adjustable height adjustment
- Heavy duty bottom blade and cylinder
- Servicable handmower

552803

\$239.00
RRP



ELECTRIC MOWER

Electric: 1600 watt

- Compact and powerful 1600W electric motor
- Generous 420mm cutting width
- Centralised height adjustment by one steel lever for accurate and fast setting of the cutting height - you can choose from 6 positions
- Upturned handle with superior wrap-around full width switch
- Switch can be used with left or right hand without losing power
- Optimal aerodynamics enables the catcher to be filled and prevent blockages
- Catcher full indicator shows when the catcher is full and ready to be emptied

552800

KEEP IT RUNNING

Lawnmowers are built to last. However, maintenance can be the difference in ensuring that your investment lasts a lot longer. Your dealer can advise you of an appropriate schedule to get the most out of your new purchase. Also, to ensure your mower performs as it should and that you are covered by your manufacturer's warranty we recommend you buy your spare parts from an authorised dealer and only use genuine Masport parts.

Tip on ordering spare parts like new blades from your dealer outlet, you will need to supply:

- Model name and serial number
- Year of purchase

Other Masport accessories available from your local dealer include oil and fuel cans.



THE MASPORT PRODUCT RANGE

When you choose a Masport product, you know you are buying great design and quality.

With a product to perform most of your outdoor needs, Masport will have your garden, lawn and patio looking its best with the maximum of ease.

We deliver to you a comprehensive range of quality lawn and garden products including:



RIDE-ON MOWERS

Mowing large lawns has never been so easy. Masport has a range of ride-on mowers in sizes that suit most applications. Whether you are mowing a orchard, lifestyle block or areas with a tight turning circle, the Masport ride-on range has a model with outstanding features to fit your specific needs.

Scan with your smartphone to learn more



BARBECUES

Nothing beats the enjoyment of having a good barbecue surrounded by all your friends and family. With a barbecue to suit a range of needs, Masport will have you cooking your sausages, burgers and steaks with minimal fuss, so you can spend more time enjoying good company and good food.

Scan with your smartphone to learn more



OUTDOOR LIGHTING & HEATING

As twilight falls, add elegance and ambience to your outdoor entertaining with the Masport Outdoor Lighting & Heating Range. Outdoor Flares will provide a wow factor and extra light in the evening time outdoors. Patio Heaters take the chill off in the evening and becomes quite the social magnet when entertaining outdoors.

Scan with your smartphone to learn more





Scan with your smartphone to learn more



MASPORT CYLINDER MOWERS

Masport has been selling cylinder mowers around the world for over 50 years. It's Masport's proven reputation for performance and durability that sets it apart from the competition. Masport has manufactured not only a high specification cylinder mower with precision cutting performance, but this mower is more affordable than any other powered cylinder mower we have produced before.

CYLINDER MOWERS



\$1,499.00
RRP

MASPORT 400 RRR

- Powered by Briggs & Stratton 3.5HP IC engine
- 405mm (16") cutting width
- Centrifugal clutch reel engagement
- Rubber Rear Roller
- Steel 6 blade cutting reel
- 7 - 30mm cutting height
- 51 litre steel catcher
- Single Bail drive system

019039



\$1,899.00
RRP

MASPORT 500 GOLF

- Powered by Briggs & Stratton 6HP IC engine
- 505mm (20") cutting width
- Centrifugal clutch reel engagement
- **Steel 10 blade cutting reel**
- **4 - 30mm cutting heights**
- 70 litre plastic catcher
- Single Bail drive system

019052



\$1,699.00
RRP

MASPORT 500 RRR

- Powered by Briggs & Stratton 3.5HP IC engine
- 505mm (20") cutting width
- Centrifugal clutch reel engagement
- Rubber Rear Roller
- Steel 6 blade cutting reel
- 7 - 30mm cutting height
- 70 litre plastic catcher
- Single Bail drive system

Also available:
019054 - Masport 500 RRR powered by Briggs & Stratton 6HP IC petrol engine
\$1,799.00 RRP

Also available:
019040 - Masport 500 RRR Honda powered by Honda GX160 petrol engine
\$1,999.00 RRP



019042



\$1,999.00
RRP

MASPORT 660 RRR

- Powered by Briggs & Stratton 6HP IC engine
- 670mm (26") cutting width
- Centrifugal clutch reel engagement
- Rubber Rear Roller
- Steel 6 blade cutting reel
- 7 - 30mm cutting height
- 85 litre steel catcher
- Single Bail drive system

019055



\$1,799.00
RRP

MASPORT 500 LOW CUT

- Powered by Briggs & Stratton 5HP engine
- 505mm (20") cutting width
- Centrifugal clutch reel engagement
- Rubber Rear Roller
- Steel 6 blade cutting reel
- **4 - 30mm cutting height**
- 70 litre plastic catcher
- Single Bail drive system

019098

CYLINDERS & BLADES

6 BLADE CUTTING CYLINDER & STANDARD BOTTOM BLADE WITH FRONT SPLIT STEEL ROLLER.

7-30mm (1/4" - 1 3/16") cutting heights



Standard Cuts:
113 per metre /
103 per yard

10 BLADE CUTTING CYLINDER & SHAVER BOTTOM BLADE WITH ONE PIECE FRONT STEEL ROLLER.

Cuts down to 4mm (5/32")



Golf Cuts:
188 per metre /
172 per yard



OUTDOOR POWER GARDEN PRODUCTS

Whether you've got a small backyard or a small farm, Masport outdoor power garden products help make your garden maintenance jobs easy, fun and effortless.



OUTDOOR POWER GARDEN PRODUCTS

\$549.00
RRP



550913

PETROL EDGER

- Powered by Briggs & Stratton 127cc 3.5HP IC engine
- 240mm (9.5") Bar Blade
- Cutting Range: 2cm above ground to 6cm below ground
- 150mm (6") front and 200mm (8") rear ball bearing wheels
- Ten position height control and large cutting range allows for different height settings for a variety of purposes
- Height control system adjustable from operating position
- OPC controls for added safety that contains "lockout" feature to prevent accidental operation
- Fold down handles are designed for convenient storage

Also available:
550915 - Petrol Edger Honda
powered by Honda 160cc GC160 engine
\$729.00 RRP



\$999.00
RRP



550911

4 WAY HOME GARDENER

- Powered by Briggs & Stratton 127cc 3.5HP IC engine
- Sturdy shaft drive with worm-drive gearbox transmission
- Lightweight - 37 kg
- Simple controls and rugged construction
- 430mm (17") tilling width standard
- Comes with tines, garden aerator, lawn edger, and cleaning brush

Comes with:



\$499.00
RRP



552437

5 TONNE LOG SPLITTER

- Hydraulic 5 tonne ram
- 1500W, 230V motor
- 520mm (20") max log length
- 250mm (10") max log diameter
- 4 way splitting attachment
- Ram back movement can be foreshortened, saving time on the reset
- The ram return is also spring loaded making resetting for the next log fast and easy
- Splits most logs in less than 12 seconds
- Simple to operate and maintain
- Rugged wide-stance design provides stability
- Designed with two-handed safety switch
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- Fits into the trunk of most cars
- Wheels for portability



Also available:
552625 - 5 Tonne Log Splitter Stand for added height and ease of use - \$99.00 RRP

\$1,499.00
RRP



BIO2026

5HP CHIPPER SHREDDER HONDA

- Powered by Honda GX160 5.0 HP petrol
- Reduces material to a fine mulch
- Weeds are reduced to mulch so they can't re-root
- 9 flail hammer blades
- Double chipper blade
- Larger branches can be feed through side chute
- Chipper grate which is designed to avoid clogging with damp leaves and foliage available as an optional extra Part No. 929304



\$649.00
RRP



552608

7 TONNE LOG SPLITTER

- Hydraulic 7 tonne ram
- 2300W, 230V motor
- 520mm (20") max log length
- 320mm (12 1/2") max log diameter
- 4 way splitting attachment
- The ram return is also spring loaded making resetting for the next log fast and easy
- Splits most logs in less than 12 seconds
- Simple to operate and maintain
- Rugged wide-stance design provides stability
- Designed with two-handed safety switch
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- Wheels for portability

\$1,399.00
RRP



BIO2021

6HP CHIPPER SHREDDER

- Powered by Briggs & Stratton 6.0 HP 205cc OHV IC engine
- Reduces material to a fine mulch
- Weeds are reduced to mulch so they can't re-root
- 9 flail hammer blades
- Double chipper blade
- Larger branches can be feed through side chute
- Chipper grate included which is designed to avoid clogging with damp leaves and foliage.

Also available:
BIO2023 - Masport 5HP Chipper Shredder
powered by Briggs & Stratton 5.0HP 163cc OHV IC engine (Chipper grate not included)
\$1,249.00 RRP



COMPARISON CHART

REAR CATCHER STEEL RANGE

Model	Engine	Chassis	Cut Width	Flap Type	Handle & Locking Type	Blade	Catcher Type	Wheel Size	Wheel Bearings	Mulch	Special Features
200ST	Briggs & Stratton 125cc Series 450E	Steel	460 mm (18")	Plain	Upturned Knob Locks	Masport 4 blade disc cutting system	HDPE Plastic 46.5L	Front 175mm Rear 175mm	Adjustable Mono Bearings		
250ST Combo	Briggs & Stratton 140cc Series 500E with Rapid Start™	Steel	460 mm (18")	Plain	Upturned with PVC grip Camlocks	Masport 4 blade disc cutting system	HDPE Plastic 46.5L	Front 175mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch
350ST Combo	Briggs & Stratton 140cc Series 550EX with Ready Start™	Steel	460 mm (18")	Plain	Upturned with PVC grip Camlocks	Masport 4 blade disc cutting system	HDPE Plastic 46.5L	Front 200mm Rear 200mm	Adjustable Mono Bearings	Yes	Catch & Mulch
400ST Combo	Briggs & Stratton 150cc Series 625EX with Ready Start™	Steel	460 mm (18")	Plain	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 46.5L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch
450ST Combo	Briggs & Stratton 150cc Series 625EX with Ready Start™	Steel	485 mm (19")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 42L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch
550ST Combo	Briggs & Stratton 190cc Series 875 with Ready Start™	Steel	485 mm (19")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 42L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch Zone Start
550ST Combo	Briggs & Stratton 190cc Series 875 with Ready Start™	Steel	485 mm (19")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 42L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch Zone Start Handle Lift System
500ST Combo E/S	Briggs & Stratton 190cc Series 675 with Ready Start™	Steel	485 mm (19")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 42L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch Electric Start
650ST Combo	Briggs & Stratton 190cc Series 850 IC with Ready Start™	Steel	485 mm (19")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 42L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch Zone Start Handle Lift System
650ST Combo/ Chipper	Briggs & Stratton 190cc Series 675 with Ready Start™	Steel	485 mm (19")	Steel	Upturned with PVC grip Ergo Adjustable Camlocks	Masport Quadcut® 4 blade disc cutting system with Chipper Blade	HDPE Plastic 42L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch Zone Start Chipperchute Snorkel Air Filter System Ergo Handle Handle Lift System
Widecut 800ST Combo	Briggs & Stratton 190cc Series 875 with Ready Start™	Steel	540 mm (21")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	Aero 65L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch Aero Catcher Zone Start Wider cut

REAR CATCHER ALLOY RANGE

Model	Engine	Chassis	Cut Width	Flap Type	Handle & Locking Type	Blade	Catcher Type	Wheel Size	Wheel Bearings	Mulch	Special Features
400AL Combo	Briggs & Stratton 150cc Series 625EX with Ready Start™	Alloy	460 mm (18")	Plain	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 46.5L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch
600AL Combo IC	Briggs & Stratton 190cc Series 850 IC with Ready Start™	Alloy	485 mm (19")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 42L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch Zone Start
600AL Combo IC	Briggs & Stratton 190cc Series 850 IC with Ready Start™	Alloy	485 mm (19")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 42L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch Zone Start Handle Lift System
MSV Genius 4'N 1	Briggs & Stratton 190cc Series 725 with Ready Start™	Alloy	485 mm (19")	Masport Smartchute®	MSV with Soft grip Ergo Adjustable Camlocks	Masport Quadcut® 4 blade disc cutting system with Chipper Blade	HDPE Plastic 42L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch Chipperchute Masport Smartchute® Zone Start Snorkel Air Filter System Washport Ergo Handle Handle Lift System
700AL Combo IC	Briggs & Stratton 190cc Series 850 IC with Ready Start™	Alloy	515 mm (20")	Steel	Upturned with Soft grip Ergo Adjustable Camlocks	Masport Quadcut® 4 blade disc cutting system	Aero 60L	Front 200mm Rear 200mm	Adjustable Dual Bearings	Yes	Catch & Mulch Aero Catcher Zone Start

ROTAROLA MODEL

Model	Engine	Chassis	Cut Width	Flap Type	Handle & Locking Type	Blade	Catcher Type	Wheel Size	Wheel Bearings	Mulch	Special Features
Rotarola 18"	Briggs & Stratton 190cc Series 675 with Ready Start™	Alloy	460 mm (18")	Steel	Upturned with soft grip Ergo Adjustable Camlocks	Quickcut®	Fabric 54L	Front 150mm Rear Roller	Adjustable Dual Bearings		Rear Roller Zone Start Self Propelled

SELF PROPELLED STEEL RANGE

Model	Engine	Chassis	Cut Width	Flap Type	Handle & Locking Type	Blade	Catcher Type	Wheel Size	Wheel Bearings	Mulch	Special Features
350ST SP Combo	Briggs & Stratton 140cc Series 500E with Rapid Start™	Steel	460 mm (18")	Plain	Upturned with PVC grip Camlocks	Masport 4 blade disc cutting system	HDPE Plastic 46.5L	Front 175mm Rear 200mm	Adjustable Mono Bearings	Yes	Catch & Mulch Self Propelled
650ST SP Combo	Briggs & Stratton 190cc Series 675 with Ready Start™	Steel	485 mm (19")	Plain	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 42L	Front 200mm Rear 220mm	Adjustable Dual Bearings	Yes	Catch & Mulch Zone Start Self Propelled
650ST SP Combo E/S	Briggs & Stratton 190cc Series 675 with Ready Start™	Steel	485 mm (19")	Plain	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	HDPE Plastic 42L	Front 200mm Rear 220mm	Adjustable Dual Bearings	Yes	Catch & Mulch Self Propelled Electric Start
800ST Combo SP IC	Briggs & Stratton 190cc Series 850 IC with Ready Start™	Steel	540 mm (21")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	Aero 65L	Front 200mm Rear 220mm	Adjustable Dual Bearings	Yes	Catch & Mulch Aero Catcher Self Propelled Zone Start

SELF PROPELLED ALLOY RANGE

Model	Engine	Chassis	Cut Width	Flap Type	Handle & Locking Type	Blade	Catcher Type	Wheel Size	Wheel Bearings	Mulch	Special Features
700AL SP Combo	Briggs & Stratton 190cc Series 675 with Ready Start™	Alloy	515 mm (20")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	Aero 60L	Front 200mm Rear 220mm	Adjustable Dual Bearings	Yes	Catch & Mulch Self Propelled Aero Catcher
Widecut 800AL Combo SPV	Briggs & Stratton 190cc Series 850 Commercial IC with Ready Start™	Alloy	540 mm (21")	Steel	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	Aero 65L	Front 200mm Rear 220mm	Adjustable Dual Bearings	Yes	Catch & Mulch Aero Catcher Variable Self Propelled Zone Start

SIDE DISCHARGE SERIES

Model	Engine	Chassis	Cut Width	Flap Type	Handle & Locking Type	Blade	Catcher Type	Wheel Size	Wheel Bearings	Mulch	Special Features
Utility 460	Briggs & Stratton 125cc Series 450E	Steel	460 mm (18")	N/A	Flat Knob Locks	Masport Quickcut®	N/A	Front 175mm Rear 175mm	Adjustable Dual Bearings		Side Discharge
Utility 460 XKL	Briggs & Stratton 190cc Series 625	Steel	460 mm (18")	N/A	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	N/A	Front 175mm Rear 175mm	Adjustable Dual Bearings		Side Discharge
Utility 530	Briggs & Stratton 190cc Series 675 with Ready Start™	Steel	530 mm (21")	N/A	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	N/A	Front 200mm Rear 200mm	Adjustable Dual Bearings		Side Discharge
Utility 530 IC	Briggs & Stratton 190cc Series 650 IC	Steel	530 mm (21")	N/A	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	N/A	Front 200mm Rear 200mm	Adjustable Dual Bearings		Side Discharge Snorkel Air Filter System
Utility 530 IC OHV	Briggs & Stratton 190cc OHV Series 850 IC with Ready Start™	Steel	530 mm (21")	N/A	Upturned with PVC grip Camlocks	Masport Quadcut® 4 blade disc cutting system	N/A	Front 200mm Rear 200mm	Adjustable Dual Bearings		Side Discharge

HANDMOWER & ELECTRIC MOWER MODELS

Model	Engine	Chassis	Cut Width	Flap Type	Handle & Locking Type	Blade	Catcher Type	Wheel Size	Wheel Bearings	Mulch	Special Features
Cleveland Handmower	-	Steel	450 mm (18")	N/A	T-Style with cushioned grips		Fabric				Cast rubber tyres Servicable handmower
Electric Mower	1600W Electric Motor	Plastic	420 mm	Plastic	Upturned		Plastic				Strong steel height adjuster Strong switch design

Note: HDPE Plastic - High Density Polyethylene Plastic

AVAILABLE FROM:



4-year Extended warranty available with Briggs & Stratton IC powered lawnmowers only. For full terms and conditions of warranty please ask your local authorised Masport dealer or visit www.masport.com.au.

WARRANTY AND DISCLAIMER INFORMATION:

All Masport products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models.

This brochure supersedes all previous Masport Lawn & Garden Range brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Masport is constantly improving and updating its product range therefore model specifications may vary and should be checked at time of purchase.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Please note the pricing in this brochure is added as a guide for the buyer only. It is therefore 'recommended retail pricing' and Masport neither seeks nor attempts to control or set retail pricing of its products.

Masport products are covered by the following design registrations: 304805, 314267, 314266, 324991, 324984, 349762, 355781, 158379, 313974, 314144, 313973, 325553, 339495, 339496, 339497, 339498, 339499, and patents: 722518, 2009286194.

Masport Australia Pty Limited

PO Box 533, Braeside, Victoria 3195, Australia. Phone: 1300 366 225, Facsimile: 1800 035 594

Email: sales@masport.com.au, Web: www.masport.com.au

www.masport.com.au | 1300 366 225

