

24<sup>TH</sup> AUGUST 2016

#### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: HY-CLOR LONG LASTING TABLETS
Shipping Name: Trichloroisocyanuric Acid Dry Oxidiser
Product Code: HYCT05-1KG, HYCT10-2KG, HYCT20-4KG,

HYCTC40-40KG

UN Number: UN2468

Other Names: TICA, Stablisied Pool Chlorine Tablets, Trichlor

Recommended Use of the Chemical and Restrictions on

**Use:** Swimming Pool disinfectant and water treatment

Chemical Formula: N/A

Supplier: HY-CLOR AUSTRALIA PTY LTD

Street Address: 178 Power Street

Glendenning NSW 2761

 Telephone Number:
 02 8805 2400

 After Hours Contact:
 0404 859 515

 Facsimile:
 02 8805 2401

 Email Contact:
 help@hyclor.com.au

Emergency Telephone: 13 11 26 (Australia Poisons Information Centre)

New Zealand 0800 764 766

#### 2. HAZARDS IDENTIFICATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Poison Schedule: S6

This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

## Classification of the substance or mixture:

Oxidising Solids – Category 2 Acute Toxicity – Category 4 Eye Irritation – Category 2A Specific Target Organ Toxicity – Category 3

**SIGNAL WORD: DANGER** 





24<sup>TH</sup> AUGUST 2016

#### **Hazard Statement(s):**

**H270:** Oxidiser, May intensify Fire

H302: Harmful if swallowed

H314: Causes Skin Burn and Eye Damage

**H319:** Causes Serious Eye Irritation **H400:** Very Toxic to Aquatic Life

**Precautionary Statement(s):** 

**P210:** Keep away from Sparks, No Smoking **P220:** Store Away from Combustible Material

P264: Wash Hands properly after using

P270: Do not eat, drink or smoke while using this product

P260: Do no breathe Dust, smoke etc.

**P280:** Wear Protective Gloves/Protective Clothing/Eye Protection/Face Protection

Response:

P302+P352: If on skin, wash with plenty of soap and water

P301+P312: If swallowed, call poison centre

P301, P330, P331: If swallowed, rinse mouth, do not induce vomiting

P304+P340: If inhaled, remove victim to fresh air

P305+P351+P338: If in eyes; Rinse cautiously with water for several minutes. Remove contact

lenses.
Storage:

P403+P233: Store in Well-ventilated place, keep container tightly closed

Disposal

P 501: Dispose of in accordance with the local/regional/national/international regulations

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

IngredientsCASProportionTrichloroisocyanuric acid87-90-196-100%Boric Acid11113-50-10-4%

### 4. FIRST AID MEASURES

**General** Keep Victim warm and quiet. Obtain immediate medical care.

Ensure that attending medical personnel are aware of the identity

and nature of the product involved, and take precautionary

measures to protect themselves.

**Ingestion** DO NOT INDUCE VOMITING. Rinse mouth with water and then

give plenty of water to drink. Seek medical attention if large

amounts ingested. Call Poison Centre 13 11 26

Product Name: Long Lasting Tablets Last Review July 11 2013

Version 1.0 Page 2 of 7



24<sup>TH</sup> AUGUST 2016

**Eye** If in eye(s) wash with large amounts of water for approximately 15

minutes holding eyelid(s) open. Seek medical attention

immediately.

**Skin** Remove contaminated clothing and wash skin thoroughly

decontaminate clothing before re-use or discard. If swelling, redness, blistering or irritation occurs seek medical advice.

**Inhalation** Remove the source of contamination or move the victim to fresh

air. Ensure airways are clear and have qualified person give oxygen through face mask if breathing is difficult. If victim has stopped breathing begin artificial respiration, or if heart has

stopped, cardiopulmonary resuscitation. Seek immediate medical

attention.

First Aid Facilities Eye wash and normal washroom facilities. First Aid Kit.

Advice to Doctor Treat symptomatically

**Medical Conditions that may** 

**Be Aggravated by Exposure** Asthma and respiratory and cardiovascular disease.

#### 5. FIRE FIGHTING MEASURES

Hazchem Code 1W

**Extinguishers** Use flooding amounts of water from a distance. Take care as

contact with water will release toxic chlorine gas. Do not use foam

or dry agent.

Fire Fighting Procedures Wear self-contained breathing apparatus (SCBA) and protective

clothina.

**Hazardous** 

**Decomposition** 

**Products** 

Decomposes on heating emitting toxic fumes of chlorine as well as

liberating oxygen.

Other precautions Not combustible, however (oxidizer) ignites combustible or organic

materials when in contact. Emits toxic fumes of chlorine as well as liberating oxygen, therefore dangerous in a fire situation. Keep away from heat, sparks or naked flames. Heating may cause explosion. Contact with acids or strong alkalis may generate heat.

#### **6. ACCIDENTAL RELEASE MEASURES**

**Spills** Evacuate all unnecessary personnel. Wear protective clothing as

specified in the Personnel Protection section of the MSDS. Sweep up material and place into a suitable labelled container. Collect with spark free tools, avoid the creation of dust. Mop up the remaining material and place into the same container. If large quantities of the material enter the waterways contact the Environmental Protection Authority, or your local Waste

Management Authority.



24<sup>TH</sup> AUGUST 2016

#### 7. HANDLING AND STORAGE

**Handling** Keep out of the reach of children.

Avoid skin and eye contact and inhalation of dust. Wear appropriate protective equipment and clothing. Use in a well ventilated area. Avoid spillage onto floor. Keep containers closed when not in use. Maintain personal hygiene by washing hands

prior to eating, drinking, smoking or using toilet.

Storage Store in a cool, dry, well ventilated area, out of direct sunlight.

Store in suitable, labelled containers. Avoid any dust build-up by frequent cleaning and suitable construction of storage area. Keep storage separated from work areas. Inspect periodically for

storage separated from work areas. Inspect periodically

deficiencies such as damage or leaks.

**Incompatibilities** Calcium hypochlorite (dry or hydrated) and its mixtures are

incompatible with, and must be stored away from,

dichloroisocyanuric acid, ammonium nitrate, trichloroisocyanuric acid, or any chloroisocyanurate, strong acids, aluminium, iron, lead, magnesium, and zinc. Ensure pallets are clean and free of oil. Keep containers closed when not in use - check regularly for

spills.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Standards** No ingredients in this product have exposure standards, as

outlined in the standard Exposure Standards for Atmospheric Contaminants in the Occupational Environment third edition, published by the National Occupational health and Safety

Commissions/AGPS,1995. Chlorine Peak Limitation is 3 mg/m3 (1

PPM)

**Engineering Measures** Avoid generating and inhaling dusts. Use in a well ventilated area

only. Keep containers in a well ventilated area. Local exhaust ventilations system may be required, especially if chlorine gas

evolved.

**Personal Protection Equipment** 

**Clothing** Suitable protective clothing should be worn e.g. cotton overalls

and safety shoes. Glasses, gloves etc.

**Skin Protection** Impervious PVC or rubber gloves should be worn.

**Eye Protection** Safety glasses with side shields or goggles should be worn.

**Respiratory Protection** If dust exists, wear respirator meeting the requirements of AS/NZS

1716.

Personal Hygiene Ensure a high level of personal hygiene is maintained when using

this product. Always wash hands before eating, drinking, smoking

or using the toilet.



24<sup>TH</sup> AUGUST 2016

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Crystalline Powder, Granular, Tablets White, Chlorine Smell

Boiling Point N/A
Freezing/Melting Point N/A
Vapour Pressure N/A
Specific Gravity N/A
Flash Point N/A
Upper Flammability Limit N/A
Lower Flammability Limit N/A

Solubility in Water Appreciable

**pH** 2.8 % (1% solution)

### 10. STABILITY AND REACTIVITY

Chemical Stability Rapidly decomposes on exposure to air. May decompose

violently if exposed to heat or direct sunlight. Stable if stored and

handled under recommended conditions.

Conditions to Avoid Avoid contact with combustible substances. Avoid contact with

other chemicals. Avoid contact with foodstuffs. Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to

moisture.

**Incompatible Material** Incompatible with combustible materials, acids, water, alkalis,

calcium hypochlorite (dry or hydrated), nitrogen compounds, sodium hypochlorite, reducing agents, ammonium compounds and oils and greases. Incompatible with heat and hot surfaces. Calcium hypochlorite (dry or hydrated) and its mixtures are incompatible with dichloroisocyanuric acid, ammonium nitrate, trichloroisocyanuric acid, or any chloroisocyanurate, acids,

aluminium, iron, lead, magnesium, and zinc.

**Hazardous Decomposition** 

**Products** Chlorine, Oxides of Carbon, Oxides of nitrogen



24<sup>TH</sup> AUGUST 2016

#### 11. TOXICOLOGICAL INFORMATION

No Hazardous health effects if the product is handled in accordance with this Safety Data Sheet and the product label. Symbols or effects that may arise if the product is mishandled and overexposure occurs are:

**Toxicology Information:** Oral LD 50 (rat) = 406 mg/kg

Acute Effects Swallowed

Harmful if swallowed. Ingestion may cause nausea, vomiting, shock and coma. Corrosive. Will cause severe damage to the mucous membranes, including irritation and/or burns to the entire gastrointestinal tract. This is characterised by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration. May also cause circulatory collapse, cyanosis, shock, confusion, delirium and swelling of the throat or tongue resulting in

obstruction of the airway.

**Skin** Harmful in contact with skin. Corrosive to skin – causes burns.

Dermal exposure can cause severe irritation and/or burns characterised by redness, swelling and scab formation. Skin

contact may also cause eruptions and eczema.

Eye Causes burns and is a severe eye irritant. Contact may cause

impairment of vision or corneal damage.

Inhaled The powder is an irritant to the mucous membranes and

respiratory tract. Inhalation of dust will result in respiratory irritation. Inhalation may result in headaches, dizziness and possible nausea. May also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations can result in

permanent lung damage.

**Long Term Effects** Prolonged skin exposure may cause destruction of the dermis with

impairment of the skin at site of contact to regenerate.

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Highly toxic to aquatic life. Avoid contaminating waterways.

## 13. DISPOSAL CONSIDERATIONS

**Disposal Methods and Containers** Dispose of according to relevant local, state and federal government regulations.

**Special Precautions for Landfill**Contact a specialist disposal company for landfill.

Product Name: Long Lasting Tablets Last Review July 11 2013

Version 1.0 Page 6 of 7



24<sup>TH</sup> AUGUST 2016

#### 14. TRANSPORT INFORMATION

UN Number 2468 Land Transport ADG

**UN Proper Shipping Name** Trichloroisocyanuric Acid Dry Oxidiser

**Dangerous Goods Class** 5.1 Oxidising Substance

Packing Group II Hazchem Code 1W

**Special Precaution to User** This material is classified as a Class 5.1 Dangerous Good according to the Australian Code for the Transport of Dangerous Goods. Class 5.1 oxidising agents shall not be loaded or packed in the same vehicle or freight as

Class 1 Explosives
Class 2.1 Flammable Gases
Class 2.3 Toxic Gases
Class 3 Flammable Liquids
Class 4.1 Flammable Solids

Class 4.2 Spontaneously Combustible Substances

Class 4.3 Dangerous when Wet Substances

Class 5.2 Organic Peroxides

Class 6 Toxic Substances (where the toxic substances are fire risk substances)

Class 7 Radioactive Substances

Class 8 Corrosive Substances (Certain Exemptions Apply)

Class 9 Miscellaneous Dangerous Goods (where the miscellaneous dangerous goods

are fire risk substances or Combustible Liquids).

### 15. REGULATORY INFORMATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Poison Schedule: S6

This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

#### 16. OTHER INFORMATION

Contact

Any advice, recommendation, information, assistance, or service provided by Hy-Clor Australia in relation to the goods supplied by it or their use or application is given in good faith and believed to be appropriate and reliable. However, this information is given without warranty or representation. The customer accepts all risk and responsibility for use of the goods alone, or in combination with other products.

Mr Mark Sheridan

**Technical Regulations Manager** 

Telephone: Australia + 61 2 8805 2400

New Zealand + 64 9 973 2477

Product Name: Long Lasting Tablets Last Review July 11 2013

Version 1.0 Page **7** of **7**