Material Safety Data Sheet

Page: 1 of 4

Infosafe No™ HXR77

Issue Date : May 2010

ISSUED by BONDALL

Product Name TILEGUARD MOULD RID

Not classified as hazardous according to criteria of NOHSC

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER TILEGUARD MOULD RID **Product Name Product Code** 750 ml:63042 BONDALL PTY LTD (ABN 27 008 734 996) **Company Name** Address 113 Belmont Avenue Belmont WA 6104 Australia **Emergency Tel.** 0400 705 773 or Poisons Information Centre: 13 11 26 Telephone/Fax Tel: (08) 6272 3800 Fax: (08) 9277 4068 Number **Recommended Use** Ready to use sealing agent for concrete, mortar, bricks, stonework, plaster, cementitious surfaces. **Other Names** Name Product Code MOULD TERMINATOR

2. HAZARDS IDENTIFICATION

Hazard Classification	Not classified as hazardous according to criteria of NOHSC NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. Hazard classification according to the criteria of NOHSC. Dangerous goods classification according to the Australia Dangerous Goods Code.		
Risk Phrase(s)	Not classified as hazardous according to criteria of NOHSC R52 Harmful to aquatic organisms.		
Safety Phrase(s)	S61 Avoid release to the environment. Refer to special instructions/safety data sheet.		

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Water	7732-18-5	>60-100 %
	Biphenyl-2-ol	90-43-7	0-<1 %
	Quaternary ammonium compounds, benzyl-C8-18-alky ldimethyl,chlorid es	63449-41-2	0-<5 %

4. FIRST AID MEASURES

Inhalation	If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.
Ingestion	Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention.
Skin	Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.
Eye	Irrigate immediately with water for at least 15 minutes until irritation subsides. If irritation persists, seek medical attention.
First Aid Facilities	Eyewash and normal washroom facilities.
Advice to Doctor	Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable	Use carbon dioxide, dry chemical, foam, water mist or water spray.		
Extinguishing Media			
Hazards from	Under fire conditions this product may emit toxic and/or irritating fumes and		
Combustion	gases including carbon monoxide and carbon dioxide.		
Products Specific Hazards	This product is non-combustible. However, following evaporation of aqueous		

Page: 2 of 4

Infosafe No™	HXR77 Issue Date : May 2010	ISSUED by BONDALI	
Product Name	TILEGUARD MOULD RID		
	Not classified as hazardous according	to criteria of NOHSC	
	component under fire conditions, the non-aqu and/or burn.	eous component may decompose	
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers.		
6. ACCIDENTAL I	ELEASE MEASURES		
Emergency Procedures	Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Spillage may be slippery. Place inert absorbent, non-combustible material onto spillage. Use clean tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water authorities and EPA in accordance with local regulations.		
7. HANDLING AN) STORAGE		
Precautions for Safe Handling	Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.		
Conditions for Safe Storage	Store in a cool, dry, well-ventilated area a oxidising agents, strong acids, foodstuffs, freezing. Keep containers closed when not in protected against physical damage. Inspect r damage or leaks. Reference should be made t national storage regulations.	and clothing. Protect from use and securely sealed and egularly for deficiencies such as	
8. EXPOSURE CO	NTROLS/PERSONAL PROTECTION		
National Exposure Standards Biological Limit Values	No exposure value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC), Australia. No biological limit allocated.		
Engineering Controls Respiratory	Provide sufficient ventilation to keep airbo Where vapours or mists are generated, partic natural ventilation is inadequate, a ventil If engineering controls are not effective in	ularly in enclosed areas, and ation system is required.	
Protection	then an approved respirator with a replaceab used. Reference should be made to Australian 1715, Selection, Use and Maintenance of Resp AS/NZS 1716, Respiratory Protective Devices, changes for individual circumstances.	/New Zealand Standards AS/NZS iratory Protective Devices; and	
Eye Protection	Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.		
Hand Protection	Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.		
Body Protection	Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial clothing.		
9. PHYSICAL AND	CHEMICAL PROPERTIES		
Appearance	Pale amber liquid		
Odour	Mild pleasant odour.		

Print	Date:	10/05/2010

Melting Point

Boiling Point

0°C (water)

100°C (water)

CS: 1.4.93

Material Safety Data Sheet

nfosafe No™		Issue Date :May 2010	ISSUED by BONDAL
roduct Name	TILEGUARD MOULI	D RID	
	Not classified	l as hazardous according to crit	ceria of NOHSC
olubility in Water	Totally miscible	e	
pecific Gravity	Approx. 1.0		
H Value	7.0 ± 1.0		
apour Pressure	23 mbar at 20°C		
ash Point	Not applicable		
lammability	Not flammable		
uto-Ignition	Not applicable		
emperature lammable Limits - ower	Not applicable		
lammable Limits -	Not applicable		
pper			
D. STABILITY Af	ND REACTIVITY	rmal conditions of storess and beed	ing
•		rmal conditions of storage and handl	ing.
onditions to Avoid	Extremes of temp		
icompatible laterials	Strong oxidising agents.		
azardous ecomposition	Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide and carbon dioxide.		
roducts Iazardous	Will not occur		
olymerization			
1. TOXICOLOGI	CAL INFORMATIO	N	
oxicology		a available for this product. The av	ailable toxicity data for
nformation	the ingredients Acute toxicity of	are as follows: data for quartenary ammonium compoun	ds:
	LD50 (Oral, mous	se): 150 mg/kg	
	LD50 (Dermal, Ra Acute toxicity o	at): 1420 mg/kg data for biphenyl-2-ol:	
	LD50 (Oral, rat)): 2000 mg/kg	
nhalation		abbit): >5000 mg/kg roduct vapours may cause irritation	of the nose, throat and
<i></i>	respiratory syst	tem.	
ngestion	vomiting.	is product may irritate the gastric	tract causing nausea and
kin	-	ng to skin. The symptoms may include	redness, itching and
Cye	swelling. May be irritating to eyes. The symptoms may include redness, itching and		
Chronic Effects	tearing. Prolonged or repeated contact may cause dermatitis or sensitisation. Prolonged exposure to mists may cause throat irritation.		
2. ECOLOGICAI	INFORMATION		
	Harmful to aquat	tic organisms.	
cotoxicity	Not available		
·			
ersistence / Degradability	Not available		
Persistence / Degradability Aobility	Not available Do not discharge	e this material into waterways. drai	ns and sewers.
Ecotoxicity Persistence / Degradability Mobility Environ. Protection	Do not discharge	e this material into waterways, drai	ns and sewers.
Persistence / Degradability Mobility	Do not discharge	e this material into waterways, drai	

Page: 4 of 4

Infosafe No™	HXR77	Issue Date :May 2010	ISSUED by BONDALL	
Product Name	ne TILEGUARD MOULD RID			
	Not class:	ified as hazardous according to crit	eria of NOHSC	
Transport Information	Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)			
15. REGULATORY	Y INFORMATI	ON		
Regulatory Information Poisons Schedule	Not classified as Hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC), Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP). Not Scheduled			
16. OTHER INFOR				
Date of preparation or last revision of MSDS	MSDS Reviewed: May 2010 MSDS Superseded: December 2004			
Contact Person/Point		el No: (08) 9478 6005 Tel No: 0400 705 773 ISDS		
		* Comministry 20010 Days Land		

© Copyright ACOHS Pty Ltd Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.