







Take This Brochure to the Special Orders Desk or order online at bunnings.com.au



Styliste' 6 (Item no: 3171534) with optional wood box (Item no: 3171687)

As nature's original heat source and the world's first oven, fire still has the power to stir our most primal instincts, bringing people together to relax, engage and share our most intimate moments.

At Scandia, we know how to tame fire and we are experts in designing wood fires and stoves that thrive in Australian conditions. Our world class designs and commitment to quality are inspired by Scandinavian cultural values and the craftsmanship for which they are renowned. These same values resonate throughout our organisation, instilling a passion for designing great quality, affordable wood fires.

In the harsh winters of Scandinavia, fire is essential for survival and this is also true for many Australians who rely on fire as the primary source of heating. In Australia fire is also about socialising, about bringing the outdoors in and allowing us to get back to nature. It keeps the gathering going outside as night falls when the chill in the air would send us back indoors.

At Scandia, we believe in the power of fire to bring people together. We believe in the power of Scandia to bring quality design and Australians together.



PRECISION ENGINEERING

Scandia utilises CNC laser technology and robotics to manufacture products of impeccable quality, engineered to precise specification.



TRADITIONAL RANGE

With origins forged in Australian history, the classical styling and design of our traditional range represents the pinnacle in affordable, high quality wood heating.

- Minimum 10 year firebox warranty
- Crafted Japanese fireproof glass
- Firebrick lined fireboxes
- -"Clearview" glass air wash system
- High temperature stove paint

HEAT & COOK

Whether it's wood fired pizza on the deck or the primary source of heating, cooking or hot water, this wood fired oven is as diverse as it is functional. Featuring cast iron doors and an extra large cooktop, the Heat & Cook is the perfect addition to any indoor or outdoor living space.





ltem no: 3170754

Heat & Cook is exempt from testing under AS/NZS 4012 and 4013



Item no: 3171489



WARMBRITE 140

Perfect for the cottage home, holiday house or man cave, the Warmbrite 140 is an affordable, radiant wood fire. The radiant construction method also means that the top panel of the firebox operates as a highly effective cooktop for soups, stews and pot roasts.

| Hea | t up to 14(|)m² | | | | | | |
|--------------------------|-----------------------------|----------------------------|--|--|--|--|--|--|
| 5mr firel | n heavy du box | ıty | | | | | | |
| 500w x 470d x 735h | | | | | | | | |
| 63% Efficiency | 1.5g/kg Emissions | 15.6kW kW Rating | | | | | | |

WARMBRITE 200

This traditionally styled, medium sized, fan forced convection wood fire is engineered to effectively heat small to medium sized homes. The Warmbrite 200 is also ideal for environments where space is limited.

| Heat | Heat up to 200m ² | | | | | | | |
|--------------------------|--------------------------------|---------------------------|--|--|--|--|--|--|
| Max burr | Maximised overnight burn times | | | | | | | |
| 80 3 sp | 3 speed electric fan | | | | | | | |
| 670 | w x 530d x | : 735h | | | | | | |
| 67% Efficiency | 1.1g/kg Emissions | 7.9kW kW Rating | | | | | | |

WARMBRITE 300

This traditionally styled, large format convection wood fire is perfect for use in large, open plan homes and commercial environments where ambience is paramount.

| Hea | Heat up to 300m ² | | | | | | | |
|--------------------------|-----------------------------------|----------------------------|--|--|--|--|--|--|
| Max bur | Maximised overnight burn times | | | | | | | |
| 00 3 sp | 3 speed electric fan | | | | | | | |
| ↔ 770w x 580d x 805h | | | | | | | | |
| 62% Efficiency | 1.3g/kg Emissions | 10.1kW kW Rating | | | | | | |



For more information about the Scandia Warmbrite Range, scan the QR code to watch a short video or visit our website www.scandiastoves.com.au.

200 STACKER

This is a modern and practical adaptation of our most popular wood fire, the Warmbrite 200, with the addition of a handy wood storage pedestal designed to keep firewood dry and conveniently located.



67% 1.1g/kg Efficiency Emissions

kW Rating



300 STACKER

The Stacker 300 combines a large wood storage pedestal with the body of our classical Warmbrite 300 to create a practical and powerful wood fire combination perfect for large open plan spaces.







SUPREMACY 200

This premium, mid size, slow combustion wood fire is engineered to deliver a unique combination of elegance, refinement, technology, sustainability and industry leading performance.





The largest model in our premium range, the Supremacy 300 has presence in any room with its sleek lines and bay window design. This powerful, yet elegant unit is capable of heating large, open plan homes and commercial spaces.





For more information about the Scandia Supremacy Range, scan the QR code to watch a short video or visit our website www.scandiastoves.com.au.

Item no: 3171219



07





ltem no: 3171221

WHY CHOOSE AN INBUILT WOOD FIRE?

Everyone loves an open fire, but in reality they are inefficient, plagued by excessive fuel consumption and uncontrollable heat levels that send much of the energy produced straight up the chimney as carbon emissions. Scandia's Series 3 range of inbuilt wood fires are an ideal solution for home owners with existing open fires and who are seeking a cleaner, warmer, more sustainable wood fire. They are also ideal for the new home builder/renovator wanting the warmth, ambience and style of an inbuilt wood fire without the need for a masonry fireplace.

WARMBRITE 200I-S3*

The 200i-S3 combines contemporary styling with heritage inspired design to deliver a mid sized, inbuilt fire perfect for zero clearance, mid mount and masonry fireplace installations.



WARMBRITE 300i-S3*

The Warmbrite 300i-S3 combines sleek and elegant design with powerful and efficient heating capability. This stylish convection wood fire will comfortably heat most large homes.

(兪 Heat up to 280m² ÷ Zero clearance option To suit mid or floor mount install 1015w x 735h 1115w x 760h ÷ 800w x 500d x 605h 9.5kW 61% 0.9g/kg Efficiency kW Rating Emissions



For more information about zero clearance, scan the QR code to watch a short video or visit our website **www.scandiastoves.com.au**

*The Warmbrite inbuilt range is supplied with a mid mount fascia. The floor mount fascia option can be ordered separately at any Bunnings Special Orders desk.

CONTEMPORARY RANGE

Influenced by a passion for combining indoor and outdoor living and the unmistakable elegance and style of European design, the team at Scandia has created a visionary range of radiant and open wood fires perfect for the most inspired indoor/outdoor living spaces.

- Minimum 10 year firebox warranty
- Tested and approved to AS/NZS 4012/4013 and 2918 safety standards
- Heavy duty steel construction
- Firebox liners to maximise burn efficiency

HELIX GRAPHITE

A Scandinavian inspired design with elegant contours, subtle grey tones and concentric lines, the Helix Graphite is the perfect centrepiece for any contemporary home. This powerful radiant heater delivers the ambience and warmth you can get only from an Australian designed wood fire.





Item no: 3171506

EDGE 50

Evolving from French provincial origins, the Edge's clean lines and delicate legs convey style and elegance. Expansive glass panels encase a radiant firebox, and the large top is great for cooking winter soups and stews. The Edge is a stylish wood fire designed to deliver an ethereal ambience to any indoor/outdoor living space.

| | Heat | up to 20 | 0m² | | | | | |
|---------------|---------------|-----------------------------------|---------------------------|--|--|--|--|--|
| | Optio pede | Optional wood storage pedestal | | | | | | |
| | Pano with | oramic fire glass on t | e views three sides | | | | | |
| $(\)$ | 620v | v x 495d x | x 770h | | | | | |
| 62 Efficie | | 1.3g/kg Emissions | 6.4kW kW Rating | | | | | |



EDGE 70





Edge 70 Stacker. Item no: 3171267 Edge 50 Stacker. Product Code: SPE50ST



Item no: 3171226

OPEN FIREPLACE

AVANTE

Engineered for indoor and outdoor spaces the Avante open fireplace is as adaptable as it is stylish; uninterrupted fire views are beautifully framed by a range of four fascia options, making it the ideal centrepiece for any entertaining area.

Included with every Avante is an adjustable, stainless steel cooking plate which converts this opulent fireplace into a wood fired BBQ in a matter of seconds. Indoor/outdoor open fire

★ Zero clearance option



Removable safety screen included

(1295w x 580d x 645h







Included stainless steel cooking plate



Avante (Item no: 3171225) depicted with supplied black fascia, corten and stainless steel fascias are optional.

PELLET FIRE

VERDANT LE

Verdant LE utilises environmentally sustainable, carbon neutral bio mass pellet fuel to provide the warmth and ambience of a traditional wood fire; burning up to 30 hours without the need to cut, split and store firewood.

| ٩ | Renewable fuel source | | | | | | |
|-----------------|---|---------------------------|--|--|--|--|--|
| đ | Overall average efficiency 79% | | | | | | |
| -] - | Thermostatic control (7 Day Programming) | | | | | | |
| | Very low emissions 0.8g/kg | | | | | | |
| () | 515w x 445c | l x 960h | | | | | |
| 79% Efficier | | 6.9kW kW Rating | | | | | |



Item no: 3171530. Depicted with through wall pellet heater flue kit.

STYLISTE' & STRUKTUR ELEMENTS DESIGNED BY YOU





STYLISTE' RANGE

The epitome of style and elegance Styliste by Scandia takes the essence of traditional radiant wood fire design and elevates it to entirely new level. The beautifully crafted Styliste 6 and Styliste 10 boast clean lines, expansive fire views and unparalleled performance for emissions and efficiency.

STYLISTE'6

The beautifully crafted Styliste' 6's inspired lineal stance embodies the essence of minimalist design placing all emphasis on the enchanting flame pattern as it heats homes up to 22 squares whilst achieving unparalleled performance on emissions and efficiency.



63% Efficiency Emissions

7.7kW 1.4g/kg kW Rating



Styliste' 6. Item no: 3171534. Optional Struktur Modular Box 5, Box 6 and Plinth 10. (3171699, 3171700, 3171682)



Default - Leg Set: 3171686



Pedestal 6. Item no: 3171684



Plinth 10. Item no: 3171682

DIMENSIONS

Styliste' 6 Firebox



Styliste' 6 Inbuilt

725w x 535h

14

725w x 580h



Styliste' 6 floor mount fascia. Item no: 3171694

Styliste' 6 mid mount fascia. Item no: 3171695

Woodbox 6. Item no: 3171687

|] | |
|---|--|
| | |
| | |

STRUKTUR

For the ultimate in wood fire design solutions combine your Styliste' wood fire with our Struktur elements to create a truly personal statement customised by you and tailored to your own individual space.





Default - Leg Set: 3171686



Styliste' 10 floor mount fascia. Item no: 3171697



Styliste' 10 mid mount fascia. Item no: 3171698









Plinth 16. Item no: 3171683

DIMENSIONS



STYLISTE' & STRUKTUR ELEMENTS DESIGNED BY YOU

STRUKTUR

Combine the modular elements of Struktur with select products in the Styliste' or Edge range of wood fires to create an inspired wood fire experience, designed exclusively by you to suit your home.

STYLISTE' 6



SPECIAL ORDER

| | DESCRIPTION | ITEM NO. | QTY |
|---|---------------------------------------|----------|-----|
| 1 | Styliste' 6 floor mount fascia | 3171694 | |
| 2 | Styliste' freestanding legs (default) | 3171686 | |
| 3 | Styliste' 6 freestanding pedestal | 3171684 | |
| 4 | Struktur module box 6 | 3171700 | |
| 5 | Styliste' 6 freestanding woodbox | 3171687 | |
| 6 | Styliste' freestanding plinth 6 | 3171681 | |
| 7 | Styliste' freestanding plinth 10 | 3171682 | |
| 8 | Styliste' 6 mid mount fascia | 3171695 | |
| 9 | Struktur module box 5 kit | 3171699 | |

LIMITLESS SCALE, LIMITLESS DESIGN..

Offering 7 individual installations options for each model, Styliste' has a personality to suit every home. Each model provides the choice of five freestanding or two inbuilt configurations.

Simply select the Styliste' design that best reflects your own personal taste.

For the ultimate in wood fire design solutions combine your Styliste' wood fire with our Struktur elements to create a truly personal statement, customised by you and tailored to your own individual space.

STYLISTE' 10



| | DESCRIPTION | ITEM NO. | QTY |
|----|------------------------------------|----------|-----|
| 10 | Struktur 6 rear flue box | 3171702 | |
| 11 | Struktur 6 flue box | 3171690 | |
| 12 | Styliste' 10 floor mount fascia | 3171697 | |
| 13 | Styliste' 10 freestanding pedestal | 3171685 | |
| 14 | Styliste' 10 freestanding woodbox | 3171689 | |
| 15 | Styliste' freestanding plinth 16 | 3171683 | |
| 16 | Struktur 10 flue box kit | 3171691 | |
| 17 | Struktur 10 rear flue box kit | 3171703 | |
| 18 | Styliste' 10 mid mount fascia | 3171698 | |

GAS LOG FIRES

AVEDUR

Avedur's lineal design and elegant styling encases a sweeping ribbon of flame that dances across high gloss vitreous panels designed to enhance the appearance of the natural flame whilst minimising operating costs and consumption of our precious gas resources.

The focal point of any living space Avedur boasts an impressive list of standard features that include:

- 4 decorative media options
- 7 adjustable flame height
- Zero clearance design
- Built in primary mesh guard
- Dual multi speed fans
- LPG conversion kit

| (7 c | ermostatic lay prograi | Control mming) |
|--------------------------|---------------------------|---------------------------|
| | ecorative cia options | ; |
| Hig ref | h gloss lective pan | els |
| P Op | tional wifi | app |
| D 123 | 35w x 20d x | x 610h |
| 77 | 0w x 620d | l x 810h |
| 79% Efficiency | 4.0 Star Rating | 5.6kW kW Rating |



Avedur Item no: 3171490. Image depicts optional Black Glass Fascia. Item no: SCAV10BG

Efficiency and power results are based on highest rating for certain flue configurations



Default - Black fascia. Product code: SCAV10BLK. Included with purchase of Avedur 3171490





ALTERNATIVE FASCIA OPTIONS

Select from four decorative fascia and four decorative media options to create a personalised fireplace that best represents the ambience and effect you want to achieve.



Included: Driftwood & Embers. SCAV10M1

ALTERNATIVE FLAME MEDIA



Driftwood & Glass. Product code: SCAV10M2



Stone Accent & Embers. Product code: SCAV10M3



Stone Accent & Glass. Product code: SCAV10M4

REMOTE CONTROL

- Built in thermostat
- 7 day programming
- 7 flame heights adjustment

8

-



WOOD STORAGE

BEEHIVE 500 WOOD STORAGE

Used individually or collectively the Beehive range by Scandia is ideal for indoor living spaces.

- Easy to assemble
- Stackable
- Powder coated finish
- Quality steel construction



Beehive 500 metallic black wood storage. Item: 0025424. Depicted with 3 x units. Individual units sold seperately.



750 Round wood storage. Item: 3171650. Removable stand for wall mount option.

FIREWOOD STORAGE

The Scandia wood storage range represents quality, functionality and inspired design. This range of products has been developed with the same ethos we use when developing any product that we sell. It must be affordable, on the cutting edge of design, be robust and fit for purpose.

When it came to wood storage this simply meant that everything we produce has to look great, provide indoor and outdoor application and be strong enough to hold decent quantities of Australian hardwood...We think we've nailed it.



Geometric cantilever wood storage. Item: 3171653



Curved cantilever wood storage. Item: 3171652



Angled wall storage. Item: 3171659



U- stack wood storage. Item: 3171655



Designer rectangle wood storage 1000. Item: 3171657



Designer vertical wood storage 1800. Item: 3171656

FIRETOOL RANGE



Gun metal firetool set. Item no: 3171608



Classic firetool set. Item no: 3180727



Deluxe firetool set. Item no: 3180728



Vogue firetool set. Item no: 3171607

Contour firetool set. Item no: 3171610



Alpine firetool & wood storage set. Item no: 3171609

HEARTHS



Ceramic tile corner hearth. Item no: 3171526



Ceramic tile straight hearth. Item no: 3171524





Slate straight hearth. Item no: 3180687



Slate corner hearth. Item no: 3180690

CERAMIC TILE HEARTH - STRAIGHT WALL

This modern, black, ceramic tile hearth pad is made from durable, non-combustible materials, is easy to install and available in three sizes; suitable for all wood heater brands.

- Steel angle frame on all sides - Available in three sizes (mm): 1050 x 1050 Item no: 3171524 1050 x 1200 Item no: 3171522
 - 1200 x 1200 Item no: 3171525

SLATE HEARTH

brands.

- STRAIGHT WALL

This traditional, slate hearth

pad is made from durable,

to install and available in three

non-combustible materials, is easy

sizes: suitable for all wood heater

- Decorative aluminium edge

1050 x 1050 Item no: 3180687

1050 x 1200 Item no: 3180688 1200 x 1200 Item no: 3180689

- Available in three sizes (mm):

CERAMIC TILE HEARTH - CORNER INSTALL

This modern, black, ceramic tile hearth pad is made from durable, non-combustible materials, is easy to install and available in two sizes; suitable for all wood heater brands.

- Steel angle frame on all sides
- Available in two sizes (mm): 1250 x 1250 Item no: 3171526 1425 x 1425 Item no: 3171527

OAK GREY HEARTH - STRAIGHT INSTALL

These contemporary wood effect tile hearth pads are the perfect platform for a modern heater that deserves more than just black. Our hearth pads are constructed from durable, noncombustible materials, are easy to install. Suitable for all wood heater brands.

- Decorative aluminium edge
- Available in two sizes (mm): 1050 x 1200 Item no: 3171621 1050 x 1050 Product Code: SCHPW105105

SLATE HEARTH - CORNER INSTALL

This traditional, slate hearth pad is made from durable, non-combustible materials, is easy to install and available in two sizes; suitable for all wood heater brands.

- Decorative aluminium edge
- Available in two sizes (mm): 1250 x 1250 Item no: 3180690 1425 x 1425 Item no: 3180691

FREESTANDING WOOD & PELLET FIRE INSTALLATION ACCESSORIES



Black Mesh Default Flue Kit. Item no: 3180672

BLACK MESH DEFAULT 4M FLUE KIT

Designed and tested to suit all Scandia freestanding wood fires, the powder coated, black mesh decorative flue looks great on any of the traditional wood fire range.

ADDITIONAL BLACK MESH PARTS:

Black mesh 1m extension: Item no: 3170782

Black mesh internal bend kit: Rear bend kit. Item no: 3170798 Right bend kit. Item no: 3170795 Left bend kit. Item no: 3170794



Sleek Black Default Flue Kit. Item no: 3171234

SLEEK BLACK DEFAULT 4M FLUE KIT

Designed and tested to suit all Scandia freestanding wood fires, the powder coated, sleek black decorative flue looks great on any of the contemporary wood fire range.

ADDITIONAL SLEEK BLACK PARTS:

Sleek black 1m extension: Item no: 3171268

Sleek black internal bend kit: Rear bend kit. Item no: 3171253 Right bend kit. Item no: 3171251 Left bend kit. Item no: 3171250



Graphite Default Flue kit. Item no: 3171486

GRAPHITE DEFAULT 4M FLUE KIT

Designed and tested to suit all Scandia freestanding wood fires, the powder coated, graphite decorative flue has been designed match perfectly with the Helix Graphite wood fire range.

ADDITIONAL GRAPHITE PARTS:

Graphite 1m extension: Item no: 3171596 Graphite internal bend kit: Rear bend kit. Item no: 3171595 Right bend kit. Item no: 3171593 Left bend kit. Item no: 3171592



DEFAULT 4M FLUE KIT - WHAT'S INCLUDED?

- Triple skin flue
- 4 x 6" 304 SS active flue
- 8" Decorative flue extension
- 304 SST cowl and cone
- Dropbox
- (powder coated)
- Ceiling collar
- 2 x Mounting brackets



8-10" Penetration box. Item no: 3170790

8 - 10" PENETRATION BOX

The 8 - 10" Powder Coated Galvanised Penetration Box is ideal for use where through the floor penetration is required and it is the intent to use decorative mesh, sleek black or graphite flue on the second storey.

ADDITIONAL PARTS:

EXTERNAL FLUE

EXTENSION - 1M

1m External flue extension. Item no: 3170783

Designed as an easy add on

to the Scandia 4m default flue kit

(3180673), the triple skin external

flue extension is meant for use

outdoors or in a ceiling cavity.

45° External bend kit. Item no: 3170799



ROOF FLASHING

Designed as an easy add on to the Scandia 4m default flue kit, Scandia's roof flashing range has been engineered for use with high temperature outlets such as flues and chimneys.

Available options:

Tile roof flashing. Item no: 3171672 Tin roof flashing. Item no: 3171673



Pellet fire standard flue kit Item no: 3171707

PELLET FIRE STANDARD FLUE KIT

Designed as an easy add on to the Scandia Verdant pellet fire (3171530), the standard flue kit is meant for standard in-room flue installations.

ADDITIONAL FLUE KITS:

Pellet fire through wall flue kit: Part no: SCPHFK81

INBUILT WOOD & GAS LOG FIRE INSTALLATION ACCESSORIES



Zero clearance flue kit. Item no: 3171271

ZERO CLEARANCE FLUE KIT

Designed and tested to accompany the zero clearance box, allowing the inbuilt wood heater range to be installed into a timber stud wall. Kit includes four triple skin 1m flue extensions, cowl and cone.

Suits products 3171258, 3171221, 3171534, 3171533

ADDITIONAL ZERO CLEARANCE FLUE KITS:

Avante' zero clearance flue kit: Item no: 3171274



GAS FLUE EXTENSIONS

Suitable for installing Scandia gas log fires. Designed with a twistlock connection system for easy on-site installation.

Adjustable flue extension: 275 x 370 (ADJ). Item no: 3171715 Flue extension sizes: 300mm. Item no: 3171714 600mm. Item no: 3171713 900mm. Item no: 3171712 1200mm. Item no: 3171711



Zero clearance box

ZERO CLEARANCE BOX

When installed with the zero clearance solution, Scandia inbuilt wood heaters can be installed into a timber stud wall, making them the ideal solution for contemporary homes that don't have a chimney or existing fireplace.

Zero clearance box options: Warmbrite inbuilt series. Item no: 3171270 Styliste 6'. Item no: 3171692 Styliste 10'. Item no: 3171693 Avante'. Item no: 3171273



6" Inbuilt 4m flue kit. Item no: 3170671

6" INBUILT 4M FLUE KIT

Designed and tested to suit Scandia inbuilt wood heaters, this flue kit is for use in an existing masonry chimney. Kit includes four 1m active flue extensions, chimney plate cover, cowl and cone.

Suits products 3171258, 3171221, 3171534, 3171533

ADDITIONAL INBUILT FLUE KITS:

Avante 3.6m inbuilt flue kit: Item no: 3171275



Flexi flue extension. Item no: 3170791

FLEXI FLUE EXTENSION

The Scandia 6" Stainless Flexi Flue is ideal for use in difficult shaped situations such as you might find in a masonry chimney. Flexi flue can be ordered in increments of 1 metre up to a maximum length of 5 metres.

ADDITIONAL PARTS:

Flexi flue adaptor: Item no: 3170792 (Required to adapt 6" flexi flue to standard 6" flue.)

ADDITIONAL INSTALLATION ITEMS

Items not in stock can be ordered from the Special Orders desk – ask in store or visit the website for details.

INSTALLATION

It is a requirement that all Scandia solid fuel and gas appliances are fitted by a qualified, licensed installer whose work complies with local council regulations, Australian standards and manufacturer's specifications. Failure to correctly install is extremely dangerous, will void any warranty claims and may compromise any future insurance claims.



GAS FLUE TERMINALS

Suitable for installing Scandia gas log fires. Scandia offer two gas terminal options for both vertical and horizontal installations.

Available options: Horizontal flue terminal. Item no: 3171717 Vertical flue terminal. Item no: 3171720



GAS FLUE ELBOWS

Ideal for multi story or flue offset installations, the Scandia gas bend range have an aluminium inner pipe and a galvanised outer. Easy to assemble with twist-lock connection system.

Available options: 45° Elbow. Item no: 3171716 90° Elbow. Item no: 3171718

ACCESSORIES



Thermal powered eco fan. Item no: 3171516

THERMAL POWERED FCO FAN

The Eco Fan can be positioned on the top panel of any radiant wood fire for the thermally powered motor to gently circulate warm air around any room.

- Ideal for use on all radiant wood fires and stoves
- Reduce your emissions by burning less fuel



6" Extendable Flue Brush. Item no: 3180729

6" EXTENDABLE FLUE BRUSH

Clean your flue safely from ground level up to 5m with the Scandia flexible flue brush kit. Pull through and rooftop cleaning options are also supported.

- Five 1m flexible extensions
- Premium 6" poly brush
- Threaded metal connectors
- Pull through option fitted



6" Pull thru flue brush kit. Item no: 3171521

6" PULL THRU FLUE BRUSH KIT

Simply attach the snap-lock weighted ball and chain and brush to each end of the rope provided for a pull thru flue cleaning solution.

- Weighted ball and chain
- 10m rope extension
- Snaplock connectors
- Heavy duty poly brush



Additional parts required to complete your installation are available from Bunnings stores. Items not in stock can be ordered from the Special Orders desk – ask in store or visit the website for details

Additional accessories:

- Moisture meter
- Rope seals
- Cleaning products
- Firebricks
- Gasket & adhesive sealant
- Fireplace mortar





Small child safety guard. Item no: 3180726

SMALL CHILD SAFETY GUARD

This sturdy child safety guard minimises the risk of coming into contact with what can be extremely hot surfaces. Suits most mid size wood fires.

- Heavy duty steel construction
- Dual opening door (685w x 600h)
- Rear stabilising bar - Size (mm):
- 1080w x 1055d x 800h



Large child safety guard. Item no: 3180725

LARGE CHILD SAFETY GUARD

This sturdy child safety guard will minimise the risk of coming into contact with what can be extremely hot surfaces. Suits most large wood fires.

- Heavy duty steel construction
- Dual opening door (860w x 600h)
- Rear stabilising bar - Size (mm):
 - 1275w x 1275d x 800h



Small corner child safety guard. Item no: 3171518

SMALL CORNER CHILD SAFETY GUARD

This sturdy child safety guard minimises the risk of coming into contact with what can be extremely hot surfaces. Designed to accommodate corner installations for most mid size wood fires.

- Heavy duty steel construction
- Dual opening door (720w x 600h)
- Rear wall secure points
- Size (mm):
- 1890w x 650d x 800h

Large corner child safety guard. Item no: 3171519

LARGE CORNER CHILD SAFETY GUARD

This sturdy child safety guard will minimise the risk of coming into contact with what can be extremely hot surfaces. Designed to accommodate corner installations for most large wood fires.

- Heavy duty steel construction
- Dual opening door (860w x 600h)
- Rear wall secure points
- Size (mm):
 - 2050w x 720d x 800h



CLEAR SKIES, CLEAR CONSCIENCE

When you purchase a wood fire, you can be confident in the knowledge that you are purchasing the most sustainable and affordable renewable source of home heating available.

As a supporter and sponsor of Landcare Australia, Scandia is mindful of any impact on the environment. Therefore, it's reassuring to us to know that 98 per cent of hardwood burnt in Australia is sustainably sourced, and by choosing to burn this firewood in a Scandia wood fire, you will generate no additional CO2 emissions than if that same wood were left to decompose naturally in the bush. (Kerryn Paul, 2003) To control the amount of emissions released into the environment, Scandia designs all combustion wood fires with a two stage, primary and secondary air system. While the primary air controls the rate of burn, the secondary air system hyper-heats any excess carbon, converting the majority of residual emissions into energy which is then stored in the firebricks and firebox, improving overall efficiency of the heater and minimising any impact on the environment.

As an organisation, Scandia is committed to helping the environment through the promotion of renewable energy, sustainable harvesting practices and a commitment to programs that focus on reducing carbon emissions.

FREQUENTLY ASKED QUESTIONS

I LIKE THE LOOK OF AN IN-BUILT WOOD FIRE BUT I DON'T HAVE A BRICK CHIMNEY..

Scandia's range of inbuilt wood fires are an ideal and sustainable solution for the new home builders or renovator looking for the warmth, ambience and style of an inbuilt wood fire but not wanting to build or don't have a masonry chimney.

When combined with our zero clearance kit, Scandia range of inbuilt wood fires can be installed into a timber stud wall as the perfect wood fire solution for homes up to 30 squares. Scandia are one of the few manufacturers that offer a zero clearance option for their entire range of in-built wood fires.

WHY DO I NEED A HEARTH?

Where an appliance is installed on a combustible surface a hearth is required. Hearths are designed to protect from combustion from radiant heat and to protect floor coverings from falling embers.

RADIANT OR CONVECTION WOOD FIRE?

Convection is simply the tendency of a substance, which in the case of wood heaters is air, to rise when it is warmer as it is less dense because it contains less moisture and fall as it cools resulting in the transfer of heat. Convection wood fires leverage this natural phenomenon to provide a very consistent, controllable ambient warmth throughout the home.

Scandia convection heaters draw cool air in from the bottom of the room and circulate it between the outside of the firebox and outer casing of the wood heater gently warming it before expelling it back into the room. When considering a radiant heater it is prudent to understand that the external surface on the wood fire is actually the outer skin of the firebox which "radiates" heat to warm objects around the fire, the closer in proximity to the fire the warmer the object, which is why radiant heaters are great for both indoors and outdoors and preferred by those who like to "feel" the fire whilst watching the flames.





TECHNICAL INFORMATION

PROFESSIONAL INSTALLATION

It is a requirement that all Scandia solid fuel and gas appliances are fitted by a qualified, licensed installer whose work complies with local council regulations, Australian standards and manufacturer's specifications. Failure to correctly install is extremely dangerous, will void any warranty claims and may compromise any future insurance claims.

Installation of your Scandia heater is available in-store through the Bunnings Special Orders Desk.

SCANDIA SOLID FUEL APPLIANCE COMPARISON CHART Packaged (mm) **Firebox** 3 speed Heating Emissions Efficiency Average Peak Net Gross thickness kW Rating kW Rating weight capacity weight WxDxH fan WARMBRITE 140 140m² 1.5g/kg 15.6kW 18kW 85kg 99kg 580 x 580 x 860 5mm No 63% WARMBRITE 200 5.5mm Yes 200m² 1.1g/kg 67% 7.9kW 12.1kW 144kg 160kg 780 x 650 x 880 **STACKER 200** 5.5mm Yes 200m² 1.1g/kg 67% 7.9kW 12.1kW 159kg 179kg 780 x 650 x 1000 WARMBRITE 300 5.5mm Yes 300m² 1.3g/kg 62% 10.1kW 14.4kW 183kg 203kg 889 x 710 x 960 198kg **STACKER 300** 5.5mm Yes 300m² 1.3g/kg 62% 10.1kW 14.4kW 218kg 885 x 715 x 1090 WARMBRITE 200i-S3 5.5mm Yes 180m² 0.4g/kg 61% 9.0kW 12.1kW 116kg 135kg 780 x 620 x 710 WARMBRITE 300i-S3 280m² 9.5kW 14.1kW 166kg 880 x 670 x 750 5.5mm Yes 0.9g/kg 61% 143kg **HEAT & COOK** 5mm No 200m² N/A N/A N/A N/A 229kg 246kg 770 x 710 x 1070 186kg **SUPREMACY 200** 8mm Yes 240m² 1.1g/kg 67% 10.2kW 14.2kW 207kg 775 x 645 x 870 **SUPREMACY 300** 8mm Yes 360m² 0.9g/kg 69% 13.9kW 18.2kW 226kg 247kg 880 x 745 x 930 HELIX 3.5mm No 200m² 1.5g/kg 62% 7.0kW 9.9kW 155kg 178kg 720 x 570 x 1310 6.4kW 98kg **EDGE 50** 5mm No 200m² 1.3g/kg 62% 9.4kW 115kg 665 x 592 x 655 145kg **EDGE 70** 5mm No 320m² 0.5g/kg 60% 11.4kW 16.2kW 165kg 710 x 820 x 780 **VERDANT LE** 3mm Variable 90m² 0.8g/kg 79% 6.9kW 7.8kW 102kg 118kg 460 x 460 x 1150 **AVANTE** No 150m² N/A N/A N/A N/A 195kg 215kg 1030 x 630 x 700 6mm 160kg **STYLISTE 6** 5.5mm No 200m² 1.4g/kg 63% 7.7kW 11.7kW 146kg 732 x 582 x 670 **STYLISTE 10** 175kg 5.5mm No 300m² 60% 11.5kW 16.2kW 195kg 1152 x 582 x 670 1.1g/kg

Disclaimer: Due to our policy of continuous improvement of our products and services, technical specifications and claims, correct at the time of going to print, may be subject to variation without prior notice. Scandia Heating (Aust) Pty Ltd has endeavoured to ensure that the information in this document is correct and fairly stated, but does not accept liability for any error or omission. Scandia Heating (Aust) Pty Ltd accepts no liability whatsoever for their interpretation of AS/NZS 2918-2001, AS/NZS 4012-4013. All heating capacities quoted are based on units tested with quality hardwood. Minimal performance reduction may result due to large glassed areas, vaulted ceilings, draughts or insufficient insulation. We reserve the right to alter specifications without notice.

HEATER DIMENSIONS AND INSTALLATION CLEARANCES









FREESTANDING HEATER DIMENSIONS

| | UNIT SIZE (mm) | | | | | | | | IAL FIREBC | OX (mm) |
|----------------|----------------|------|-----|-----|--------|--------|--|-------|------------|---------|
| | Α | В | С | D | FLUE Ø | WEIGHT | | WIDTH | DEPTH | HEIGHT |
| WARMBRITE 140 | 500 | 735 | 135 | 470 | 152 | 85 kg | | 370 | 330 | 250 |
| WARMBRITE 200 | 670 | 735 | 200 | 530 | 152 | 144 kg | | 445 | 300 | 280 |
| STACKER 200 | 690 | 860 | 200 | 530 | 152 | 159 kg | | 445 | 300 | 280 |
| WARMBRITE 300 | 770 | 805 | 205 | 580 | 152 | 183 kg | | 545 | 345 | 300 |
| STACKER 300 | 790 | 905 | 210 | 590 | 152 | 191kg | | 545 | 345 | 300 |
| HEAT & COOK | 650 | 860 | 120 | 610 | 152 | 229 kg | | 430 | 320 | 290 |
| OVEN SIZE (mm) | | | | | | | | 440 | 370 | 300 |
| STYLISTE' 6 | 640 | 500 | 170 | 525 | 152 | 146kg | | 505 | 355 | 315 |
| STYLISTE' 10 | 1060 | 500 | 170 | 525 | 152 | 175kg | | 925 | 355 | 315 |
| SUPREMACY 200 | 655 | 720 | 190 | 565 | 152 | 186 kg | | 445 | 365 | - |
| SUPREMACY 300 | 750 | 765 | 190 | 665 | 152 | 226 kg | | 540 | 470 | 350 |
| HELIX | 610 | 1160 | 220 | 445 | 152 | 155 kg | | 395 | 335 | 370 |
| EDGE 50 | 620 | 770 | 200 | 495 | 152 | 98kg | | 435 | 330 | 310 |
| EDGE 70 | 780 | 960 | 215 | 605 | 152 | 145 kg | | 535 | 420 | 405 |
| VERDANT LE | 515 | 960 | - | 445 | 80 | 102kg | | 200 | 150 | 500 |

FREESTANDING INSTALLATION CLEARANCES

| CLEARANCES TO COMBUSTIBLE SURFACES (mm) | | | | | | | | | |
|---|------------|------------|-------------|------------|------------|--------------|------------|------|--|
| | E | F | G | н | I. | J | К | L | |
| WARMBRITE 140 | 700 | 485 | 350 | 300 | 745 | 1095 | 550 | 1400 | |
| WARMBRITE 200 | 250 | 350 | 150 | 450 | 900 | 1105 | 100 | 1240 | |
| STACKER 200 | 250 | 350 | 150 | 450 | 900 | 1105 | 100 | 1240 | |
| WARMBRITE 300 | 350 | 380 | 175 | 450 | 1000 | 1180 | 170 | 1415 | |
| STACKER 300 | 350 | 385 | 175 | 450 | 1000 | 1190 | 170 | 1420 | |
| HEAT & COOK | 425 | 295 | 175 | 300 | 820 | 1040 | 200 | 1250 | |
| STYLISTE' 6 | 400 | 470 / 420^ | 300/250^ | 300 | 880 | 1125 / 1075^ | 200 | 1235 | |
| STYLISTE' 10 | 500 | 470 / 445^ | 300 / 275^ | 500 | 1300 | 1325 /1300 ^ | 200 | 1675 | |
| SUPREMACY 200 | 350 | 340 | 150 | 300 | 950 | 1020 | 75 | 1155 | |
| SUPREMACY 300 | 400 | 340 | 150# | 300 | 1040 | 1120 | 75 | 1295 | |
| HELIX | 410 / 410^ | 520 / 520^ | 300 / 300^ | 300 / 300^ | 770 / 770^ | 1045 / 1045^ | 280 / 280^ | 1125 | |
| EDGE 50 | 650 / 600^ | 325 / 350^ | 125 / 150^ | 300 | 835 | 920 / 945^ | 350 | 1315 | |
| EDGE 70 | 1200 | 465 | 250 | 300 | 950 | 1150 | 600 | 1735 | |
| VERDANT LE | 100 | - | 200* / 80** | 300 | 635 | 945 | 25 | 915 | |

The above clearances are applicable when using the Scandia Decorative mesh flue kit. (Decorative flue is fitted with an additional heat shield)

^ When using the Scandia Sleek black / Graphite flue fitted with an additional heat shield.

- [#] With tertiary 550mm 180° heat shield in place (supplied with heater).
- * Vertical flue installation.

** Horizontal flue installation.

Refer to the installation manual on our website for up to date / specific detail on the appliance you are installing.









INBUILT HEATER DIMENSIONS

*firebox including front support brackets, excluding decorative fascia

| UNIT SIZE (mm) | | | | | | | | | | |
|------------------------|-------|------|-----|-----------|--------|-----------|-----|-----|-----|--------|
| | Α | В | С | D | E | F | G | н | 1 | FLUE Ø |
| WARMBRITE 200i-S3 | 700 | 570 | 165 | 50 | 925 | 695 | 470 | 455 | 560 | 152 |
| FLOOR MOUNT (Optional) | - | - | - | - | 1015 | 720 | - | - | - | - |
| WARMBRITE 300i-S3 | 800 | 670 | 170 | 50 | 1015 | 735 | 520 | 500 | 605 | 152 |
| FLOOR MOUNT (Optional) | - | - | - | - | 1115 | 760 | - | - | - | - |
| AVANTE OPEN FIRE | 1000* | 915 | 150 | 75 | 1295 | 645 | 580 | 515 | 755 | 254 |
| AVEDUR | | | SI | EE OWNERS | MANUAL | FOR DETAI | LS | | | |
| STYLISTE' 6 | - | 640 | 170 | - | 725 | 580 | - | 525 | 500 | 152 |
| FLOOR MOUNT (Optional) | - | - | - | - | 725 | 535 | - | - | - | - |
| STYLISTE' 10 | - | 1060 | 170 | - | 1145 | 585 | - | 525 | 500 | 152 |
| FLOOR MOUNT (Optional) | - | - | - | - | 1145 | 535 | - | - | - | - |

CLEARANCE TO COMBUSTIBLES (mm) FOR MASONRY FIREPLACE

| CLEARANCES TO COMBUSTIBLE SURFACES (mm) | | | | | | INTERNAL FIREBOX (mm) | | | |
|--|-----|----|-----|-----|------|-----------------------|----|-------|-------|
| | J. | к | L | М | N | ο | Р | WIDTH | DEPTH |
| WARMBRITE 200i-S3 | 250 | 40 | 300 | 30 | 1070 | 1015 | 40 | 445 | 305 |
| WARMBRITE 300i-S3 | 250 | 40 | 550 | 30 | 1070 | 900 | 40 | 545 | 365 |
| STYLISTE' 6 SEE OWNERS MANUAL FOR DETAILS | | | | | 570 | 400 | | | |
| STYLISTE' 10SEE OWNERS MANUAL FOR DETAILS930399 | | | | | 399 | | | | |
| AVANTE OPEN FIRE SEE OWNERS MANUAL FOR DETAILS 890 450 | | | | 450 | | | | | |
| AVEDUR SEE OWNERS MANUAL FOR DETAILS - | | | - | | | | | | |

Refer to the installation manual on our website for up to date / specific detail on the appliance you are installing.

STRUKTUR MODULE DIMENSIONS

| | WIDTH | DEPTH | HEIGHT |
|---|-------|-------|--------|
| STRUKTUR MODULE BOX 6 | 640 | 525 | 250 |
| STRUKTUR MODULE BOX 5 KIT (INCLUDES X2) | 530 | 525 | 250 |



For specifications relating to installation requirements and zero clearance installations please refer to owners manual. Brochure should be used as a guide only.

PURCHASE CHECKLIST

STEP 1: CHOOSE YOUR APPLIANCE

HEATER: (EDGE 50)

2.1) CHOOSING YOUR FLUE KIT (Refer to page 24-25)

order to determine which flue kit you require.

FREESTANDING

ITEM NO.

INBUILT (MASONRY)

INBUILT (ZERO CLEARANCE)

FLUE KIT:

ITEM NO. (3171487)

Please tick the type of heater that you would like for your home.

| WOOD FIRE GAS LOG FIRE PELLET |
|-------------------------------|
|-------------------------------|

STEP 2: PURCHASE INSTALLATION ACCESSORIES

Always install an appliance with a matching flue kit (decorative, sleek black or graphite). Please select your wood fire installation or appliance type in

PELLET FIRE

GAS LOG FIRE

Gas flue products

sold individually

Taking into consideration, clearance and installation guidelines, choose the appliance that best suits your home.

| TICK | |
|------|--|

ORDERED

STEP 3: ADDITIONAL INSTALLATION PARTS

Nominate any additional parts you may require. (This could include flue extensions, 45° bends, penetration box etc.)

| ITEM NO. | DESCRIPTION: | ORDER |
|----------|--------------|-------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

STEP 4: CHOOSE YOUR FIREPLACE ACCESSORIES

Scandia provide a complete range of tools and accessories to compliment and enhance your wood fired experience.

4.1) CHOOSING YOUR WOOD STORAGE (Refer to page 20-21)

| FREESTANDING |
|--------------|
|--------------|

WALL MOUNT

ITEM NO.

OUTDOOR

ORDERED

ORDERED

INDOOR

2.2) CHOOSING YOUR HEARTH PAD (Refer to page 23)

If you are installing your freestanding wood fire on a combustible surface you will require a hearth pad (tile or slate). Please tick your installation type:

| STRAIGHT INSTALLATION | CORNER INSTALLATIO | N |
|-----------------------|--------------------|---|
| | | |

| ITEM NO. | HEARTH PAD: | ORDERED | |
|---|-------------|---------|--|
| | | | |
| Please note: Hearth had only required for freastanding or pollet fire installations | | | |

Please note: Hearth pad only required for freestanding or pellet fire installations.

2.3) CHOOSING YOUR ROOF FLASHING (Refer to page 24)

Select which type of roof flashing you require:

| TILE ROOF IRON ROOF | | | | |
|---------------------|----------------|---------|--|--|
| ITEM NO. | ROOF FLASHING: | ORDERED | | |
| | | | | |
| | | | | |

2.4) CHOOSING YOUR HEATER GUARD (Refer to page 26)

Scandia provide heater guards to suite all wood fire installations. Please select your installation type before choosing your heater guard size.

STRAIGHT INSTALLATION CORNER INSTALLATION

| ITEM NO. | HEATER GUARD: |
|----------|---------------|
| | |
| | |
| | |

Please note: It is a requirement that all Scandia solid fuel and gas appliances are fitted by a qualified, licensed installer whose work complies with local council regulations, Australian standards and manufacturer's specifications. Failure to correctly install is extremely dangerous, will void any warranty claims and may compromise any future insurance claims.

ORDERED

ITEM NO. FIRETOOL SET:

4.2) CHOOSING YOUR FIRE TOOL SET (Refer to page 22)

WOOD STORAGE

LO

NOTES

How It Works

It's as simple as 1,2,3! Follow the steps shown to purchase or order your product. If you need further advice, speak to a team member at the Special Orders Desk in-store.

1. Select The Product You Want

View the extensive range available in this brochure or online. Use the number shown below to order your product online or in-store.



2. Order Online or at the Special Orders Desk

After you have selected the product you want, take this brochure to the Special Orders Desk or order online at bunnings.com.au

3. Get It Home

We Will Deliver

Delivery to your home or site can be arranged online or in-store when purchasing your products.

Pick-Up In-Store

If you decide to pick-up in-store and need help to get it home, you can:

- borrow a courtesy trailer
- hire a vehicle

Check with your local Bunnings store for availability.

Ask us about Additional Services



Scandia Heating (Aust) Pty Ltd 58 Access way Carrum Downs VIC 3201 Australia

1300 HEATER (432 837) service@scandiastoves.com.au

www.scandiastoves.com.au



V 03/18