MATERIAL SAFETY DATA SHEET

Page 1 of 2 Updated 01/09/2014

PRODUCT: Rockcote Toscani

Not classified as hazardous according to criteria of Worksafe Australia

COMPANY DETAILS		
Company Details	Rockcote Enterprises Pty Ltd (ABN 42 066 227 174)	
Address	18 Machinery Road Yandina Qld 4561	
Telephone/Fax	Tel (07) 5446 7737 Fax (07) 5446 8303	
Emergency Telephone	0417 694 695 (Chemist)	
Other Information	Note: For the most up-to-date information for this data sheet, please refer to the Rockcote website www.rockcote.com.au	
	The information contained in this material safety data sheet is believed to be accurate on the date of issue and in accordance with the information available to us. Persons dealing with products referred to in this material safety data sheet do so at their own risk. We accept no liability whatsoever for damage or injury however caused arising form use of this information or of suggestions contained herein.	

IDENTIFICATION

Product Name	Rockcote Toscani
Other Names	None Listed
Product Code	None Listed
UN No:	None allocated
Hazchem:	None allocated
D.G. Class:	None allocated
Pack. Grp.:	None allocated
Product Type:	Acrylic Emulsion Paint
Major Ingredients:	Water based Acrylic- Emulsion
	Glycol
	Inert Pigments & Aggregates
Poisons Schedule	Not scheduled
Product Use	Roll / Brush / Spray-on Texture

PHYSICAL PROPERTIES

Appearance:	Milky liquid
Odour:	Slight Acrylic/Ammonia
Viscosity:	Thixotropic
pH:	9.0 - 10.0
Specific Gravity:	1.3 – 1.8
Flash Point:	Non Combustible
Solubility in Water:	Miscible with water

OTHER PROPERTIES

Volatile Component	N/A
Auto ignition Temp.	N/A
Stability	Stable

HEALTH HAZARD INFORMATION

Primary	Routes of	f Exposure:	

Inhalation:	Inhalation of vapour can cause headache, nausea, irritation of nose, throat & lungs.
Skin Contact:	Prolonged or repeated contact can cause skin irritation.
Eye Contact:	Direct contact can cause eye irritation.

FIRST AID INFORMATION	
Inhalation:	Move subject to fresh air.
Skin Contact:	Wash affected areas thoroughly with soap & water. Consult a physician if irritation persists.
Eye Contact:	Flush eyes with large amount of water for at least 15 minutes, holding the eye lids apart. Consult a physician if irritation persists.
Ingestion:	If swallowed drink at least 2 glasses of water. Consult a physician.
Toxicity Data:	Oral LD 50 (Rat):
(Typical)	> 5000 mg/kg
	Dermal LD 50 (Rabbit):

PERSONAL PROTECTION

Use only in well ventilated areas. Wear protective clothing to minimise skin contact. Where splatter is likely, wear goggles.

Fire Hazards Material is non flammable

SAFE HANDLING INFORMATION	
Storage and Transport	

> 5000 mg/kg

- STORAGE Store in a cool place and out of direct sunlight. Keep containers sealed when not in use. Store above 4°c and below 50°c.
- **TRANSPORT**Road and Rail Transport (ACTDG):IATA Classification:

Class NIL Class NIL

Packaging Group NIL

FIRE FIGHTING INFORMATION

Unusual Hazards: Dried film can burn.

Extinguishing Agents: Use extinguishing media appropriate for surrounding fire.

Storage Requirements: Store out of direct sunlight.

Signature

Spills & Clean Up: Contain spills with sand or earth. Remove to suitable container for disposal. Wash area and equipment with water. Do not allow cleaning water and/or runoffs to enter sewers, storm water or open bodies of water.

have been trained in the safe use of this material

Date

.....END OF MSDS.....

This MSDS has been developed according to Worksafe Australia / NOHSC guidelines.