


SHARP

Reverse Cycle Inverter Split System Air Conditioner 2.5kW Cooling / 2.6kW Heating

Features:

- Strong cooling
- Dehumidifying
- Backlit display
- Gold fin technology
- Self-cleaning
- Sleep mode
- Remote control
- R32 Gas



Technical Specifications

AY-X9XEJ / AE-X9XEJ

Model Specifications

Rated Capacity	Cooling kW	2.5
	Heating kW	2.6
BTU Rating	Cooling	9000
	Heating	9000
Energy Label/ Star Rating	Cooling	5.5
	Heating	5.5
Net Dimensions W x H x D	Indoor	910 × 294 × 206mm
	Outdoor	831 × 300 × 553mm
Net Weight	Indoor	9
	Outdoor	27
Backlit Hidden Display		Yes
Sleep Mode		Yes
Timer		24 Hour
Dehumidifying Mode		Yes
Remote Controller		Yes
Coverage Area	m ²	10-15

Technical Data


Rated Current	Cooling	3.1A (1.3~5.0)
	Heating	3.2A (1.3~7.0)
Max Current	Cooling	5A
	Heating	7A
Power Input	Cooling	500W
	Heating	510W
Rated Power Input	Cooling	1100W
	Heating	1300W
Indoor Air Volume	Cooling	550m ³ /h
Max. Pressure	Discharge	3.7MPa
	Suction	1.2MPa
Rated Voltage		220-240V ~
Noise Level dB(A)	Indoor	24-45
	Outdoor	54
Rated Frequency		50Hz
Refrigerant / Charge		R32 / 800g
Outdoor Unit Water Proof Protection		IPX4

SHARP

Reverse Cycle Inverter Split System Air Conditioner 3.35kW Cooling / 3.4kW Heating

Features:

- Strong cooling
- Dehumidifying
- Backlit display
- Gold fin technology
- Self-cleaning
- Sleep mode
- Remote control
- R32 Gas



Technical Specifications

AY-X12XEJ / AE-X12XEJ

Model Specifications

Rated Capacity	Cooling kW	3.35
	Heating kW	3.4
BTU Rating	Cooling	12000
	Heating	12000
Energy Label/ Star Rating	Cooling	5
	Heating	5
Net Dimensions W x H x D	Indoor	1010 x 315 x 220mm
	Outdoor	863 x 349 x 602mm
Net Weight	Indoor	13
	Outdoor	38
Backlit Hidden Display		Yes
Sleep Mode		Yes
Timer		24 Hour
Dehumidifying Mode		Yes
Remote Controller		Yes
Coverage Area	m ²	20-27

Technical Data


Rated Current	Cooling	3.2A (1.3~5.3)
	Heating	3.3A (1.3~7.6)
Max Current	Cooling	5.3A
	Heating	7.6A
Power Input	Cooling	700W
	Heating	720W
Rated Power Input	Cooling	1150W
	Heating	1400W
Indoor Air Volume	Cooling	900m ³ /h
Max. Pressure	Discharge	3.7MPa
	Suction	1.2MPa
Rated Voltage		220-240V ~
Noise Level dB(A)	Indoor	28-47
	Outdoor	54
Rated Frequency		50Hz
Refrigerant / Charge		R32 / 950g
Outdoor Unit Water Proof Protection		IPX4

SHARP

Reverse Cycle Inverter Split System Air Conditioner 5.1kW Cooling / 5.1kW Heating

Features:

- Strong cooling
- Dehumidifying
- Backlit display
- Gold fin technology
- Self-cleaning
- Sleep mode
- Remote control
- R32 Gas



Technical Specifications

AY-X18XEJ / AE-X18XEJ

Model Specifications

Rated Capacity	Cooling kW	5.1
	Heating kW	5.1
BTU Rating	Cooling	18000
	Heating	18000
Energy Label/ Star Rating	Cooling	4
	Heating	4
Net Dimensions W x H x D	Indoor	1186 x 340 x 258mm
	Outdoor	927 x 380 x 699mm
Net Weight	Indoor	17
	Outdoor	40
Backlit Hidden Display		Yes
Sleep Mode		Yes
Timer		24 Hour
Dehumidifying Mode		Yes
Remote Controller		Yes
Coverage Area	m ²	30-35

Technical Data

Rated Current	Cooling	5.3A (1.4-10.3)
	Heating	5.2A (1.4-10.2)
Max Current	Cooling	10.3A
	Heating	10.2A
Power Input	Cooling	1190W
	Heating	1180W
Rated Power Input	Cooling	2300W
	Heating	2250W
Indoor Air Volume	Cooling	900m ³ /h
Max. Pressure	Discharge	3.7MPa
	Suction	1.2MPa
Rated Voltage		220-240V ~
Noise Level dB(A)	Indoor	28-49
	Outdoor	59
Rated Frequency		50Hz
Refrigerant / Charge		R32 / 1110g
Outdoor Unit Water Proof Protection		IPX4

SHARP

Reverse Cycle Inverter Split System Air Conditioner 7.3kW Cooling / 8.0kW Heating

Features:

- Strong cooling
- Dehumidifying
- Backlit display
- Gold fin technology
- Self-cleaning
- Sleep mode
- Remote control
- R32 Gas



Technical Specifications

AY-X24XEJ / AE-X24XEJ

Model Specifications

Rated Capacity	Cooling kW	7.3
	Heating kW	8
BTU Rating	Cooling	24000
	Heating	24000
Energy Label/ Star Rating	Cooling	3.5
	Heating	3
Net Dimensions W x H x D	Indoor	1186 x 340 x 258mm
	Outdoor	975 x 433 x 808mm
Net Weight	Indoor	17
	Outdoor	59
Backlit Hidden Display		Yes
Sleep Mode		Yes
Timer		24 Hour
Dehumidifying Mode		Yes
Remote Controller		Yes
Coverage Area	m ²	35-50

Technical Data

Rated Current	Cooling	8.2A (1.9-13.5)
	Heating	9.4A (1.9-14.5)
Max Current	Cooling	13.5A
	Heating	14.5A
Power Input	Cooling	1800W
	Heating	2100W
Rated Power Input	Cooling	2800W
	Heating	2900W
Indoor Air Volume	Cooling	1330m ³ /h
Max. Pressure	Discharge	3.7MPa
	Suction	1.2MPa
Rated Voltage		220-240V ~
Noise Level dB(A)	Indoor	32-51
	Outdoor	62
Rated Frequency		50Hz
Refrigerant / Charge		R32 / 1420g
Outdoor Unit Water Proof Protection		IPX4