### Page: 1 of 7

ISSUED by BONDALL

Infosafe No™ LQ3GL

Issue Date :July 2014

Product Name MONOCEL CLEAR AEROSOL 300G

Classified as hazardous

1. Identification	
GHS Product	MONOCEL CLEAR AEROSOL 300G
Identifier	
Product Code	GLOSS - 45741, SATIN - 45841, ULTRA GLOSS - 45641
Company Name	BONDALL PTY LTD (ABN 27 008 734 996)
Address	113 Belmont Avenue Belmont WA 6104 Australia
Telephone/Fax	Tel: (08) 6272 3800
Number	Fax: (08) 9277 4068
Emergency phone number	0400 705 773 or Poisons Information Centre: 13 11 26
Recommended use of the chemical and restrictions on use	Urethane based stain & varnish for spray application on timber.

### 2. Hazard Identification

Ingredients	Name CAS Proportion
3. Composition/info	ormation on ingredients
statement – Disposal	
Precautionary	P501 Dispose of contents/container to an approved waste disposal plant.
statement – Storage	50°C.
Response Precautionary	P410+P412 Protect from sunlight. Do not expose to temperatures exceeding
statement –	
Precautionary	P270 Do not eat, drink or smoke when using this product. P314 Get medical advice/attention if you feel unwell.
Precautionary statement – Prevention	P210 Keep away from heat/sparks/open flames/hot surfaces, No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use. P260 Do not breathe mist/vapours/spray. P264 Wash skin thoroughly after handling.
Hazard Statement (s) General Precautionary Statement (s) Pictogram (s)	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H372 Causes damage to organs (central nervous system) through prolonged or repeated exposure.</li> <li>P101 If medical advice is needed, have product container or label at hand</li> <li>P102 Keep out of reach of children.</li> <li>P103 Read label before use.</li> <li>Flame, Health hazard</li> </ul>
Signal Word (s)	Transport of Dangerous Goods by Road and Rail. (7th edition) Flammable Aerosol: Category 1 STOT Repeated Exposure Category 1 Danger
Classification of the substance or mixture	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia Classified as Dangerous Goods according to the Australian Code for the

Ingredients	Name	CAS	Proportion
	Solvent naphtha (petroleum), medium aliphatic	64742-88-7	20-50 %

# Page: 2 of 7

Infosafe No™	LQ3GL Issue	Date :July	2014	ISSUED by BONDALL		
Product Name	MONOCEL CLEAR AEROSOL	300G				
	Cla	ssified as ha	zardous			
Ingredients	Name	CAS	Proportion			
	Solvent naphtha (petroleum), light aliphatic	64742-89-8	10-30 %			
	Butane	106-97-8	5-15 %			
	Propane 2-Butanone oxime	74-98-6 96-29-7	5-15 % 0-<1 %			
	Ingredients determined	90-29-7	Balance			
	not to be hazardous		Daranee			
4. First-aid measure	es					
Inhalation	If inhaled, remove affect			rea. Apply artificial		
Ingestion		respiration if not breathing. Seek medical attention.				
Ingestion	vomiting. Wash out mouth	Unlikely due to form of product. However, if ingested, do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek				
Skin	medical attention. Wash affected area thoroughly with soap and water. If symptoms develop seek					
Eye contact	medical attention.	apart and flu	ish the eves conti	nucusly with running		
Lyc contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until					
	all contaminants are was	-	etely. If symptom	ns develop and/or		
First Aid Facilities	persist seek medical att Eyewash, safety shower a		room facilities.			
Advice to Doctor	Treat symptomatically.					
Other Information	For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)					
5. Fire-fighting mea	isures					
Suitable	Carbon dioxide, dry chem	ical, foam, wa	ter fog or water	mist.		
extinguishing media						
Hazards from		Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of				
Combustion	nitrogen.	ig carbon monox	iue, carbon uroxi	tue and oxides of		
Products Specific becards	Contents under pressure	- cans can evr	lode in a fire o	or may become a		
Specific hazards arising from the	projectile in a fire. Th					
chemical	and fire-exposed surface to do so and remove sour explosively. Flashback a create fire or explosion Aerosols are sensitive t	es cool with wa ces of re-igni long the vapou hazard. May b	tter spray. Shut o tion. Vapour/air or trail may occur be sensitive to st	off any leak if safe mixtures may ignite c. Runoff to sewer may		
Hazchem Code	2YE					
Decomposition Temp.	Not available					
Precautions in connection with Fire	Fire fighters should wea breathing apparatus (SCE fire the product may be to disperse vapours. Thi and watercourses.	A) operated in violently or e	n positive pressur explosively reacti	re mode. In case of ive. Use water spray		

#### 6. Accidental release measures

### Page: 3 of 7

Infosafe No™ LQ3GL

Issue Date : July 2014

ISSUED by BONDALL

Product Name MONOCEL CLEAR AEROSOL 300G

Classified as hazardous

7. Handling and sto	brage	
Precautions for Safe Handling Conditions for safe	EXTREMELY FLAMMABLE. VAPOUR OR GAS REDUCES OXYGEN FOR BREATHING. IN CONFINED SPACES MAY CAUSE ASPHYXIATION. Wear appropriate personal protective equipment and clothing to prevent exposure. Handle and use the material in a well-ventilated area, away from sparks, flames and other ignition sources. DO NOT store or use in confined spaces. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Build up of mists or vapours in the atmosphere must be prevented. Do NOT cut or heat containers as they may contain hazardous residues. Do not smoke. Flameproof equipment is necessary in areas where the product is being used. Take precautionary measures against static discharges. Earth or bond all equipment. Do not empty into drains. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands before eating, drinking, smoking or using the toilet facilities. Avoid exposure. Do not handle until all safety precautions have been read and understood. Store in a cool, dry, well ventilated area away from sources of ignition,	
storage, including	oxidising agents, foodstuffs, clothing and out of direct sunlight. Protect	
any incompatabilities	container against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Do NOT pressurise, cut or heat aerosol containers. Content is under pressure and can explode violently. For information on the design of the storeroom, reference should be made to Australian Standard AS 2278-2000 Non-refillable metal aerosol dispensers of capacity 50 mL to 1000 mL inclusive. Reference should also be made to all Local, State and Federal regulations.	
8. Exposure contro	ls/personal protection	
Occupational exposure limit values	No exposure value assigned for this material by Safe Work, Australia. However, the available exposure limits for ingredients are listed below: Safe Work, Australia Exposure Standards: Substance TWA STEL ppm mg/m <sup>3</sup> ppm mg/m <sup>3</sup> Butane 800 1900 TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week. STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.	
Biological Limit	No biological limits allocated.	
Values Appropriate engineering controls	This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements. Refer to AS 2865 Australian Standard Safe working in a confined space, for further information concerning ventilation requirements.	
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable organic vapour filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.	
Eye Protection Hand Protection	Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications. Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or	
Print Date: 2/07/2014	according to risk assessments undertaken. Reference should be made to AS/NZS	CS: 1.9.
iiint Date: 2/0//2014		CO: 1.9.

### Page: 4 of 7

Infosafe No™	LQ3GL Issue Date : July 2014	ISSUED by BONDALL		
Product Name	MONOCEL CLEAR AEROSOL 300G			
	Classified as hazardou	15		
Body Protection	2161.1: Occupational protective gloves - Selection, use and maintenance. Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large guantities are handled.			
Other Information	Propane and Butane are asphyxiant gases which when present in an atmosphere in high concentration, lead to reduction of oxygen concentration by displacement or dilution. It is not appropriate to recommend an exposure standard for an asphyxiant, rather it should be required that a sufficient oxygen concentration be maintained.			
9. Physical and che	nical properties			
Appearance	Liquid in an aerosol pressure pack.			
Colour	Clear			
Odour	Hydrocarbon solvent odour			
Decomposition Temperature	Not available			
Melting Point	Not available			
Boiling Point	Not available			
Solubility in Water	Insoluble			
Specific Gravity	0.850-0.870			
рН	Not available			
Vapour Pressure	Not available			
Vapour Density (Air=1) Evaporation Rate	Not available Not available			
Odour Threshold	Not available			
Viscosity	Not available			
Partition Coefficient: n-octanol/water	Not available			
Flash Point	Not available			
Flammability	Extremely flammable aerosol			
Auto-Ignition Temperature Elements Limite	Not available Not available			
Flammable Limits - Lower Flammable Limits - Upper	Not available			

### **10. Stability and reactivity**

10. Stability and reactivity			
Reactivity	Reacts with incompatible materials.		
Chemical Stability	Stable under normal conditions of storage and handling.		
Conditions to Avoid	Heat, direct sunlight, flames and other sources of ignition.		
Incompatible Materials	Strong oxidising agents.		
Hazardous Decomposition Products	Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.		
Hazardous Polymerization	Will not occur.		
11. Toxicological Information			

Print Date: 2/07/2014

### Page: 5 of 7

ISSUED by BONDALL

Infosafe No™ LQ3GL

# Issue Date :July 2014

Product Name MONOCEL CLEAR AEROSOL 300G

	Classified as hazardous
Toxicology	No toxicity data available for this material.
Ingestion	Unlikely due to form of product.
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Skin	May be irritating to skin. The symptoms may include redness, itching and swelling.
Eye	May be irritating to eyes. The symptoms may include redness, itching and tearing.
Respiratory sensitisation	Not expected to be a respiratory sensitiser.
Skin Sensitisation	Not expected to be a skin sensitiser.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Causes damage to organs (central nervous system) through prolonged or repeated exposure.
Aspiration Hazard	Not expected to be an aspiration hazard.

### 12. Ecological information

Ecotoxicity	No ecological data available for this material.
Persistence and degradability	Not available
Mobility	Not available
Bioaccumulative	Not available
Potential	
Other Adverse	Not available
Effects	
Environmental	Do not discharge this material into waterways, drains and sewers.
Protection	

### **13. Disposal considerations**

Disposal	Dispose of waste according to applicable local and national regulations. Do
Considerations	not pierce, burn, cut, puncture or weld on or near containers. Empty
	containers may contain hazardous residues. Empty the container completely
	before disposal. Contaminated containers must not be treated as household
	waste. Advise flammable nature

### 14. Transport information

Transport	Road and Rail Transport (ADG Code):	
Information	This material is classified as Dangerous Goods Division 2.1 - Flammable	
	Gases according to the Australian Code for the Transport of Dangerous Goods by Road or Rail. ( 7th edition)	
	Division 2.1 Dangerous Goods are incompatible in a placard load with any of the following:	
	- Class 1, Explosives	
	- Division 2.2 Non-flammable, Non toxic gases that have a subsidiary risk	
	5.1 except when all are packed in cylinders or pressure drums not exceeding	
	500L capacity.	
	- Class 3, Flammable Liquids, if both the Division 2.1 and Class 3 dangerous goods are in tanks or other receptacles with a capacity individually exceeding 500L.	
	- Division 4.1, Flammable Solids	
	- Division 4.2, Spontaneously Combustible Substances	
	- Division 4.3, Dangerous When Wet Substances	

# Page: 6 of 7

Infosafe No™	пбаеп	Issue Date :July 2014	ISSUED by BONDALI
Product Name	MONOCEL CL	EAR AEROSOL 300G	
		Classified as hazardous	
	- Division 5.1, Oxidising substances - Division 5.2, Organic Peroxides - Class 7, Radioactive Substances		
Marine Transport (IMO/IMDG): Classified as Dangerous Goods by the criteria of the International Mari Dangerous Goods Code (IMDG Code) for transport by sea. Proper Shipping Name: AEROSOLS UN-No: 1950 Division: 2.1 EmS: F-D,S-U Special Provisions: 63, 190, 277, 327, 344, 959			
U.N. Number	Classified Transport A air. Proper Ship UN-No: 1950 Division: 2 Label: Flam Packaging I Packaging I	.1	
UN proper shipping	AEROSOLS		
name Transport hazard class(es)	2.1		
Hazchem Code	2YE		
EPG Number	2D1		
IERG Number	49		
IMDG Marine pollutant	No		
15. Regulatory info	ormation		
Regulatory Information	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicing and Pricess (SUSNE) (Engented)		
Poisons Schedule	Uniform Scheduling of Medicines and Poisons (SUSMP). (Exempted) Not Scheduled		
AICS (Australia)	The listed chemicals are included in Australian Inventory of Chemical Substances (AICS) or otherwise notified under NICNAS.		
16. Other Informat	tion		
Date of preparation or last revision of SDS		: July 2014	
Literature References	Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice Standard for the Uniform Scheduling of Medicines and Poisons. Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants, Safe work Australia. American Conference of Industrial Hygienists (ACGIH) Globally Harmonised System of classification and labelling of chemicals. Chemist: Tel No: (08) 6272-3800		
Contact Person/Point		Tel No: 0400 705 773	

# Safety Data Sheet

### Page: 7 of 7

ISSUED by BONDALL

Infosafe No™ LQ3GL

Issue Date : July 2014

Product Name MONOCEL CLEAR AEROSOL 300G

#### Classified as hazardous

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.