

Review Date: 6 February 2019

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name:	HY-CLOR SPA SANITISER TABLETS
Shipping Name:	Bromochloro-5,5- Dimethylhydrantoin
Product Code:	HYCSPA01-600g, HYCSPA13-1.3kg, HYCSPA10-10kg
UN Number:	UN1479
Recommended Use of the	Disinfectant for Cross and basted real

Chemical and Restrictions on Use:

Disinfectant for Spas and heated pool

Chemical Formula: Supplier: Street Address: N/A HY-CLOR AUSTRALIA PTY LTD 178 Power Street Glendenning NSW 2761

Telephone Number: After Hours Contact: Facsimile: Email Contact: Emergency Telephone: 02 8805 2400 0404 859 515 02 8805 2401 <u>help@hyclor.com.au</u> **13 11 26 (Australia Poisons Information Centre)** New Zealand 0800 764 766

2. HAZARDS IDENTIFICATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS. **Poison Schedule: 6** This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

Classification of the substance or mixture:

Oxidising Solids – Category 2 Acute Toxicity – Category 4 Skin Corrison /Irritation – Cat 1B Acute Hazard to Aquatic Environment – Category 1



Hazard pictograms

SIGNAL WORD: DANGER

Hazard Statement(s):

This material is hazardous

H272: Oxidiser, May intensify Fire

H302: Harmful if swallowed

H314: Causes Skin Burn and Eye Damage

H400: Very Toxic to Aquatic Life

Precautionary Statement(s) :

Product Name: Spa Sanitiser Tablets



CAS

16079-88-2

P210: Keep away from Sparks, No Smoking
P220: Store Away from Combustible Material
P264: Wash Hands properly after using
P270: Do not eat, drink or smoke while using this product
P260: Do no breathe Dust, smoke etc.

Response:

P370+P378: In case of fire; Use appropriate extinguisher
P301+P312: If Swallowed Call poison centre
P301, P330, P331 : If swallowed, rinse mouth, do not induce vomiting
P304+P340: If inhaled, remove victim to fresh air, keep at rest in a comfortable position
P305+P351+P338: If in eyes; Rinse cautiously with water for several minutes. Remove contact lenses

Related Information	
DG Class	5.1
Packaging Group	III
Hazchem Code	1Y

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients Proportion

1-Bromo-3-Chloro-5,5-Dimethylimidazolidine-2,40dione

Percentage > 96 % (89-97%) Inert Ingredients

4. FIRST AID MEASURES		
General	Keep Victim warm and quiet. Obtain immediate medical care. Ensure that attending medical personnel are aware of the identity and nature of the product involved, and take precautionary measures to protect themselves.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth with water and then give plenty of water to drink. Seek medical attention if large amounts ingested. Call Poison Centre 13 11 26	
Еуе	If in eye(s) wash with large amounts of water for approximately 15 minutes holding eyelid(s) open. Seek medical attention immediately.	
Skin	Remove contaminated clothing and wash skin thoroughly decontaminate clothing before re-use or discard. If swelling, redness, blistering or irritation occurs seek medical advice.	
Inhalation	Remove the source of contamination or move the victim to fresh air. Ensure airways are clear and have qualified person give oxygen through mask if breathing is difficult. If victim has stopped breathing begin artificial respiration, or if heart has stopped, cardiopulmonary resuscitation. Seek immediate medical attention.	
First Aid Facilities Advice to Doctor Medical Conditions that may	Eye wash and normal washroom facilities. First Aid Kit. Treat symptomatically	
Be Aggravated by Exposure	Asthma and respiratory and cardiovascular disease.	



Review Date: 6 February 2019

5. FIRE FIGHTING MEASURES

Hazchem Code Extinguishers Fire Fighting Procedures Hazardous	1Y Use flooding amounts of water from a distance. Take care as contact with water will release toxic chlorine gas. Do not use foam or dry agent. Wear self-contained breathing apparatus (SCBA) and protective clothing.
Decomposition Products	Decomposes on heating emitting toxic fumes of chlorine as well as liberating oxygen.
Other precautions	Not combustible, however (oxidizer) ignites combustible or organic materials when in contact. Emits toxic fumes of chlorine as well as liberating oxygen, therefore dangerous in a fire situation. Keep away from heat, sparks or naked flames. Heating may cause explosion. Contact with acids or strong alkalis may generate heat.

6. ACCIDENTAL RELEASE MEASURES

Spills	Evacuate all unnecessary personnel. Wear protective clothing as specified in the Personnel Protection section of the SDS. Sweep up material and place into a suitable labelled container. Collect with spark free tools, avoid the creation of dust. Mop up the remaining material and place into the same container. If large quantities of the material enter the waterways contact the Environmental Protection Authority, or your local
	Waste Management Authority

7. HANDLING AND STORAGE	
Handling	Avoid skin and eye contact and inhalation of dust. Wear appropriate protective equipment and clothing. Use in a well ventilated area. Avoid spillage onto floor. Keep containers closed when not in use. Maintain personal hygiene by washing hands prior to eating, drinking, smoking or using toilet.
Storage	using toilet. Store in a cool, dry, well ventilated area, out of direct sunlight. Store in suitable, labelled containers. Avoid any dust build-up by frequent cleaning and suitable construction of storage area. Keep storage separated from work areas. Inspect periodically for deficiencies such as damage or leaks.
Incompatibilities	Store away from organic and/or combustible agents.
8. EXPOSURE CONTROLS	/ PERSONAL PROTECTION
Exposure Standards	No ingredients in this product have exposure standards, as outlined in the standard <i>Exposure Standards for Atmospheric Contaminants in the Occupational Environment</i> third edition, published by the National
Engineering Measures	Occupational health and Safety Commissions/AGPS,1995. Avoid generating and inhaling dusts. Use in a well ventilated area only. Keep containers in a well ventilated area. Local exhaust ventilations system may be required, especially if chlorine gas evolved.
Personal Protection Equipment	
Clothing	Suitable protective clothing should be worn e.g. cotton overalls and safety shoes.
Skin Protection Eye Protection	Impervious PVC or rubber gloves should be worn. Safety glasses with side shields or goggles should be worn.
Draduat Nama, Cra Caritian	Tableta Deview Date: C. Fabruary 2010



Review Date: 6 February 2019

Respiratory Protection Personal Hygiene If dust exists, wear respirator meeting the requirements of AS/NZS 1716. Ensure a high level of personal hygiene is maintained when using this product. Always wash hands before eating, drinking, smoking or using the toilet.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Boiling Point Freezing/Melting Point N/A Vapour Pressure Specific Gravity Flash Point Upper Flammability Limit Lower Flammability Limit Solubility in Water pH	Solid, Odourless White N/A N/A N/A N/A N/A Appreciable 3.5 0.15 % w/w
10. STABILITY AND REACTIN	ΙΤΥ
Chemical Stability Conditions to Avoid Incompatible Material	Rapidly decomposes on exposure to air. May decompose violently if exposed to heat or direct sunlight. Thermally unstable. Avoid high temperatures and high humidity. Reactive or incompatible with the following materials, oxidising materials, reducing materials, combustible materials, acids, aklais and moisture. Contact with acids liberates toxic gas.
Hazardous Decomposition Products	Thermal decomposition products include toxic chlorine gas.
11. TOXICOLOGICAL INFORI	MATION
Toxicology Information	Dermal LD 50 (rabbit) > 2000 mg/kg Oral LD 50 (rat) = 485 mg/kg
Acute Effects Swallowed Skin	Harmful or fatal if swallowed. Ingestion may cause nausea, vomiting, shock and coma. Corrosive. Will cause severe damage to the mucous membranes, including irritation and/or burns to the entire gastrointestinal tract. This is characterised by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration. May also cause circulatory collapse, cyanosis, shock, confusion, delirium and swelling of the throat or tongue resulting in obstruction of the airway. Harmful in contact with skin. Corrosive to skin – causes burns. Dermal exposure can cause severe irritation and/or burns characterised by redness, swelling and scab formation. Skin contact may also cause eruptions and eczema.
Eye	Causes burns and is a severe eye irritant. Contact may cause impairment
Inhaled	of vision or corneal damage. The vapour is an irritant to the mucous membranes and respiratory tract. Inhalation of dust will result in respiratory irritation. Inhalation may result in headaches, dizziness and possible nausea. May also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung



Review Date: 6 February 2019

function. Inhalation of high concentrations can result in permanent lung
damage.Long Term EffectsProlonged skin exposure may cause destruction of the dermis with

impairment of the skin at site of contact to regenerate.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Highly toxic to aquatic life. Avoid contaminating waterways.

13. DISPOSAL CONSIDERATIONS

Disposal Methods and Containers	Dispose of according to relevant local, state and federal government regulations.

Special Precautions for Landfill Contact a specialist disposal company for landfill.

14. TRANSPORT INFORMATION

UN Number		1479
Land Transpo	ort	ADG
UN Proper Sh	ipping Name	Bromochloro-5-5 Dimethyhydantoin
Dangerous G	oods Class	5.1 Oxidising Substance
Packing Grou	p	
Hazchem Cod	le	1Y
Special Preca	ution to User	This material is classified as a Class 5.1 Dangerous Good according to
the Australian	Code for the Tra	nsport of Dangerous Goods. Class 5.1 oxidising agents shall not be
loaded or pack	ed in the same v	vehicle or freight as
Class 1	Explosives	
Class 2.1		
Class 2.3	Toxic Gases	
Class 3	s 3 Flammable Liquids	
Class 4.1	1 Flammable Solids	
Class 4.2 Spontaneously Combustible Substances		
Class 4.3 Dangerous when Wet Substances		
Class 5.2 Organic Peroxides		
Class 6 Toxic Substances (where the toxic substances are fire risk substances)		
Class 7	Radioactive Su	ubstances
Class 8	Corrosive Subs	stances (Certain Exemptions Apply)
Class 9		Dangerous Goods (where the miscellaneous dangerous goods are fire risk

Class 9 Miscellaneous Dangerous Goods (where the miscellaneous dangerous goods are fire risk substances or Combustible Liquids).

15. REGULATORY INFORMATION

Poisons Standard (Scheduling):	Schedule 6
APVMA Product Number:	56160
Listing in the Australian	Not applicable for APVMA registered products
Inventory of Chemical	
Substances (AICS)	

16. OTHER INFORMATION



Review Date: 6 February 2019

ADG	Australian Code for the Transport of Dangerous Goods by Road &
	Rail Edition 7.5, 2017
AS/NZS	Australian Standard/New Zealand Standard
CAS Number:	Unique Chemical Abstracts Service Registry Number
EC ₅₀ :	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species).
GHS:	Globally Harmonized System of classification and labelling of chemicals (GHS)
Hazchem Code:	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
HCIS:	Hazardous Chemical Information System
	(http://hcis.safeworkaustralia.gov.au/HazardousChemical)
IARC:	International Agency for Research on Cancer
LD ₅₀ :	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
IDLH:	Immediately dangerous to life or health (IDLH) is defined by the US National Institute for Occupational Safety and Health (NIOSH)
LC ₅₀ :	Lethal Concentration 50% – concentration in air which is fatal to 50%
	of a test population.
NTP:	National Toxicology Program (USA)
SDS:	Safety Data Sheet
STEL:	Short term exposure limit (STEL) means the time-weighted average maximum airborne concentration of a substance calculated over a 15 minute period.
TWA:	8-hour Time-weighted average (TWA) means the maximum average airborne concentration of a substance when calculated over an eight-hour working day, for a five-day working week.
WES:	Workplace exposure standard
UN Number:	United Nations Dangerous Goods Number

References:

Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (February 2016). The exposure standards comply with the New Zealand and Australian Workplace Exposure Standards for Airborne Contaminants. The Dangerous Goods Classification complies with the Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.5, 2017. Other information from ChemIDPlus and linked databases. European Chemicals Agency Classification and Labelling database. OECD SIDS.

Sections Revised: All

Replaces revision: August 2016

Disclaimer

This Safety Data Sheet (SDS) has been prepared in compliance with the Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (February 2016). The information in this SDS should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. HY-CLOR Australia Pty. Limited shall not be held liable for any damage resulting from handling or from contact with the above product.

Copyright 2018 HY-CLOR Australia Pty. Limited. License granted to make unlimited paper copies for internal use only.

Mr Mark Sheridan

Product Name: Spa Sanitiser Tablets



Technical Regulations Manager Telephone: Australia + 61 2 8805 2400 New Zealand + 64 9 973 2477