

## Liquid Stone Surface Primer

Flooring

Issue Date: October 2013

7 Day Technical Support 1800 655 711

1. Identification of th	e Material and Supplier			
Company Name:	Crommelin	U.N. Number:	N/A	
Address:	72 Division St, Welshpool, WA	Dangerous Goods Class/		
Telephone Contact:	+61 8 9458 5711	and Subsidiary Risk:	N/A	
Emergency Contact:	Poisons Information Centre	Hazchem Code:	N/A	
	13 11 26	Poisons Schedule:	N/A	
Fax:	+61 8 9451 4749			
Product Name:	Liquid Stone Surface Primer			
Other Name:	Acrylic Primer			
Manufacturers Code:	7200			
Recommended Uses:	Primer for Liquid Stone			
	decorative coating			
2. Hazardous Materia				
Hazard Classification:		NCE. NON-DANGEROUS GOO		
		Not classified as Hazardous according to the criteria of NOHSC. Not classified as		
		to the Australian Dangerous Ge	oods Code.	
Safety Phrases:	S23 (3) Do not breathe spray			
	S24/25 Avoid contact with sk			
3. Composition/ Info	S36/37 Wear Suitable protec	tive clotning		
Chemical Name	<u>CAS No.</u>	Proportion		
Acrylic Emulsion	None Allocated	10-30%		
Coalescing Agents	None Allocated	<10%		
Water	7732-18-5	to 100		
4. First Aid	1152-16-5	18 100		
4. First Ald Swallowed:	Do not induce vomiting Wash	mouth and lips thoroughly with	water Sook modical	
Swallowed.	advice if symptoms persist.	model and ips thoroughly with	Water. Occk medical	
Eyes:	<b>J I I</b>	running water, holding eyelids c	open for 15 mins	
	Seek medical attention.	unning water, notaing cyclids c		
Skin:	Wash affected area immediately with soap and water. If irritation develops seek			
	medical attention.	,		
Inhaled:	Water-based, treat for drowning.			
First Aid Facilities:	Eye wash and normal wash room facilities.			
Advice to Doctor:	Treat symptomatically.			
Other information:		ontact Poisons information cen	tre Ph: 13 11 26	
	(Australia) or a doctor.			

# Liquid Stone Surface Primer

Flooring

Issue Date: October 2013

7 Day Technical Support 1800 655 711

© Crommelin

5. Fire Fighting Measures		
Not Flammable		
Not combustible however, if material is involved in a fire use fine water spray, normal foam, or dry agent (carbon dioxide, dry chemical powder)		
Under fire conditions the product may emit toxic fumes including carbon monoxide and carbon dioxide, as well as traces of acrylic monomers.		
This product is not combustible. However, under fire conditions, following evaporation of the aqueous component, the organic components may decompose and/or burn.		
Fire fighters should wear self-contained breathing apparatus and full PPE to prevent exposure to vapours, fumes and products of combustion. Water spray may be used to cool down heat-exposed containers		
Measures		
Avoid accidents, clean up immediately. Wear appropriate PPE to minimise exposure. Absorb spilt product with the use of inert absorbent material, sand or earth. Collect and place in labelled containers. Dispose as per local, state and federal government regulations. Do not allow large spills to enter drains or sewers, inform local water authorities and EPA in accordance with local regulations.		
ge		
Wear appropriate PPE to prevent inhalation, skin and eye contact. Use in areas with adequate ventilation. Practice good personal hygiene. Keep containers closed when not in use.		
Store in a cool, dry, well ventilated place, away from incompatible storage materials		
such as strong acids, strong bases and oxidising agents. Protect from freezing and against physical damage. Keep out of reach of children.		
Absorb spilt product onto inert absorbent material, sand or earth		
and collect and place in labelled containers. Dispose as per local,		
state and federal government regulations. Do not allow large spills		
to enter drains or sewers, inform local water authorities and EPA in		
accordance with local regulations		
This product is not combustible. However, under fire conditions,		
following evaporation of the aqueous component, the organic components may decompose and/or burn.		



### Liquid Stone Surface Primer

Flooring

Issue Date: October 2013

7 Day Technical Support 1800 655 711

8. Exposure Controls/	Personal Protection	
Exposure limits:	None established for the mixture by NOHSC, Australia. However	
	over exposure to some chemicals may result in adverse effects on	
	health, or aggravation of pre-existing medical conditions and/or	
	allergic reactions and should be kept to the lowest possible levels.	
Biological limit:	No Biological limit allocated.	
Ventilation:		
ventilation.	No special ventilation requirements. Use with good ventilation to keep airborne concentrations as low as possible. Where vapours or mists are	
	generated a local exhaust, ventilation system drawing vapours away from workers'	
	breathing zone, should be used.	
Personal protection:	Normal site PPE. Observe good industrial hygiene.	
Respiratory Protection:		
Respiratory riotection.	Not normally required. If engineering controls are not effective, then an approved respirator with a replaceable organic vapour filter should be used.	
Eye Protection:	Safety glasses with side shields or goggles as appropriate.	
Hand Protection:	Use chemical resistant gloves	
Body Protection:	Suitable protective work wear, e.g. cotton overalls.	
9. Physical Description		
Appearance:	Clear	
Odour:	Mild Odour	
Melting Point:	0°C (water)	
Boiling Point:	100°C (water)	
Solubility in Water:	Miscible in all proportions	
Specific Gravity:	1.00	
pH value:	9-11	
Vapour Pressure:	17.5mm Hg @ 20ºC (water)	
Vapour Density:	Not Available	
Evaporation Rate:	Not Available	
Flash Point:	Not Applicable	
Flammability:	Non – combustible liquid	
Flammable Limits Lower:	Not Applicable	
Flammable Limits Upper:	Not Applicable	
Percent Volatiles:	85-90	
10. Stability and Reactiv	/ity	
Chemical Stability:	Stable under normal conditions of storage and handling	
Incompatible Materials:	Oxidising agents, strong acids and strong bases.	
Reactivity:	Does not react under normal storage and handling conditions.	
Hazardous Polymerisation:	Will not occur.	
11. Toxicological Inform		
Toxicology Information:	Not Available	
Swallowed:	Slightly irritating, may affect digestive tract when swallowed in volume.	
Eyes:	Slightly irritating, may affect eyes with prolonged exposure.	
Skin:	Slightly irritating, may affect skin on prolonged contact.	
Inhaled:	Slightly irritating, may cause nausea on prolonged contact.	
Chronic Effects :	Not Available.	



#### Material Safety Data Sheet

#### Liquid Stone Surface Primer

Flooring

Issue Date: October 2013

7 Day Technical Support 1800 655 711

12. Ecological Informatic	hn		
Ecotoxicity :	Not Available		
Persistence/Degradability:	Not Available		
Bioaccumulative potential:	Not Available		
Environmental Protection:	Do not discharge the product into drains, waterways or sewers		
13. Disposal Considerati			
Waste disposal:	Disposal of the spilled or waste product must be done in accordance with the		
	applicable local and national regulations.		
14. Transport Informatio	n .		
Road and Rail Transport:	Not Classified as Dangerous Goods according to the Australian Code for the transport of Dangerous Goods (ADG)		
Marine Transport:	Not classified as Dangerous Goods by criteria of International Maritime Dangerous Goods Code (IMDG)		
15. Regulatory Informati	on		
Regulatory Information:	Not classified as Hazardous according to the criteria of the National Occupational Health and Safety Commission (NOHSC), Australia. Not classified as Scheduled Poison according to the Standard for the Uniform of Drugs and Poisons (SUSDP)		
Poisons Schedule:	Not a Scheduled Poison		
AICS (Australia):	All chemicals are listed on the Australian Inventory of Chemical Substances (AICS) or are otherwise in compliance with NICNAS requirements.		
16. Other Information			
Abbreviations:	mmHg – Millimetres of Mercury CAS – Chemical Abstract Service Number (used to uniquely identify chemical		
Date of Issue:	compounds) Propared October 2013		
Supersedes:	Prepared October 2013 N/A		
Contact Person/Point:			
Contact FEISON/FOIL	Technical Manager/Chemist: Phone: +61 8 9458 5711 Emergency: Poisons Information Centre 13 11 26		
Disclaimer			

Crommelin<sup>®</sup> and other marks followed by <sup>®</sup> are registered trademarks. Marks followed by the symbol of <sup>™</sup> are trademarks. Any advice, recommendation, information, assistance or service provided by Crommelin<sup>®</sup> in relation to its products or their use is given in good faith, however is provided without responsibility or liability. Customers need to undertake their own assessment to determine the suitability of a product for the particular use intended. As the performance of any product is subject to a wide variety of different surface types as well as environmental and surface-specific conditions, it is essential that a sample of the product be applied to the intended area of use to ensure it is acceptable in appearance and finish and that it performs on the specific surface

End of MSDS